Computer Programming and

UTILIZATION

Fourth Edition

CC: 2110003

(Common to all Engineering Branches)

About the Author

E Balagurusamy, former Vice Chancellor, Anna University, Chennai and Member, Union Public Service Commission, New Delhi, is currently the Chairman of EBG Foundation, Coimbatore. He is a teacher, trainer, and consultant in the fields of Information Technology and Management. He holds an ME (Hons) in Electrical Engineering and PhD in Systems Engineering from the Indian Institute of Technology (IIT) Roorkee. His areas of interest include Object-Oriented Software Engineering, E-Governance: Technology Management, Business Process Re-engineering, and Total Quality Management.

A prolific writer, he has authored a large number of research papers and several books. His best-selling books, among others include:

- Programming in ANSI C, 7/e
- Fundamentals of Computers
- Computing Fundamentals and C Programming
- Programming in Java, 5/e
- Programming in BASIC, 3/e
- Programming in C#, 3/e
- Numerical Methods
- Reliability Engineering
- Introduction to Computing and Problem Solving using Python, 1e

A recipient of numerous honors and awards, E Balagurusamy has been listed in the *Directory of Who's Who of Intellectuals* and in the *Directory of Distinguished Leaders in Education*.

COMPUTER PROGRAMMING AND UTILIZATION

Fourth Edition

CC: 2110003

(Common to all Engineering Branches)

E Balagurusamy

Chairman

EBG Foundation

Coimbatore, Tamil Nadu



McGraw Hill Education (India) Private Limited

CHENNAL

McGraw Hill Education Offices

Chennai New York St Louis San Francisco Auckland Bogotá Caracas Kuala Lumpur Lisbon London Madrid Mexico City Milan Montreal San Juan Santiago Singapore Sydney Tokyo Toronto



ion McGraw Hill Education (India) Private Limited

Published by McGraw Hill Education (India) Private Limited 444/1, Sri Ekambara Naicker Industrial Estate, Alapakkam, Porur, Chennai 600 116

Computer Programming and Utilization, 4e

Copyright © 2018, 2017, 2015, 2014 by McGraw Hill Education (India) Private Limited.

No part of this publication may be reproduced or distributed in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise or stored in a database or retrieval system without the prior written permission of the publishers. The program listings (if any) may be entered, stored and executed in a computer system, but they may not be reproduced for publication.

This edition can be exported from India only by the publishers, McGraw Hill Education (India) Private Limited.

ISBN (13): 978-93-87572-18-8 ISBN (10): 93-87572-18-8

Managing Director: Kaushik Bellani

Director—Science & Engineering: *Vibha Mahajan* Lead—Science & Engineering: *Hemant Jha*

Associated Portfolio Manager—Science & Engineering: Vaishali Thapliyal

Content Development Lead: Shalini Jha Content Developer: Shehla Mirza Production Head: Satinder S Baveja

Assistant Manager—Production: Jagriti Kundu

General Manager—Production: Rajender P Ghansela

Manager—Production: Reji Kumar

Information contained in this work has been obtained by McGraw Hill Education (India), from sources believed to be reliable. However, neither McGraw Hill Education (India) nor its authors guarantee the accuracy or completeness of any information published herein, and neither McGraw Hill Education (India) nor its authors shall be responsible for any errors, omissions, or damages arising out of use of this information. This work is published with the understanding that McGraw Hill Education (India) and its authors are supplying information but are not attempting to render engineering or other professional services. If such services are required, the assistance of an appropriate professional should be sought.

Typeset at APS Compugraphics, 4G, PKT 2, Mayur Vihar Phase-III, Delhi 96, and printed at

Cover Printer:

Visit us at: www.mheducation.co.in

Contents

Preface		XIII
Roadma	p to the Syllabus	xvii
1. Intro	oduction to Computer and Programming	1.1–1.30
1.1	Introduction 1.1	
1.2	Basic Anatomy of a Computer System 1.2	
1.3	Input Devices 1.3	
1.4	Output Devices 1.5	
1.5	Software 1.7	
1.6	Hardware 1.9	
1.7		
1.8	Translator Programs 1.12	
1.9		
1.10	Č 1	
	Efficient and Maintainable Programs 1.14	
1.11	Structured Programming 1.15	
	Problem Solving 1.15	
1.13		
1.14	Flowcharts 1.19	
	Just Remember 1.27	
	Review Questions 1.28	
	Multiple Choice Questions 1.29	
	Answers 1.30	
2. Fun	damentals of C	2.1–2.20
2.1	History of C 2.1	
2.2	Features of C Level Language 2.2	
2.3	Sample Program 1: Printing a Message 2.3	
2.4	Sample Program 2: Displaying Your Name 2.6	
2.5	Sample Program 3: Adding Two Numbers 2.6	
2.6	Sample Program 4: Interest Calculation 2.8	
2.7	Sample Program 5: Finding Ceil of a Number 2.10	
2.8	Sample Program 6: Use of Math Functions 2.10	
2.9	C	
2.10		
2.11	Executing a 'C' Program 2.13	
	Just Remember 2.15	

	Review Questions 2.15	
	Programming Exercises 2.17	
	Debugging Exercises 2.18	
	Multiple Choice Questions 2.20	
	Answers 2.20	
3. Data	a Types in C	3.1–3.29
3.1	Introduction 3.1	
3.2	Character Set 3.1	
3.3	C Tokens 3.3	
3.4	Keywords and Identifiers 3.3	
3.5	Constants 3.4	
3.6	Variables 3.8	
3.7	Data Types 3.9	
3.8	Declaration of Variables 3.12	
3.9	Assigning Values to Variables 3.15	
3.10	Defining Symbolic Constants 3.20	
3.11	Declaring a Variable as Constant 3.22	
3.12	Declaring a Variable as Volatile 3.22	
3.13	Overflow and Underflow of Data 3.22	
	Just Remember 3.23	
	Review Questions 3.23	
	Programming Exercises 3.25	
	Debugging Exercises 3.26	
	Multiple Choice Questions 3.27	
	Answers 3.29	
4. Ope	rators and their Hierarchy	4.1-4.34
4.1	Introduction 4.1	
4.2	Arithmetic Operators 4.1	
4.3	Relational Operators 4.4	
4.4	•	
4.5	Assignment Operators 4.7	
	Increment and Decrement Operators 4.8	
4.7	Conditional Operator 4.10	
4.8	Bitwise Operators 4.10	
4.9	Special Operators 4.11	
4.10	Arithmetic Expressions 4.13	
4.11	Evaluation of Expressions 4.14	
4.12	Precedence of Arithmetic Operators 4.15	
4.13	Some Computational Problems 4.17	
4.14	Type Conversions in Expressions 4.18	
4.15	Operator Precedence and Associativity 4.21	
4 16	Mathematical Functions 4.23	

		Just Remember 4.24 Review Questions 4.25 Programming Exercises 4.28 Debugging Exercises 4.30 Multiple Choice Questions 4.32 Answers 4.34	
5.	Inpu	t–Output Functions	5.1-5.28
	5.3 5.4	Introduction 5.1 Reading a Character 5.2 Writing a Character 5.5 Formatted Input 5.6 Formatted Output 5.16 Just Remember 5.23 Review Questions 5.23 Programming Exercises 5.26 Multiple Choice Questions 5.27 Answers 5.28	
6.	Cont	trol Structures: Decision Making and Branching	6.1–6.41
	6.3 6.4 6.5 6.6 6.7	Decision Making with if Statement 6.1 Simple if Statement 6.2 The ifElse Statement 6.6 Nesting of ifElse Statements 6.10 The Else if Ladder 6.13 The Switch Statement 6.18 The?: Operator 6.22	
7.	7.1 7.2 7.3 7.4 7.5 7.6	Introduction 7.1 The while Statement 7.3 The do Statement 7.6 The for Statement 7.9 Jumps in Loops 7.22 Concise Test Expressions 7.29 Just Remember 7.30	7.1–7.40

Review Questions 7.30 Programming Exercises 7.34 Debugging Exercises 7.37

	Multiple Choice Questions 7.39 Answers 7.40	
8. Arra	ays	8.1–8.36
8.1	Introduction 8.1	
8.2	3	
8.3	,	
8.4	-	
8.5	3	
8.6	2	
8.7	,	
8.8		
	Just Remember 8.27	
	Review Questions 8.28	
	Programming Exercises 8.31	
	Debugging Exercises 8.33	
	Multiple Choice Questions 8.35 Answers 8.36	
	Answers 8.50	
9. Stri	ngs	9.1–9.33
9.1	Introduction 9.1	
9.2	Declaring and Initializing String Variables 9.2	
9.3	6 6	
9.4	8 8	
9.5	Arithmetic Operations on Characters 9.13	
9.6	Putting Strings Together 9.14	
9.7	ı e	
9.8		
9.9		
9.10	S S S S S S S S S S S S S S S S S S S	
	Just Remember 9.25 Review Questions 9.25	
	Programming Exercises 9.28	
	Debugging Exercises 9.30	
	Multiple Choice Questions 9.33	
	Answers 9.33	
10. Use	r-Defined Functions and Recursion	10.1–10.52
	Introduction 10.1	
	Need for User-defined Functions 10.1	
	3 A Multi-function Program 10.2	
	4 Elements of User-defined Functions 10.5	
10.	1 000 00000 00000 1000	

10.5	0.5 Definition of Functions 10.5	
10.6	0.6 Return Values and their Types 10.8	
10.7	0.7 Function Calls 10.9	
10.8	0.8 Function Declaration 10.11	
10.9	0.9 Category of Functions 10.12	
10.10	10 No Arguments and No Return Values 10.12	
10.11	11 Arguments but no Return Values 10.14	
10.12	12 Arguments with Return Values 10.18	
10.13	13 No Arguments but Returns a Value 10.22	
10.14	14 Functions that Return Multiple Values 10.22	
10.15	15 Nesting of Functions 10.23	
10.16	16 Recursion 10.25	
10.17	17 Passing Arrays to Functions 10.26	
10.18	18 Passing Strings to Functions 10.31	
10.19	19 The Scope, Visibility and Lifetime of Variables 10.32	
	Just Remember 10.41	
	Review Questions 10.42	
	Programming Exercises 10.47	
	Debugging Exercises 10.48	
	Multiple Choice Questions 10.51	
	Answers 10.52	
Dain	inters	11.1–11.34
		11.1-11.34
	.1 Introduction 11.1	
	.2 Understanding Pointers 11.2	
	3 Accessing the Address of a Variable 11.4	
	.4 Declaring Pointer Variables 11.5	
	.5 Initialization of Pointer Variables 11.6	
	.6 Accessing a Variable through its Pointer 11.8	
	.7 Chain of Pointers (Pointer to Pointer) 11.10	
	.8 Pointer Expressions 11.10	
	.9 Pointer Increments and Scale Factor 11.12	
	10 Pointers and Arrays 11.13	
	11 Pointers and Character Strings 11.16	
	12 Array of Pointers 11.18	
	13 Pointers as Function Arguments 11.19	
	14 Functions Returning Pointers 11.22	
	15 Pointers to Functions 11.22	
	16 Pointers and Structures 11.25	
11.17	17 Troubles with Pointers 11.27	
	Just Remember 11.28	
	Review Questions 11.28	
	Programming Exercises 11.31	
	Debugging Exercises 11.32	

11.

Multiple Choice Questions 11.33 Answers 11.34	
12. Structures and Unions	12.1–12.37
12.1 Introduction 12.1 12.2 Defining a Structure 12.1 12.3 Declaring Structure Variables 12.3 12.4 Accessing Structure Members 12.4 12.5 Structure Initialization 12.6 12.6 Copying and Comparing Structure Variables 12.8 12.7 Operations on Individual Members 12.10 12.8 Arrays of Structures 12.10 12.9 Arrays within Structures 12.14 12.10 Structures within Structures (Nested Structures) 12.15 12.11 Structures and Functions 12.17 12.12 Pointers and Structures 12.20 12.13 Unions 12.22 12.14 Size of Structures 12.24 12.15 Bit Fields 12.25 Just Remember 12.28 Review Questions 12.29 Programming Exercises 12.35 Multiple Choice Questions 12.36 Answers 12.37	
13. Dynamic Memory Allocation and Linked Lists	13.1–13.38
13.1 Introduction 13.1 13.2 Dynamic Memory Allocation 13.2 13.3 Allocating a Block of Memory: Malloc 13.3 13.4 Allocating Multiple Blocks of Memory: Calloc 13.6 13.5 Releasing the used Space: Free 13.7 13.6 Altering the Size of a Block: Realloc 13.8 13.7 Concepts of Linked Lists 13.9 13.8 Advantages of Linked Lists 13.12 13.9 Types of Linked Lists 13.13 13.10 Pointers Revisited 13.14 13.11 Creating a Linked List 13.16 13.12 Inserting an Item 13.22 13.13 Deleting an Item 13.24 13.14 Application of Linked Lists 13.26 Just Remember 13.27 Case Studies 13.28 Review Questions 13.34	

	Programming Exercises 13.36 Multiple Choice Questions 13.37 Answers 13.38	
14. File N	lanagement in C	14.1–14.26
14.2 14.3 14.4 14.5 14.6 14.7	Introduction 14.1 Defining and Opening a File 14.2 Closing a File 14.3 Input/Output Operations on Files 14.4 Error Handling During I/O Operations 14.12 Random Access to Files 14.14 Command Line Arguments 14.21 Just Remember 14.23 Review Questions 14.23 Programming Exercises 14.24 Multiple Choice Questions 14.25 Answers 14.26	
15. The P	Preprocessor	15.1–15.16
15.2 15.3 15.4 15.5	Introduction 15.1 Macro Substitution 15.2 File Inclusion 15.6 Compiler Control Directives 15.7 ANSI Additions 15.11 Just Remember 15.13 Review Questions 15.13 Programming Exercises 15.15 Multiple Choice Questions 15.15 Answers 15.16	
Practical S	Sets	PS.1-PS.3
GTU BE S	emester-1 st /2 nd Examination (New Syllabus) – Summer 2016	Q.1–Q.12
GTU BE S	emester-1 st /2 nd Examination (New Syllabus) – Winter 2016	Q.1–Q.10
GTU BE S	emester-1 st /2 nd Examination (New Syllabus) – Summer 2017	Q.1–Q.9

Preface

The developments in digital electronics and related technologies during the last few decades have ushered in the second Industrial Revolution, popularly referred to as the Information Revolution. Computer technology plays an ever-increasing role in this new revolution. Application of computers is all-pervasive in the life of every human today. A sound knowledge of how computers work and how they process data and information has, therefore, become indispensable for anyone who seeks employment not only in the area of IT but also in any other fields.

Rightly so, many institutions and universities in India have introduced a subject covering the fundamentals of computers and programming in C and C++ at the undergraduate and diploma levels of arts, science and engineering disciplines.

The fourth edition of the book Computer Programming and Utilization has been revised keeping in mind the first year engineering students of Gujarat Technological University undergoing the course Computer Programming and Utilization (2110003).

Highlights of the Book

The book provides a detailed coverage of the basic programming concepts using easy and application based programs and various examination oriented pedagogical aids. Student-friendly in approach, the book comprises a variety of solved examples and solutions of GTU question papers within the book. The book ensures that the reader will go from knowing nothing about programming to having a strong grasp of C, C++ and object-oriented programming. Ample exercise questions including Programming and Debugging exercises at the end of each chapter will give students opportunities to absorb concepts and hone their skills.

Salient Features

- Up-to-date and complete coverage of GTU syllabus
- Precise theory presented in lucid language
- Codes with comments provided throughout the book to illustrate the use of various features of the language
- Excellent coverage of flowcharts and algorithms
- Supplementary information and notes that complement but stand apart from the text are included in special boxes
- Just Remember given at the end of each chapter for quick recap of the concepts
- Application based programs are given in every chapter
- Solved question papers including summer 2016, winter 2016 and summer 2017

- Rich pedagogy:
 - o **158 Multiple Choice Questions** given at the end of every chapter to help test the understanding of learner
 - 729 Review Questions provide ample opportunities to test the conceptual understanding of features
 - o 198 Programming Exercises and 44 Debugging Exercises stimulate interest to practice programming applications
 - o 195 Figures and over 133 Examples serve as effective study aids
 - o 5 Practical Sets given at the end of the book

Online Learning Centre

This edition includes an online learning centre for students and instructors which contains:

- Solved programs selected from question papers of 2009 to 2012.
- Open-ended problems with solutions
- Chapter summary PPTs for quick last minute revision.
- 6 Solved question papers with solutions from summer 2013 to winter 2015

These supplementary resources can be accessed from the following web link: http://www.mhhe.com/balagurusamy/cpu4/gtu.

Chapter Organisation

The book has been divided into 15 chapters. **Chapter 1** gives an overview of computers, their development, characteristics and evolution. Next, the fundamentals of C are introduced in **Chapter 2**. **Chapter 3** explains data types in C. Operators and their hierarchy, and the concept of header files and I/O operations are taken up in **Chapters 4** and **5** respectively.

Control structures—decision making, branching and looping—are covered subsequently in **Chapters 6** and **7**. Arrays in ANSI C are presented in **Chapter 8**. **Chapter 9** deals with strings. Functions and recursion forms the subject of discussion in **Chapter 10**, while pointers, structures and unions are covered in **Chapters 11** and **12** respectively.

The principles of dynamic memory allocation and linked lists are introduced in **Chapter 13**, while **Chapter 14** guides the reader on file management in C. Finally, the preprocessor is taken up in **Chapter 15**.

The book provides numerous examples, illustrations and complete programs. The sample programs are meant to be both simple and educational. Wherever necessary, pictorial descriptions of concepts are included to improve clarity and facilitate better understanding. The book also presents the concept of oriented approach and discusses briefly the important elements of object programming.

Acknowledgements

A special note of thanks to the following reviewers for their valuable feedback:

Hardik Molia Government Engineering College, Rajkot, Gujarat

Bintu Kadhiwala Sarvajanik College of Engineering and Technology, Surat, Gujarat

Archana Nayak GIDC Degree Engineering College, Abrama, Gujarat
Chintan Bhavsar G.H. Patel College of Engineering and Technology, Gujarat
Kajal S Patel Government Engineering College, Gandhinagar, Godhra, Gujarat

Jay B. Teraiya Dhara Buch Marwadi Education Foundation, Rajkot, Gujarat Government Engineering College, Rajkot, Gujarat

I would like to thank all those who provided me with valuable feedback and inputs during the preparation of this book, and especially those at McGraw Hill Education, without whose help and cooperation, this book would not have had a timely release. Special thanks are also due to all my teacher friends and students for their encouragement. I hope everyone who desires to be a part of the next generation of computing will find this book interesting and useful. Further suggestions for improvement will always be welcome.

— E Balagurusamy

Publisher's Note

Constructive suggestions and criticism always go a long way in enhancing any endeavour. We request all readers to email us their valuable comments/views/feedback for the betterment of the book at *info.india@mheducation.com*, mentioning the title and author name in the subject line. Also, please feel free to report any piracy of the book spotted by you.

Roadmap to the Syllabus

Computer Programming and Utilization

Introduction to Computer Programming: Introduction, Basic block diagram and functions of various components of a computer; Concepts of hardware and software; Types of software; Compiler and interpreter; Concepts of machine-level, assembly-level and high-level programming; Flow charts and algorithms.

GO TO

Chapter 1 Introduction to Computers and Programming

Fundamentals of C—Features of C language; Structure of C program; Comments; Header files; Data types; Constants and variables; Operators; Expressions; Evaluation of expressions; Type conversion; Precedence and associativity; I/O functions

GO TO

Chapter 2 Fundamentals of C

Chapter 3 Data Types in C

Chapter 4 Operations and their Hierarchy

Chapter 5 Input–Output Functions

Control Structures in C—Simple statements; Decision-making statements; Looping statements; Nesting of control structures; break and continue; goto statement

GO TO

Chapter 6 Control Structures: Decision Making and BranchingChapter 7 Control Structures: Decision Making and Looping

Arrays and Strings—Concepts of array; One and two-dimensional arrays; Declaration and initialization of arrays; String; String storage; Built-in-string functions

Chapter 8 Arrays
Chapter 9 Strings

Functions—Concepts of user-defined functions; Prototypes; Definition of function; Parameters; Parameter passing; Calling a function; Recursive function; Macros; Pre-processing

GO TO

Chapter 10 User-Defined Functions and Recursion

Chapter 15 The Preprocessor

Pointers—Basics of pointers; Pointer to pointer; Pointer and Array; Pointer to array; Array of pointers; Functions returning a pointer

GO TO

Chapter 11 Pointers

Structure—Basics of structure; Structure members; Accessing structure members; Nested structures; Array of structures; Structure and functions; Structures and pointers

GO TO

Chapter 12 Structures and Unions

Dynamic Memory Allocation—Introduction to dynamic memory allocation; malloc; calloc;

GO ТО

Chapter 13 Dynamic Memory Allocation and Linked Lists

File Management—Introduction to file management and its functions

GO TO

Chapter 14 File Management in C

1.1 Introduction

The term *computer* is derived from the word *compute*. A computer is an electronic device that takes data and instructions as an *input* from the user, *processes* data, and provides useful information known as *output*. This cycle of operation of a computer is known as the *input-process-output* cycle and is shown in Fig. 1.1. The electronic device is known as *hardware* and the set of instructions is known as *software*.




Fig. 1.1 Input-process-output concept

The spurt of innovations and inventions in computer technology during the last few decades has led to the development of a variety of computers. They are so versatile that they have become indispensable to engineers, scientists, business executives, managers, administrators, accountants, teachers and students. They have strengthened man's powers in numerical computations and information processing.

Modern computers possess certain characteristics and abilities peculiar to them. They can:

- (i) perform complex and repetitive calculations rapidly and accurately,
- (ii) store large amounts of data and information for subsequent manipulations,
- (iii) hold a program of a model which can be explored in many different ways,
- (iv) compare items and make decisions,
- (v) provide information to the user in many different forms,
- (vi) automatically correct or modify the parameters of a system under control,

- (vii) draw and print graphs,
- (viii) converse with users interactively, and
 - (ix) receive and display audio and video signals.

These capabilities of computers have enabled us to use them for a variety of tasks. Application areas may broadly be classified into the following major categories.

- 1. Data processing (commercial use)
- 2. Numerical computing (scientific use)
- 3. Text (word) processing (office and educational use)
- 4. Message communication (e-mail)
- 5. Image processing (animation and industrial use)
- 6. Voice recognition (multimedia)

Engineers and scientists make use of the high-speed computing capability of computers to solve complex mathematical models and design problems. Many calculations that were previously beyond contemplation have now become possible. Many of the technological achievements such as landing on the moon would not have been possible without computers.

The areas of computer applications are too numerous to mention. Computers have become an integral part of man's everyday life. They continue to grow and open new horizons of discovery and application such as the electronic office, electronic commerce, and the home computer center.

The microelectronics revolution has placed enormous computational power within the reach of not only every organisation but also individual professionals and businessmen. However, it must be remembered that computers are machines created and managed by human beings. A computer has no brain of its own. Anything it does is the result of human instructions. It is an obedient slave which carries out the master's instructions as long as it can understand them, no matter whether they are right or wrong. A computer has no common sense.


1.2 Basic Anatomy of a Computer System

A computer system comprises of **hardware** and **software** components. Hardware refers to the physical parts of the computer system and software is the set of instructions or programs that are necessary for the functioning of a computer to perform certain tasks. Hardware includes the following components:

- **Input devices** They are used for accepting the data on which the operations are to be performed. The examples of input devices are keyboard, mouse and track ball.
- **Processor** Also known as CPU, it is used to perform the calculations and information processing on the data that is entered through the input device.
- Output devices They are used for providing the output of a program that is obtained after performing the operations specified in a program. The examples of output devices are monitor and printer.
- Memory It is used for storing the input data as well as the output of a program that is obtained after performing the operations specified in a program. Memory can be primary memory as well as secondary memory. Primary memory includes Random Access Memory (RAM) and secondary memory includes hard disks and floppy disks.

Software supports the functioning of a computer system internally and cannot be seen. It is stored on secondary memory and can be an application software as well as system software. The application software is used to perform a specific task according to requirements and the system software is mandatory for running application software. The examples of application software include Excel and MS Word and the examples of system software include operating system and networking system.

All the hardware components interact with each other as well as with the software. Similarly, the different types of software interact with each other and with the hardware components. The interaction between various hardware components is illustrated in Fig. 1.2.




Input Devices 1.3

Input devices can be connected to the computer system using cables. The most commonly used input devices among others are:

- Keyboard
- Mouse
- Scanner


1.3.1 Keyboard

A standard keyboard includes alphanumeric keys, function keys, modifier keys, cursor movement keys, spacebar, escape key, numeric keypad, and some special keys, such as Page Up, Page Down, Home, Insert, Delete and End. The alphanumeric keys include the number keys and the alphabet keys. The function keys are the keys that help perform a specific task such as searching a file or refreshing a Web page. The modifier keys such as Shift and Control keys modify the casing style of a character or symbol. The cursor movement keys include up, down, left and right keys and are used to modify the direction of the cursor on the screen. The spacebar key shifts the cursor to the right by one position. The numeric keypad uses separate keypads for numbers and mathematical operators. A keyboard is shown in Fig. 1.3.



1.3.2 Mouse

The mouse allows the user to select elements on the screen, such as tools, icons, and buttons, by pointing and clicking them. We can also use a mouse to draw and paint on the screen of the computer system. The



mouse is also known as a pointing device because it helps change the position of the pointer or cursor on the screen.

The mouse consists of two buttons, a wheel at the top and a ball at the bottom of the mouse. When the ball moves, the cursor on the screen moves in the direction in which the ball rotates. The left button of the mouse is used to select an element and the right button, when clicked, displays the special options such as **open** and **explore** and **shortcut** menus. The wheel is used to scroll down in a document or a Web page. A mouse is shown in Fig. 1.4.

1.3.3 Scanner

A scanner is an input device that converts documents and images as the digitized images understandable by the computer system. The digitized images can be produced as black and white images, gray images, or colored images. In case of colored images, an image is considered as a collection of dots with each dot representing a combination of red, green, and blue colors, varying in proportions. The proportions



Fig. 1.5 Scanner

of red, green, and blue colors assigned to a dot are together called as color description. The scanner uses the color description of the dots to produce a digitized image. Fig. 1.5 shows a scanner.

There are the following types of scanners that can be used to produce digitized images:

- **Flatbed scanner** It contains a scanner head that moves across a page from top to bottom to read the page and converts the image or text available on the page in digital form. The flatbed scanner is used to scan graphics, oversized documents, and pages from books.
- **Drum scanner** In this type of scanner, a fixed scanner head is used and the image to be scanned is moved across the head. The drum scanners are used for scanning prepress materials.
- Slide scanner It is a scanner that can scan photographic slides directly to produce files understandable by the computer.
- Handheld scanner It is a scanner that is moved by the end user across the page to be scanned. This type of scanner is inexpensive and small in size.

Output Devices

The data, processed by the CPU, is made available to the end user by the output devices. The most commonly used output devices are:

- Monitor
- Printer
- · Speaker
- Plotter

1.4.1 Monitor

A monitor is the most commonly used output device that produces visual displays generated by the computer. The monitor, also known as a screen, is connected as an external device using cables or connected either as a part of the CPU case. The monitor connected using cables, is connected to the video card placed on the expansion slot of the motherboard. The display device is used for visual presentation of textual and graphical information.

The monitors can be classified as cathode ray tube (CRT) monitors or liquid crystal display (LCD) monitors. The CRT monitors are large, occupy more space in the computer, whereas LCD monitors are thin, light weighted, and occupy lesser space. Both the monitors are available as monochrome, gray scale and color models. However, the quality of the visual display produced by the CRT is better than that produced by the LCD.

The inner side of the screen of the CRT contains the red, green, and blue phosphors. When a beam of electrons strike the screen, the beam strikes the red, green and blue phosphors on the screen and irradiates it to produce the image. The process repeats itself for a change in the image, thus refreshing the changing image. To change the color displayed by the monitor, the intensity of the beam striking the screen is varied. If the rate at which the screen gets refreshed is large, then the screen starts flickering, when the images are refreshed.

The LCD monitor is a thin display device that consists of a number of color or monochrome pixels arrayed in front of a light source or reflector. LCD monitors consume a very small amount of electric power.

A monitor can be characterized by its monitor size and resolution. The monitor size is the length of the screen that is measured diagonally. The resolution of the screen is expressed as the number of picture elements or pixels of the screen. The resolution of the monitor is also called the dot pitch. The monitor with a higher resolution produces a clearer image.

1.4.2 Printer

The printer is an output device that transfers the text displayed on the screen, onto paper sheets that can be used by the end user. The various types of printers used in the market are generally categorized as dot matrix printers, inkjet printers, and laser printers. Dot matrix printers are commonly used in low quality and high volume applications like invoice printing, cash registers, etc. However, inkjet printers are slower than dot matrix printers and generate high quality photographic prints. Since laser printers consist of microprocessor, ROM and RAM, they can produce high quality prints in quicker time without being connected to a computer.

The printer is an output device that is used to produce a hard copy of the electronic text displayed on the screen, in the form of paper sheets that can be used by the end user. The printer is an external device that is connected to the computer system using cables. The computer needs to convert the document that is to be printed to data that is understandable by the printer. The *printer driver software* or the *print driver software* is used to convert a document to a form understandable by the computer. When the computer components are upgraded, the upgraded printer driver software needs to be installed on the computer.

The performance of a printer is measured in terms of *dots per inch (DPI)* and *pages per minute (PPM)* produced by the printer. The greater the DPI parameter of a printer, the better is the quality of the output generated by it. The higher PPM represents higher efficiency of the printer. Printers can be classified based on the technology they use to print the text and images:

- **Dot matrix printers** Dot matrix printers are impact printers that use perforated sheet to print the text. The process to print a text involves striking a pin against a ribbon to produce its impression on the paper. As the striking motion of the pins help in making carbon copies of a text, dot matrix printers are used to produce multiple copies of a print out.
- Inkjet printers Inkjet printers are slower than dot matrix printers and are used to generate high quality photographic prints. Inkjet printers are not impact printers. The ink cartridges are attached to the printer head that moves horizontally, from left to right. The print out is developed as the ink of the cartridges is sprayed onto the paper. The ink in the inkjet is heated to create a bubble. The bubble bursts out at high pressure, emitting a jet of the ink on the paper thus producing images.
- Laser printers The laser printer may or may not be connected to a computer, to generate an output. These printers consist of a microprocessor, ROM and RAM, which can be used to store the textual information. The printer uses a cylindrical drum, a toner and the laser beam. The toner stores the ink that is used in generating the output. The fonts used for printing in a laser printer are stored in the ROM or in the cartridges that are attached to the printer. The laser printers are available as gray scale, black and white or color models. To print high quality pages that are graphic intensive, laser printers use the PageMaker software.

1.4.3 Speaker

The speaker is an electromechanical transducer that converts an electrical signal into sound. They are attached to a computer as output devices, to provide audio output, such as warning sounds and Internet audios. We can have built-in speakers or attached speakers in a computer to warn end users with error audio messages and alerts. The audio drivers need to be installed in the computer to produce the audio output. The sound card being used in the computer system decides the quality of audio that we listen using music CDs or over the Internet. The computer speakers vary widely in terms of quality and price. The sophisticated computer speakers may have a subwoofer unit, to enhance bass output.

Plotter 1.4.4

The plotter is another commonly used output device that is connected to a computer to print large documents, such as engineering or constructional drawings. Plotters use multiple ink pens or inkjets with color cartridges for printing. A computer transmits binary signals to all the print heads of the plotter. Each binary signal contains the coordinates of where a print head needs to be positioned for printing. Plotters are classified on the basis of their performance, as follows:

- **Drum plotter** They are used to draw perfect circles and other graphic images. They use a drawing arm to draw the image. The drum plotter moves the paper back and forth through a roller and the drawing arm moves across the paper.
- Flat-bed plotter A flat bed plotter has a flat drawing surface and the two drawing arms that move across the paper sheet, drawing an image. The plotter has a low speed of printing and is large in size.
- Inkjet plotter Spray nozzles are used to generate images by spraying droplets of ink onto the paper. However, the spray nozzles can get clogged and require regular cleaning, thus resulting in a high maintenance cost.
- Electrostatic plotter As compared to other plotters, an electrostatic plotter produces quality print with highest speed. It uses charged electric wires and special dielectric paper for drawing. The electric wires are supplied with high voltage that attracts the ink in the toner and fuses it with the dielectric paper.

1.5 **Software**

In the field of computer science, software is defined as a computer program, which includes logical instructions used for performing a particular task on a computer system using hardware components. The following are the two major categories of software under which different types of computer programs can be classified:

- · System software
- Application software

Figure 1.6 shows the relationship among hardware, software, and user.

The figure shows a layered architecture, which represents different components of a computer such as hardware, system software, application software, and user in a hierarchical manner.




Fig. 1.6 Relationship among hardware, software, and user

1.5.1 System Software

System software refers to a computer program that manages and controls hardware components of a computer system. In other words, the system software is responsible for handling the functioning of the computer hardware. The system software is also responsible for the proper functioning of the application software on a computer system. The system software includes general programs, which are written to provide an environment for developing new application software using programming languages. In computer science, there are several types of system software, such as operating systems and utility programs. The operating system is the primary system software, which controls the hardware and software resources of a computer system. It also performs various operations, such as memory allocation, instruction processing, and file management. The most commonly used operating systems are MS DOS, MS Windows, and UNIX. The following are the various functions of system software:

- · Process management
- · Memory management
- Secondary storage management
- · I/O system management
- File management

1.5.2 Application Software

Application software is a computer program that is executed on the system software. It is designed and developed for performing specific tasks and is also known as end-user program. Application software is unable to run without the system software, such as operating system and utility programs. It includes several applications, such as word-processing and spreadsheet. The word-processing application helps in creating and editing a document. Using this application software, we can also format and print the document. For word-processing, many applications are available, such as WordStar, WordPerfect, and Open-source. The most commonly used word-processing application is MS Word, which is a part of the MS Office suite. Spreadsheet application helps in creating a customized ledger, which has number of columns and rows for entering the data values. The most commonly used spreadsheet application is MS Excel, which is also a part of MS Office suite. It helps in storing and maintaining a database in a structural manner.

1.6 | Hardware

The physical devices that make up the computer are called *Hardware*. The hardware units are responsible for entering, storing and processing the given data and then displaying the output to the users. The basic hardware units of a general purpose computer are keyboard, mouse, memory, CPU, monitor and printer. Among these hardware units, keyboard and mouse are used to input data into the computer, memory is used to store the entered data, CPU is used to process the entered data and monitor and printer are used to display the processed data to the users.

CPU is the main component inside the computer that is responsible for performing various operations and also for managing the input and output devices. It includes two components for its functioning, *Arithmetic Logic Unit* (ALU) and *Control Unit* (CU). ALU is used to perform the arithmetic operations such as addition, subtraction, etc. and logic operations such as AND, OR, etc. on the data obtained from the memory. CU is used to control the activities related to the input and output devices. It obtains the instructions from the memory, decodes them and then, executes them so as to deliver output to the users.

The XNOR gate can be logically expressed as:

 $A \oplus B$

Table 1.1 shows the truth table of XNOR gate.

Table 1.1 Truth Table of XNOR Gate

Input A	Input B	Output Y
0	0	1
0	1	0
1	0	0
1	1	1

1.7 Programming Languages

The operations of a computer are controlled by a set of instructions (called *a computer program*). These instructions are written to tell the computer:

- 1. What operation to perform
- 2. Where to locate data
- 3. How to present results
- 4. When to make certain decisions

The communication between two parties, whether they are machines or human beings, always needs a common language or terminology. The language used in the communication of computer instructions is known as the programming language. The computer has its own language and any communication with the computer must be in its language or translated into this language.

Three levels of programming languages are available. They are:

- 1. machine languages (low level languages)
- 2. assembly (or symbolic) languages
- 3. procedure-oriented languages (high level languages)

1.7.1 Machine Language

As computers are made of two-state electronic devices they can understand only pulse and no-pulse (or '1' and '0') conditions. Therefore, all instructions and data should be written using *binary codes* 1 and 0. The binary code is called the *machine code* or *machine language*.

Computers do not understand English, Hindi or Tamil. They respond only to machine language. Added to this, computers are not identical in design, therefore, each computer has its own machine language. (However, the script 1 and 0, is the same for all computers). This poses two problems for the user.

First, it is difficult to understand and remember the various combinations of 1's and 0's representing numerous data and instructions. Also, writing error-free instructions is a slow process.

Secondly, since every machine has its own machine language, the user cannot communicate with other computers (If he does not know its language). Imagine a Tamilian making his first trip to Delhi. He would face enormous obstacles as the language barrier would prevent him from communicating.

Machine languages are usually referred to as the first generation languages.

1.7.2 Assembly Language

HLT

The Assembly language, introduced in 1950s, reduced programming complexity and provided some standardization to build an application. The assembly language, also referred to as the *second-generation* programming language, is also a low-level language. In an assembly language, the 0s and 1s of machine language are replaced with abbreviations or mnemonic code.

The main advantages of an assembly language over a machine language are:

- As we can locate and identify syntax errors in assembly language, it is easy to debug it.
- It is easier to develop a computer application using assembly language in comparison to machine language.
- Assembly language operates very efficiently.

An assembly language program consists of a series of instructions and mnemonics that correspond to a stream of executable instructions. An assembly language instruction consists of a mnemonic code followed by zero or more operands. The mnemonic code is called the *operation code* or *opcode*, which specifies the operation to be performed on the given arguments. Consider the following machine code: 10110000 01100001

Its equivalent assembly language representation is: mov al, 061h

In the above instruction, the opcode "move" is used to move the hexadecimal value 61 into the processor register named 'al'. The following program shows the assembly language instructions to subtract two numbers:

ORG 500 /Origin of program is location 500
LDA SUB /Load subtrahend to AC
CMA /Complement AC
INC /Increment AC
ADD MIN /Add minuend to AC
STA DIF /Store difference

/Halt computer

MIN, DEC 56 /Minuend SUB, DEC -2 /Subtrahend

DIF, HEX 0 /Difference stored here **END** /End of symbolic program

It should be noted that during execution, the assembly language program is converted into the machine code with the help of an assembler. The simple assembly language statements had one-to-one correspondence with the machine language statements. This one-to-one correspondence still generated complex programs. Then, macroinstructions were devised so that multiple machine language statements could be represented using a single assembly language instruction. Even today programmers prefer to use an assembly language for performing certain tasks such as:

- To initialize and test the system hardware prior to booting the operating system. This assembly language code is stored in ROM
- To write patches for disassembling viruses, in anti-virus product development companies
- To attain extreme optimization, for example, in an inner loop in a processor-intensive algorithm
- For direct interaction with the hardware
- In extremely high-security situations where complete control over the environment is required
- To maximize the use of limited resources, in a system with severe resource constraints

High-Level Languages 1.7.3

High level languages further simplified programming tasks by reducing the number of computer operation details that had to be specified. High level languages like COBOL, Pascal, FORTRAN, and C are more abstract, easier to use, and more portable across platforms, as compared to lowlevel programming languages. Instead of dealing with registers, memory addresses and call stacks, a programmer can concentrate more on the logic to solve the problem with help of variables, arrays or Boolean expressions. For example, consider the following assembly language code:

```
LOAD A
ADDB
STORE C
Using FORTRAN, the above code can be represented as:
C = A + B
```

The above high-level language code is executed by translating it into the corresponding machine language code with the help of a compiler or interpreter.

High-level languages can be classified into the following three categories:

- Procedure-oriented languages (third generation)
- Problem-oriented languages (fourth generation)
- Natural languages (fifth generation)

Procedure-oriented Languages

High-level languages designed to solve general-purpose problems are called procedural languages or third-generation languages. These include BASIC, COBOL, FORTRAN, C, C++, and JAVA, which are designed to express the logic and procedure of a problem. Although, the syntax of these programming languages is different, they use English-like commands that are easy to follow. Another major advantage of third-generation languages is that they are portable. We can put the compiler (or interpreter) on any computer and create the object code. The following program represents the source code in the C language:

```
if( n>10)
{
    do
    {
        n++;
    }while ( n<50);
}</pre>
```

Problem-oriented Languages

Problem-oriented languages are used to solve specific problems and are known as the *fourth-generation* languages. These include query Languages, Report Generators and Application Generators which have simple, English-like syntax rules. Fourth-generation languages (4 GLs) have reduced programming efforts and overall cost of software development. These languages use either a visual environment or a text environment for program development similar to that of third-generation languages. A single statement in a fourth-generation language can perform the same task as multiple lines of a third-generation language. Further, the programmer just needs to drag and drop from the toolbar, to create various items like buttons, text boxes, labels, etc. Also, the programmer can quickly create the prototype of the software application.

Natural Languages

Natural languages are designed to make a computer to behave like an expert and solve problems. The programmer just needs to specify the problem and the constraints for problem-solving. Natural languages such as LISP and PROLOG are mainly used to develop artificial intelligence and expert systems. These languages are widely known as *fifth generation* languages.

1.8 Translator Programs

1.8.1 Language Translator

A translator is basically a computer program that translates a program written in a specific programming language into its equivalent program in a different computer language along with retaining the functional and logical structure of the original code. Some of these include translating between high-level and human readable languages like the C++, Java and COBOL, intermediate-level languages like Java byte code and low-level languages like the assembly language and the machine code.

A translator will take as input a program that is written in the source language and then converts it into a program of the target language as the output. It will also detect and report any error that occurs during the process of translation.

The main functions of a translator are:

- To translate the program in high-level language into its equivalent machine language program.
- To provide diagnostic messages at the places the programmer violates specification of the high-level program.

1.8.2 **Assembler**

An assembler is a computer program that translates assembly language statements into machine language codes. The assembler takes each of the assembly language statements from the source code and generates a corresponding bit stream, using 0's and 1's. The output of the assembler in the form of sequence of 0's and 1's is called *object code* or *machine code*. This machine code is finally executed to obtain the results.

A modern assembler translates the assembly instruction mnemonics into opcodes and resolves symbolic names from memory locations and other entities to create the object code. Several sophisticated assemblers provide additional facilities that control the assembly process, facilitate program development, and aid debugging. The modern assemblers like Sub SPARC and MIPS based on RISC architectures, optimizes instruction scheduling to attain efficient utilization of CPU. The modern assemblers generally include a macro facility and are called *macro assemblers*.

Assemblers can be classified as *single-pass assemblers* and *two-pass assemblers*. The single-pass assembler was the first assembler that processes the source code once to replace the mnemonics with the binary code. The single-pass assembler was unable to support advanced source-code optimization. As a result, the two-pass assembler was developed that read the program twice. During the first pass, all the variables and labels are read and placed into the symbol table. On the second pass, the label gaps are filled from the table by replacing the label name with the address. This helps to attain higher optimization of the source code. The translation process of an assembler consists of the following tasks.

- Replacing symbolic addresses like LOOP, by numeric addresses
- Replacing symbolic operation code by machine operation codes
- Reserving storage for the instructions and data
- Translating constants into their machine representation

1.8.3 Compiler

The compiler is a computer program that translates the source code written in high-level language into the corresponding *object-code* of the low-level language. The translation process is called *compilation*. The entire high-level program is converted into the executable machine code file. A program that translates from a low-level language to a high-level one is a decompiler. Compiled languages include COBOL, FORTRAN, C, C++, etc.

In 1952, Grace Hopper wrote the first compiler for the A-0 programming language. In 1957, John Backus at IBM introduced the first complete compiler. With the increasing complexity of computer architectures and expanding functionality supported by newer programming languages, compilers have become more and more complex. Though early compilers were written in assembly languages, nowadays it has become common practice to implement a compiler in the language it compilers. Compilers are also classified as single-pass compilers and multi-pass compilers. Though single-pass compilers are generally faster than multi-pass compilers, for sophisticated optimization, multi-pass assemblers are required to generate high-quality code.

1.8.4 Interpreter

The interpreter is a translation program that converts each high-level program statement into the corresponding machine code. This translation process is carried out just before the program statement is executed. Instead of the entire program, one statement at a time is translated and executed immediately. The commonly used interpreted language is BASIC and PERL. Although interpreters are easier to create as compared to compilers, the compiled languages can be executed more efficiently and are faster.

1.9 Programming Environment

A programming environment comprises all those components that facilitate the development of a program. These components are largely divided under two categories—programming tools and Application Programming Interfaces (APIs). They are regarded as the building blocks of any programming environment.

An API can be defined as a collection of data structures, classes, protocols, and pre-defined functions stored in the form of libraries. These libraries are included in the software packages of the programming languages like C, C++, etc. An API makes the development task easier for the programmers, as in-built API components are used again and again, ensuring reusability.

The software application which is used for the development, maintenance and debugging of a software program is known as programming tool. A good programming tool ensures that the programming activities are performed in an efficient manner. The following are some of the main categories of programming tools:

- Integrated Development Environment (IDE) It is the most commonly used tool that offers an integrated environment to the programmers for software development. It contains almost all the components for software development such as compiler, editor, debugger, etc.
- **Debugging tool** It is a specialized tool that helps the programmer to detect and remove bugs or errors from a program.
- **Memory usage tool** As the name suggests, memory usage tool helps the programmer to manage the memory resources in an efficient manner.

1.10 Introduction to the Design and Implementation of Correct, Efficient and Maintainable Programs

The design and development of a correct, efficient, and maintainable program depends on the approach followed by the programmer. A programmer should follow standard methodologies throughout the life cycle of program development. The entire program development process is divided into a number of phases, with each phase serving a definite purpose. Also, the output of one phase acts as an input for the next phase. Let us now understand these standard set of phases in the program development process:

- Analysis phase As the name suggests, the first phase of program development involves analyzing the problem in order to ascertain the objectives that the program is supposed to meet. All the identified requirements are documented so as to avoid any doubts or uncertainties pertaining to the functionality of the program. This phase also emphasizes on determining the input and output values of the program.
- 2. Designing phase This phase involves making the plan of action before actually starting the development work. The plan is made on the basis of the program specifications identified in the previous phase. Different programs require different designing patterns depending on the program specifications. Thus, this phase helps in framing the core structure of the program. In addition, the designing phase has an added advantage of modularity. It basically helps to break the program into small modules or chunks. This breaking of the large program into smaller chunks

results in the development of a well-organized program. Furthermore, it gives the programmer liberty of planning and creating the algorithm for each module separately.

- 3. **Development phase** This phase involves writing the instructions or code for the program on the basis of the design document created in the previous phase. The choice of the programming language in which the program will be developed is made on the basis of the type of program. For example, if it is a system program, then it is better to choose C language instead of Visual Basic (VB), which is more suited for applications programming.
- 4. **Implementation and testing** In this stage, the developed program is implemented in its target environment and its key parameters are closely observed in order to ensure that the program runs correctly. Apart from ensuring the correct functioning of the program this phase primarily focuses on identifying the hidden bugs in the program. No matter how many preventive measures are taken in the development phase there is always the possibility of prevalence of hidden bugs in a program. Thus, to identify such bugs a program needs to be tested using large number of varied input values. Once identified the bugs are removed with the help of software patches.

1.11 **Structured Programming**

Structured programming is a subset of one of the key programming paradigms, i.e., procedural programming. It helps in making a program easily understandable and debuggable. A program that is not based on the structured programming approach is very difficult to maintain, debug and understand.

Structured programming approach mainly focuses on the order of execution of the statements within a program. It suggests the use of sequential execution of statements in a program. Thus, structured programming approach suggests the use of mainly three types of control structures—sequential, repetitive and selective. Further, it suggests avoiding the use of goto, break and continue statements in a program as all these are unconditional branch statements.

1.12 **Problem Solving**

Problems that can be solved through a computer may range in size and complexity. Since computers do not possess any common sense and cannot make any unplanned decisions, the problem, whether it is simple or complex, has to be broken into a well-defined set of solution steps for the computer to implement.

Problem solving is the process of solving a problem in a computer system by following a sequence of steps, which include:

- 1. **Developing the algorithm** An algorithm is a sequence of steps written in the form of English phrases that specify the tasks that are performed while solving a problem. It involves identifying the variable names and types that would be used for solving the problem.
- 2. **Drawing the flowchart** A flowchart is the graphical representation of the flow of control and logic in the solution of a problem. The flowchart is a pictorial representation of an algorithm.

Algorithms 1.13

Algorithms help a programmer in breaking down the solution of a problem into a number of sequential steps. Corresponding to each step a statement is written in a programming language; all these statements are collectively termed as a program.

The following is an example of an algorithm to add two integers and display the result:

Fig. 1.7

There is a time and space complexity associated with each algorithm. Time complexity specifies the amount of time required by an algorithm for performing the desired task. Space complexity specifies the amount of memory space required by the algorithm for performing the desired task. While solving a complex problem, it is possible to have multiple algorithms for obtaining the required solution. The algorithm that ensures best time and space trade off should be chosen for obtaining the desired solution.

1.13.1 Characteristics of Algorithms

The typical characteristics that are necessary for a sequence of instructions to qualify as an algorithm are the following:

- The instructions must be in an ordered form.
- The instructions must be simple and concise. They must not be ambiguous.
- There must be an instruction (condition) for program termination.
- The repetitive programming constructs must possess an exit condition. Otherwise, the program might run infinitely.
- The algorithm must completely and definitely solve the given problem statement.

1.13.2 Advantages of Algorithms

Some of the key advantages of algorithms are the following:

- It provides the core solution to a given problem. This solution can be implemented on a computer system using any programming language of user's choice.
- It facilitates program development by acting as a design document or a blueprint of a given problem solution.
- It ensures easy comprehension of a problem solution as compared to an equivalent computer program.
- It eases identification and removal of logical errors in a program.
- It facilitates algorithm analysis to find out the most efficient solution to a given problem.

1.13.3 Disadvantages of Algorithms

Apart from the advantages, algorithms also posses certain limitations, which are the following:

• In large algorithms, the flow of program control becomes difficult to track.

· Algorithms lack visual representation of programming constructs like flowcharts; thus, understanding the logic becomes relatively difficult.

Example 1.1 Write an algorithm to find out whether a given number is prime or not.

Solution

```
Algorithm
 Step 1 - Start
 Step 2 - Accept a number from the user (num)
 Step 3 - Initialize looping counter i = 2
 Step 4 - Repeat Step 5 while i < num
 Step 5 - If remainder of num divided by i (num%i) is Zero then goto Step 6
           else goto Step 4
 Step 6 - Display "num is not a prime number" and break from the loop
 Step 7 - If i = num then goto Step 8 Else goto Step 9
 Step 8 - Display "num is a prime number"
 Step 9 - Stop
```

Fig. 1.8

Example 1.2 Write an algorithm to find the average of marks obtained by a student in three subjects.

Solution

```
Algorithm
Step 1 - Start
Step 2 - Accept the marks in three subjects from the user (marks1, marks2, marks3)
Step 3 - Calculate average marks using formula, average = (marks1 + marks2 + marks3)/3
Step 4 - Display the computed average of three subject marks
Step 5 - Stop
```

Fig. 1.9

Example 1.3 Write an algorithm to determine whether the given year is a leap year or not.

Solution

```
Algorithm
     Step 1 - Start
     Step 2 - Accept an year value from the user (year)
     Step 3 - If remainder of year value divided by 4 (year%4) is 0 then
              goto Step 4 else goto Step 5
     Step 4 - Display "'year' is a leap year" and goto Step 6
     Step 5 - Display "'year' is not a leap year"]
     Step 6 - Stop
```

Example 1.4 Write an algorithm to find out whether a given number is even or odd.

Solution

```
Algorithm
     Step 1 - Start
     Step 2 - Accept a number from the user (num)
     Step 3 - If remainder of num divided by 2 (num/2) is Zero then goto
     Step 4 else goto Step 5
     Step 4 - Display "num is an even number" and goto Step 6
     Step 5 - Display "num is an odd number"
     Step 6 - Stop
```

Fig. 1.11

Example 1.5 Write an algorithm to print all the composite numbers from 2 till the number that is entered by the user.

Solution

```
Algorithm
     Step 1 - Start
     Step 2 - Accept a number from the user (n)
     Step 3 - Initialize 2 looping counters
     Step 4 - FOR i = 2 to n
     Step 4 - FOR j=2 to (int)pow(i, 0.5)
     Step 5 - If reminder of i divided by j is Zero, then go to Step 6 else go
              to Step 4.
     Step 6 - Display i.
     Step 7 - End For
     Step 8 - End For
     Step 9 - Stop
```

Fig. 1.12

Example 1.6 Write an algorithm to find the average of n numbers using arrays.

Solution

```
Algorithm
     Step 1 - Start
     Step 2 - Initialize array, sum=0
     Step 3 - Accept a number (n)
     Step 4 - For i=0 to n, repeat steps 5 to 6
     Step 5 - Accept the ith array element
     Step 6 - sum = sum + ith element of the array
     Step 7 - Endfor
     Step 8 - average = sum/n
     Step 9 - Display average
     Step 10 - Stop
```

Example 1.7 Write an algorithm to determine whether a given string is a palindrome or not.

Solution

```
Algorithm
     Step 1 - Start
     Step 2 - Accept a string from the user (str)
     Step 3 - Calculate the length of string str (len)
     Step 4 - Initialize looping counters left=0, right=len-1 and chk = 't'
     Step 5 - Repeat Steps 6-8 while left < right and chk = 't'
     Step 6 - If str(left) = str(right) goto Step 8 else goto step 7
     Step 7 - Set chk = 'f'
     Step 8 - Set left = left + 1 and right = right + 1
     Step 9 - If chk='t' goto Step 10 else goto Step 11
     Step 10 - Display "The string is a palindrome" and goto Step 12
     Step 11 - Display "The string is not a palindrome"
     Step 12 - Stop
```


Fig. 1.14

Flowcharts 1.14


A flowchart can be defined as the pictorial representation of a process, which describes the sequence and flow of control and information within the process. The flow of information is represented inside the flowchart in a step-by-step form. This technique is mainly used for developing business workflows and solving problems using computers.


Flowchart uses different symbols for depicting different activities, which are performed at different stages of a process. The various symbols used in a flowchart are:

• Start and end It is represented by an oval or a rounded rectangle. It represents the starting and the ending of a process. Every process starts and ends at some point so a flowchart always contains one start as well as one end symbol. Figure 1.15 shows the start and the end symbols used in a flowchart.





Start and end symbol





• **Decision or condition** It is represented by a rhombus or a diamond shape. It represents the condition or the decision-making step in a flowchart. The result of the decision is a Boolean value, which is either true or false. Each of these values takes the flow of the program to a certain point, which is shown with the help of arrows. Figure 1.18 shows the decision or condition symbol.






• Connector It is represented by a circle in a flowchart. It represents the continuation of the flow of steps when a flowchart continues to the next page. A character such as an alphabet (a to z) or a symbol $(\alpha, \beta \text{ or } \gamma)$, etc. can be placed in the circle at the position where the flow is broken and the same character is Fig. 1.20 Connector symbol. also placed in the circle at the position from where the flowchart continues. Figure 1.20 shows the connector symbol.



In addition to the above-mentioned basic flowchart symbols, certain other symbols are also used inside flowcharts for depicting advanced operations. Table 1.2 shows some of these advanced flowchart symbols:

 Table 1.2
 Advanced flowchart symbols

Symbol	Description
	Represents the internal memory of a computer system, such as RAM and ROM
	Represents a database



In order to understand how a flowchart represents the flow of information; consider an example of a flowchart for adding two numbers, as shown in Fig. 1.21.

Flowchart




Fig. 1.21 *Flowchart for addition of two numbers.*

1.14.1 Flowchart Design Rules

Some of the standard guidelines or rules that must be followed while designing a flowchart are the following:

- It must begin with a "Start" and end with a "Stop" symbol.
- The standard process flow should be either from top to bottom or from left to right.
- The instructions specified in the flowchart must be crisp and concise.
- The arrows must be aligned properly so as to clearly depict the flow of program control.
- The use of connectors should be generally avoided as they make the program look more complex.
- A process or action flowchart symbol must have only one input arrow and one output arrow.
- Two arrows must never intersect or cross each other; if such a need arises, then appropriate bridge or crossover symbols must be used.

1.14.2 Advantages of Flowcharts

Some of the key advantages of using a flowchart in program design are the following:

- It helps to understand the flow of program control in an easy way.
- Developing program code by referring its flow chart is easier in comparison to developing the program code from scratch.
- It helps in avoiding semantic errors.
- Any concept is better understood with the help of visual representation. This fact also holds true for flowcharts. It is easier to understand the pictorial representation of a programming logic.
- A flowchart acts as documentation for the process or program flow.
- The use of flowcharts works well for small program design.

1.14.3 Disadvantages of Flowcharts


Flowcharts also have certain limitations, such as the following:

- For a large program, the flow chart might become very complex and confusing.
- Modification of a flowchart is difficult and requires almost an entire rework.
- Since flowcharts require pictorial representation of programming elements, it becomes a little tedious and time consuming to create a flowchart.
- Excessive use of connectors in a flowchart may at times confuse the programmers.

Example 1.8 Draw a flowchart for the problem statement given in Example 1.1.

Solution


Flowchart to find out whether a given number is prime or not:



Example 1.9 Draw a flowchart for the problem statement given in Example 1.2.

Solution


Flowchart to find the average of marks obtained by a student:



Example 1.10 Draw a flowchart for the problem statement given in Example 1.3.

Solution

Flowchart to determine whether the given year is a leap year or not:



Example 1.11 Draw a flowchart for the problem statement given in Example 1.4.

Solution

Flowchart to find out whether a given number is even or odd:




Fig. 1.25

Example 1.12 Draw a flowchart for the problem statement given in Example 1.5.

Solution

Flowchart to print all the composite numbers from 2 till the number that is entered by the user:





Fig. 1.26

Example 1.13 Draw a flowchart for the problem statement given in Example 1.6.

Solution


Flowchart to find the average of n numbers using arrays:



Example 1.14 Draw a flowchart for the problem statement given in Example 1.7.

Solution

Flowchart to determine whether a given string is a palindrome or not:



- Computer: It is an electronic device that takes data and instructions as input from the user, processes the data, and generates useful information as an output.
- Input devices: Input devices accept the data from the end users on which the operations are to be performed.

- **Output devices**: Output devices are used for providing the output of a program that is obtained after performing the operations specified in a program.
- **CPU**: It is the heart of a computer that is used to process the data entered through the input device.
- **Memory**: It is used for storing the input data as well as the output of a program that is obtained after performing the operations in a program.
- Scanner: It is an input device that converts documents and images as the digitized images understandable by the computer system.
- Motherboard: It is a device used for connecting the CPU with the input and output devices.
- Monitor: It is an output device that produces visual displays generated by the computer.
- Printer: It is an output device that prints the computer generated information onto the paper sheets.
- Speaker: It is an electromechanical transducer that converts an electrical signal into sound.
- **Plotter**: It is an output device that is connected to a computer to print large documents, such as engineering and constructional drawings.
- System software: It refers to a computer program that manages and controls hardware components.
- **Application software**: It is a computer program that is designed and developed for performing specific utility tasks; it is also known as end-user program.
- **Operating System**: It is the system software that helps in managing the resources of a computer system. It also provides a platform for the application programs to run on the computer system.
- **Algorithm**: It is a complete, detailed, and precise step-by-step method for solving a problem independently.
- Flowchart: It is a pictorial representation of an algorithm depicting the flow of various steps.

Review Questions



- 1.1 State whether the following statements are *true* or *false*.
 - (a) Dot matrix printers are slower than inkjet printers and are used to generate high quality photographic prints.
 - (b) Describing the process step by step is called as flowchart.
 - (c) Algorithm involves very complex process.
 - (d) When we break up a big task into smaller steps, what we actually do is to create an algorithm.
 - (e) Each step in an algorithm can be called as an instruction.
 - (f) In general, the steps in an algorithm can be divided in five basic categories.
 - (g) Avoiding a *goto* in a program, makes it a goto-less or top-down or structured.
 - (h) goto-less programs are difficult to understand.
 - (i) Sequence, selection and iteration form the building blocks for writing any algorithm.
- 1.2 What are input devices? Briefly explain some popular input devices.
- 1.3 What is the purpose of an output device? Explain various types of output devices.
- 1.4 What is assembly language? What are its main advantages?
- 1.5 What is high-level language? What are the different types of high-level languages?
- 1.6 What is a flow chart? How is it different from an algorithm?

1.7 What are the functions of a flow chart?

- 1.8 Point down the differences between an algorithm and a flowchart.
- 1.9 Write an algorithm for withdrawing Rs. 1000 from the bank.
- 1.10 Draw a flowchart for the above.

_			
1.	Which of the following is used to perfo	orm (computations on the entered data?
	(a) Memory		Processor
	(c) Input device	(d)	Output device
2.	Which of the following is not an input	devi	ce?
	(a) Plotter	(b)	Scanner
	(c) Keyboard	(d)	Mouse
3.	Which of the following is not an outpu	t dev	vice?
	(a) Plotter	(b)	Scanner
	(c) Printer	(d)	Speaker
4.	Which of the following is defined as a computer system?	com	puter program for performing a particular task on the
	(a) Hardware	(b)	Software
	(c) Processor	(d)	Memory
5.	In which of the following languages, the	ne in	structions are written in the form of 0s and 1s?
	(a) Assembly language	(b)	Programming language
	(c) High-level language	(d)	Machine language
6.	Which one of the following is known a	is the	e 'language of the computer'?
	(a) Programming language	(b)	High-level language
	(c) Machine language	(d)	Assembly language
7.	What are the three main categories of l	_	
	(a) Low-level languages	(b)	Procedure oriented languages
		(d)	Natural languages
	(e) Problem oriented languages		
8.	Any C program		
	(a) must contain at least one function		· · · · · · · · · · · · · · · · · · ·
	(c) needs input data	` /	none of the above
9.	Which of the following is an input dev	ice?	
	(a) Monitor	` /	Printer
	(c) Keyboard	(d)	Speaker
10.	Which of the following is an output de	vice'	?
	(a) Keyboard	(b)	Printer
	(c) Mouse	(d)	Scanner
11.	Which of the following is designed and	d dev	reloped for performing specific tasks?
	(a) File management	(b)	Application software
	(c) System software	(d)	Hardware

1.30 Computer Programming and Utilization

12.	Which of the following is a computer j	prog	ram that translates assembly language into	machine
	language?			
	(a) Assembler	(b)	Compiler	
	(c) Interpreter	(d)	ALU	

13. What does a parallelogram represent in a flowchart?

(a) Action process(b) Decision/ Condition(c) Input or Output(d) Start and end

Answers					
1. (b)	2. (a)	3. (b)	4. (b)	5. (d)	
6. (a)	7. (b), (d) and (e)	8. (a)	9. (c)	10. (b)	
11. (b)	12. (a)	13. (c)			



2.1 History of C

'C' seems a strange name for a programming language. But this strange sounding language is one of the most popular computer languages today because it is a structured, high-level, machine independent language. It allows software developers to develop programs without worrying about the hardware platforms where they will be implemented.

C was evolved from ALGOL, BCPL and B by Dennis Ritchie at the Bell Laboratories in 1972. C uses many concepts from these languages and added the conscepts of data types and other powerful features. Since it was developed along with the UNIX operating system, it is strongly associated with UNIX. This operating system, which was also developed at Bell Laboratories, was coded almost entirely in C. UNIX is one of the most popular network operating systems in use today and the heart of the Internet data superhighway. During 1970s, C had evolved into what is now known as "traditional C".

To assure that the C language remains standard, in 1983, American National Standards Institute (ANSI) appointed a technical committee to define a standard for C. The committee approved a version of C in December 1989 which is now known as ANSI C. It was then approved by the International Standards Organization (ISO) in 1990. This version of C is also referred to as C89.

During 1990's, C++, a language entirely based on C, underwent a number of improvements and changes and became an ANSI/ISO approved language in November 1977. C++ added several new features to C to make it not only a true object-oriented language but also a more versatile language. During the same period, Sun Microsystems of USA created a new language **Java** modelled on C and C++.

All popular computer languages are dynamic in nature. They continue to improve their power and scope by incorporating new features and C is no exception. Although C++ and Java were evolved out of C, the standardization committee of C felt that a few features of C++/Java, if added to C, would enhance the usefulness of the language. The result was the 1999 standard for C. This version is usually referred to as C99. The history and development of C is illustrated in Fig. 2.1.




Fig. 2.1 History of ANSI C

Although C99 is an improved version, still many commonly available compilers do not support all of the new features incorporated in C99.

2.2 Features of C Level Language

The increasing popularity of C is probably due to its many desirable qualities. It is a robust language whose rich set of built-in functions and operators can be used to write any complex program. The C compiler combines the capabilities of an assembly language with the features of a high-level language and therefore it is well suited for writing both system software and business packages. In fact, many of the C compilers available in the market are written in C.

Programs written in C are efficient and fast. This is due to its variety of data types and powerful operators. It is many times faster than BASIC. For example, a program to increment a variable from 0 to 15000 takes about one second in C while it takes more than 50 seconds in an interpreter BASIC.

There are only 32 keywords in ANSI C and its strength lies in its built-in functions. Several standard functions are available which can be used for developing programs.

C is highly portable. This means that C programs written for one computer can be run on another with little or no modification. Portability is important if we plan to use a new computer with a different operating system.

C language is well suited for structured programming, thus requiring the user to think of a problem in terms of function modules or blocks. A proper collection of these modules would make a complete program. This modular structure makes program debugging, testing and maintenance easier.

Another important feature of C is its ability to extend itself. A C program is basically a collection of functions that are supported by the C library. We can continuously add our own functions to C library. With the availability of a large number of functions, the programming task becomes simple.

Before discussing specific features of C, we shall look at some sample C programs, and analyze and understand how they work.

Sample Program 1: Printing a Message

Consider a very simple program given in Fig. 2.2.

```
main()
{
/*.....*/
    printf("I see, I remember");
/*.....printing ends.....*/
```

Fig. 2.2 A program to print one line of text

This program when executed will produce the following output:

```
I see, I remember
```

Let us have a close look at the program. The first line informs the system that the name of the program is main and the execution begins at this line. The main() is a special function used by the C system to tell the computer where the program starts. Every program must have exactly one main function. If we use more than one main function, the compiler cannot understand which one marks the beginning of the program.

The empty pair of parentheses immediately following **main** indicates that the function **main** has no arguments (or parameters). The concept of arguments will be discussed in detail later when we discuss functions (in Chapter 10).

The opening brace "{" in the second line marks the beginning of the function main and the closing brace "}" in the last line indicates the end of the function. In this case, the closing brace also marks the end of the program. All the statements between these two braces form the function body. The function body contains a set of instructions to perform the given task.

In this case, the function body contains three statements out of which only the **printf** line is an executable statement. The lines beginning with /* and ending with */ are known as *comment* lines. These are used in a program to enhance its readability and understanding. Comment lines are not executable statements and therefore anything between /* and */ is ignored by the compiler. In general, a comment can be inserted wherever blank spaces can occur—at the beginning, middle or end of a line—"but never in the middle of a word".

Although comments can appear anywhere, they cannot be nested in C. That means, we cannot have comments inside comments. Once the compiler finds an opening token, it ignores everything until it finds a closing token. The comment line

is not valid and therefore results in an error.

Since comments do not affect the execution speed and the size of a compiled program, we should use them liberally in our programs. They help the programmers and other users in understanding the various functions and operations of a program and serve as an aid to debugging and testing. We shall see the use of comment lines more in the examples that follow.

Let us now look at the **printf()** function, the only executable statement of the program.

```
printf("I see, I remember");
```

printf is a predefined standard C function for printing output. **Predefined** means that it is a function that has already been written and compiled, and linked together with our program at the time of linking. The concepts of compilation and linking are explained later in this chapter. The **printf** function causes everything between the starting and the ending quotation marks to be printed out. In this case, the output will be:

```
I see, I remember
```

Note that the print line ends with a semicolon. *Every statement in C should end with a semicolon* (:) mark.

Suppose we want to print the above quotation in two lines as

```
I see,
I remember!
```

This can be achieved by adding another **printf** function as shown below:

```
printf("I see, \n");
printf("I remember !");
```

The information contained between the parentheses is called the *argument* of the function. This argument of the first **printf** function is "I see, \n" and the second is "I remember!". These arguments are simply strings of characters to be printed out.

Notice that the argument of the first **printf** contains a combination of two characters $\$ and \mathbf{n} at the end of the string. This combination is collectively called the *newline* character. A newline character instructs the computer to go to the next (new) line. It is similar in concept to the carriage return key on a typewriter. After printing the character comma (,) the presence of the newline character $\$ causes the string "I remember!" to be printed on the next line. No space is allowed between $\$ and $\$ n.

If we omit the newline character from the first **printf** statement, then the output will again be a single line shown as follows.

```
I see, I remember !
```

This is similar to the output of the program in Fig. 2.2. However, note that there is no space between, and I.

It is also possible to produce two or more lines of output by one **printf** statement with the use of newline character at appropriate places. For example, the statement

```
printf("I see,\n I remember !");
will output
                                      I see,
                                   I remember
while the statement
             printf( "I\n.. see,\n... ... I\n... ... remember !");
will print out
                                  .. see,
                                  ... ... remember !
   Note
         Some authors recommend the inclusion of the statement
                               #include <stdio.h>
```

at the beginning of all programs that use any input/output library functions. However, this is not necessary for the functions *printf* and *scanf* which have been defined as a part of the C language.

Before we proceed to discuss further examples, we must note one important point. C does make a distinction between *uppercase* and *lowercase* letters. For example, **printf** and **PRINTF** are not the same. In C, everything is written in lowercase letters. However, uppercase letters are used for symbolic names representing constants. We may also use uppercase letters in output strings like "I SEE" and "I REMEMBER"

The above example that printed I see, I remember is one of the simplest programs. Figure 2.3 highlights the general format of such simple programs. All C programs need a main function.



Fig. 2.3 Format of simple C programs

The main Function

The main is a part of every C program. C permits different forms of main statement. Following forms are allowed.

- main()
- int main()
- void main()
- · main(void)
- void main(void)
- int main(void)

The empty pair of parentheses indicates that the function has no arguments. This may be explicitly indicated by using the keyword **void** inside the parentheses. We may also specify the keyword **int** or **void** before the word **main**. The keyword **void** means that the function does not return any information to the operating system and **int** means that the function returns an integer value to the operating system. When **int** is specified, the last statement in the program must be "return 0". For the sake of simplicity, we use the first form in our programs.

2.4 Sample Program 2: Displaying Your Name

Consider a program, shown in Fig. 2.4 to display your name.

```
Program
    #include <stdio.h>
    int main()
    {
        clrscr();
        printf("Hey, My name is Robert \n");
        /*printf function is used to display messages*/
        printf("I am learning C\n");
        printf("Thank you");
        getch();
        return 0;
    }
Output
    Hey, My name is Robert
    I am learning C
    Thank you
```

Fig. 2.4 Program to display name

2.5 Sample Program 3: Adding Two Numbers

Consider another program, which performs addition on two numbers and displays the result. The complete program is shown in Fig. 2.5.

```
/* Program ADDITION
                                                                       line-1 */
     /* Written by EBG
                                                                       line-2 */
                                                                /*
     main()
                                                                       line-3 */
                                                                /*
                                                                       line-4 */
     int number;
                                                                /*
                                                                       line-5 */
     float amount;
                                                                /*
                                                                       line-6 */
                                                                /*
                                                                       line-7 */
                                                                       line-8 */
     number = 100;
                                                                /*
                                                                /*
                                                                       line-9 */
     amount = 30.75 + 75.35;
                                                                /*
                                                                       line-10 */
     printf("%d\n", number);
                                                                /*
                                                                       line-11 */
     printf("%5.2f",amount);
                                                                       line-12 */
                                                                /*
                                                                /*
                                                                       line-13 */
}
```

Fig. 2.5 Program to add two numbers

This program when executed will produce the following output:

```
100
106.10
```

The first two lines of the program are comment lines. It is a good practice to use comment lines in the beginning to give information such as name of the program, author, date, etc. Comment characters are also used in other lines to indicate line numbers.

The words number and amount are variable names that are used to store numeric data. The numeric data may be either in *integer* form or in real form. In C, all variables should be declared to tell the compiler what the variable names are and what type of data they hold. The variables must be declared before they are used. In lines 5 and 6, the declarations

```
int number;
float amount;
```

tell the compiler that number is an integer (int) and amount is a floating(float) point number. Declaration statements must appear at the beginning of the functions as shown in Fig. 2.4. All declaration statements end with a semicolon; C supports many other data types and they are discussed in detail in Chapter 3.

The words such as int and float are called the keywords and cannot be used as variable names. A list of keywords is given in Chapter 3.

Data is stored in a variable by assigning a data value to it. This is done in lines 8 and 10. In line-8, an integer value 100 is assigned to the integer variable **number** and in line-10, the result of addition of two real numbers 30.75 and 75.35 is assigned to the floating point variable **amount**. The statements

```
number = 100:
amount = 30.75 + 75.35;
```

are called the *assignment* statements. Every assignment statement must have a semicolon at the end. The next statement is an output statement that prints the value of **number**. The print statement

```
printf("%d\n", number);
```

contains two arguments. The first argument "%d" tells the compiler that the value of the second argument **number** should be printed as a *decimal integer*. Note that these arguments are separated by a comma. The newline character \n causes the next output to appear on a new line.

The last statement of the program

```
printf("%5.2f", amount);
```

prints out the value of **amount** in floating point format. The format specification %5.2f tells the compiler that the output must be in *floating point*, with five places in all and two places to the right of the decimal point.

2.6 Sample Program 4: Interest Calculation

The program in Fig. 2.6 calculates the value of money at the end of each year of investment, assuming an interest rate of 11 percent and prints the year, and the corresponding amount, in two columns. The output is shown in Fig. 2.7 for a period of 10 years with an initial investment of 5000.00. The program uses the following formula:

Value at the end of year = Value at start of year (1 + interest rate)

In the program, the variable **value** represents the value of money at the end of the year while **amount** represents the value of money at the start of the year. The statement

```
amount = value ;
```

makes the value at the end of the *current* year as the value at start of the *next* year.

```
----- INVESTMENT PROBLEM -
#define PERIOD 10
#define PRINCIPAL 5000.00
/*---- MAIN PROGRAM BEGINS ----
main()
         — DECLARATION STATEMENTS —
        int year;
         float amount, value, inrate;
        - ASSIGNMENT STATEMENTS -
         amount = PRINCIPAL;
        inrate = 0.11;
        year = 0;
        — COMPUTATION STATEMENTS —
        - COMPUTATION USING While LOOP -
        while (year <= PERIOD)</pre>
         { printf("%2d %8.2f\n",year, amount);
            value = amount + inrate * amount;
                 year = year + 1;
           amount = value;
            - while LOOP ENDS ----*/
             - PROGRAM ENDS -
```

Let us consider the new features introduced in this program. The second and third lines begin with #define instructions. A#define instruction defines value to a *symbolic constant* for use in the program. Whenever a symbolic name is encountered, the compiler substitutes the value associated with the name automatically. To change the value, we have to simply change the definition. In this example, we have defined two symbolic constants **PERIOD** and **PRINCIPAL** and assigned values 10 and 5000.00 respectively. These values remain constant throughout the execution of the program.

0	5000.00	
1	5550.00	
2	6160.50	
3	6838.15	
4	7590.35	
5	8425.29	
6	9352.07	
7	10380.00	
8	11522.69	
9	12790.00	
10	14197.11	

Fig. 2.7 Output of the investment program

The #define Directive

A #define is a preprocessor compiler directive and not a statement. Therefore #define lines should not end with a semicolon. Symbolic constants are generally written in uppercase so that they are easily distinguished from lowercase variable names. #define instructions are usually placed at the beginning before the main() function. Symbolic constants are not declared in declaration section.

We must note that the defined constants are not variables. We may not change their values within the program by using an assignment statement. For example, the statement

```
PRINCIPAL = 10000.00;
```

is illegal.

The declaration section declares year as integer and amount, value and inrate as floating point numbers. Note all the floating-point variables are declared in one statement. They can also be declared as

```
float amount;
float value;
float inrate;
```

When two or more variables are declared in one statement, they are separated by a comma.

All computations and printing are accomplished in a while loop, while is a mechanism for evaluating repeatedly a statement or a group of statements. In this case as long as the value of **year** is less than or equal to the value of **PERIOD**, the four statements that follow **while** are executed. Note that these four statements are grouped by braces. We exit the loop when year becomes greater than PERIOD. The concept and types of loops are discussed in Chapter 7.

C supports the basic four arithmetic operators (-, +, *, /) along with several others. They are discussed in Chapter 4.

2.7 Sample Program 5: Finding Ceil of a Number

```
Program
     #include <stdio.h>
     #include <math.h>
     int main()
        float c;
        int result;
     clrscr();
     printf("Enter a number: ");
     scanf("%f", &c);
     result=ceil(c);
     /*Enter math function ceil() is used to find the ceil value of an integer*/
     printf("Ceiling integer of %.2f=%d",c,result);
     getch();
     return 0;
Output
     Enter a number: 2.2
     Ceiling integer of 2.2=3
```

Fig. 2.8 Program to find ceil of a number

2.8 Sample Program 6: Use of Math Functions

We often use standard mathematical functions such as cos, sin, exp, etc. We shall see now the use of a mathematical function in a program. The standard mathematical functions are defined and kept as a part of C **math library**. If we want to use any of these mathematical functions, we must add an **#include** instruction in the program. Like **#define**, it is also a compiler directive that instructs the compiler to link the specified mathematical functions from the library. The instruction is of the form

#include <math.h>

```
/*— PROGRAM USING COSINE FUNCTION — */

#include <math.h>

#define PI3.1416

#define MAX180

main ()

{
   int angle;
   float x,y;
```

Fig. 2.9 Program using a math function

Another **#include** instruction that is often required is

```
#include <stdio.h>
```

stdio.h refers to the standard I/O header file containing standard input and output functions

The #include Directive

As mentioned earlier, C programs are divided into modules or functions. Some functions are written by users, like us, and many others are stored in the C library. Library functions are grouped categorywise and stored in different files known as *header files*. If we want to access the functions stored in the library, it is necessary to tell the compiler about the files to be accessed.

This is achieved by using the preprocessor directive **#include** as follows:

```
#include<filename>
```

filename is the name of the library file that contains the required function definition. Preprocessor directives are placed at the beginning of a program.

2.9 Basic Structure of C Programs

The examples discussed so far illustrate that a C program can be viewed as a group of building blocks called *functions*. A function is a subroutine that may include one or more *statements* designed to perform a *specific task*. To write a C program, we first create functions and then put them together. A C program may contain one or more sections as shown in Fig. 2.10.




Fig. 2.10 An overview of a C program

The documentation section consists of a set of comment lines giving the name of the program, the author and other details, which the programmer would like to use later. The link section provides instructions to the compiler to link functions from the system library. The definition section defines all symbolic constants.

There are some variables that are used in more than one function. Such variables are called *global* variables and are declared in the *global* declaration section that is outside of all the functions. This section also declares all the user-defined functions.

Every C program must have one **main()** function section. This section contains two parts, declaration part and executable part. The declaration part declares all the variables used in the executable part. There is at least one statement in the executable part. These two parts must appear between the opening and the closing braces. The program execution begins at the opening brace and ends at the closing brace. The closing brace of the main function section is the logical end of the program. All statements in the declaration and executable parts end with a semicolon(;).

The subprogram section contains all the user-defined functions that are called in the **main** function. User-defined functions are generally placed immediately after the **main** function, although they may appear in any order.

All sections, except the **main** function section may be absent when they are not required.

Programming Style

C is a *free-form* language. That is, the C compiler does not care, where on the line we begin typing. While this may be a licence for bad programming, we should try to use this fact to our advantage in developing readable programs. Although several alternative styles are possible, we should select one style and use it with total consistency.

First of all, we must develop the habit of writing programs in lowercase letters. C program statements are written in lowercase letters. Uppercase letters are used only for symbolic constants.

Braces, group program statements together and mark the beginning and the end of functions. A proper indentation of braces and statements would make a program easier to read and debug. Note how the braces are aligned and the statements are indented in the program of Fig. 2.5.

Since C is a free-form language, we can group statements together on one line. The statements

```
x = y + 1;
z = a + x
```

can be written on one line as

```
a = b; x = y+1; z = a+x;
```

The program

```
main()
     printf("hello C");
```

may be written in one line like

```
main() {printf("Hello C")};
```

However, this style makes the program more difficult to understand and should not be used. In this book, each statement is written on a separate line.

The generous use of comments inside a program cannot be overemphasized. Judiciously inserted comments not only increase the readability but also help to understand the program logic. This is very important for debugging and testing the program.

Executing a 'C' Program 2.11

Executing a program written in C involves a series of steps. These are:

- 1. Creating the program;
- 2. Compiling the program;
- 3. Linking the program with functions that are needed from the C library; and
- 4. Executing the program.

Figure 2.11 illustrates the process of creating, compiling and executing a C program. Although these steps remain the same irrespective of the *operating system*, system commands for implementing the steps and conventions for naming *files* may differ on different systems.




Fig. 2.11 Process of compiling and running a C program

An operating system is a program that controls the entire operation of a computer system. All input/output operations are channeled through the operating system. The operating system, which is an interface between the hardware and the user, handles the execution of user programs.

The two most popular operating systems today are UNIX (for minicomputers) and MS-DOS (for microcomputers).

Just Remember

- Every C program requires a main() function (Use of more than one main() is illegal). The place main is where the program execution begins.
- The execution of a function begins at the opening brace of the function and ends at the corresponding closing brace.
- C programs are written in lowercase letters. However, uppercase letters are used for symbolic names and output strings.
- All the words in a program line must be separated from each other by at least one space, or a tab, or a punctuation mark.
- Every program statement in a C language must end with a semicolon.
- All variables must be declared for their types before they are used in the program.
- We must make sure to include header files using **#include** directive when the program refers to special names and functions that it does not define.
- Compiler directives such as **define** and **include** are special instructions to the compiler to help it compile a program. They do not end with a semicolon.
- The sign # of compiler directives must appear in the first column of the line.
- When braces are used to group statements, make sure that the opening brace has a corresponding closing brace.
- C is a free-form language and therefore a proper form of indentation of various sections would improve legibility of the program.
- A comment can be inserted almost anywhere a space can appear. Use of appropriate comments in proper places increases readability and understandability of the program and helps users in debugging and testing. Remember to match the symbols /* and */ appropriately.

Review Questions



- 2.1 State whether the following statements are *true* or *false*.
 - (a) Every line in a C program should end with a semicolon.
 - (b) In C language lowercase letters are significant.
 - (c) Every C program ends with an END word.
 - (d) **main()** is where the program begins its execution.
 - (e) A line in a program may have more than one statement.
 - (f) A **printf** statement can generate only one line of output.
 - (g) The closing brace of the **main()** in a program is the logical end of the program.
 - (h) The purpose of the header file such as **stdio.h** is to store the source code of a program.
 - (i) Comments cause the computer to print the text enclosed between /* and */ when executed.
 - (j) Syntax errors will be detected by the compiler.
- 2.2 Which of the following statements are *true*?
 - (a) Every C program must have at least one user-defined function.
 - (b) Only one function may be named **main()**.
 - (c) Declaration section contains instructions to the computer.

- 2.3 Which of the following statements about comments are *false*?
 - (a) Use of comments reduces the speed of execution of a program.
 - (b) Comments serve as internal documentation for programmers.
 - (c) A comment can be inserted in the middle of a statement.
 - (d) In C, we can have comments inside comments.
- 2.4 Fill in the blanks with appropriate words in each of the following statements.
 - (a) Every program statement in a C program must end with a _____
 - (b) The _____ Function is used to display the output on the screen.
 - (c) The _____ header file contains mathematical functions.
 - (d) The escape sequence character _____ causes the cursor to move to the next line on the screen.
- 2.5 Remove the semicolon at the end of the **printf** statement in the program of Fig. 1.2 and execute it. What is the output?
- 2.6 In the Sample Program 2, delete line-5 and execute the program. How helpful is the error message?
- 2.7 Modify the Sample Program 3 to display the following output:

Year	Amount
1	5500.00
2	6160.00
-	
-	
10	14197.11

2.8 Find errors, if any, in the following program:

```
/* A simple program
int main()
{
    /* Does nothing */
}
```

2.9 Find errors, if any, in the following program:

```
#include (stdio.h)
void main(void)
{
    print("Hello C");
}
```

2.10 Find errors, if any, in the following program:

```
Include <math.h>
main { }
(
    FLOAT X;
    X = 2.5;
    Y = exp(x);
    Print(x,y);
)
```

2.11 Why and when do we use the **#define** directive?

- 2.12 Why and when do we use the **#include** directive?
- 2.13 What does void main(void) mean?
- 2.14 Distinguish between the following pairs:
 - (a) main() and void main(void)
 - (b) int main() and void main()
- 2.15 Why do we need to use comments in programs?
- 2.16 Why is the look of a program is important?
- 2.17 Where are blank spaces permitted in a C program?
- 2.18 Describe the structure of a C program.
- 2.19 Describe the process of creating and executing a C program under UNIX system.
- 2.20 How do we implement multiple source program files?

Programming Exercises



2.1 Write a program that will print your mailing address in the following form:

First line Name

Second line: Door No. Street Third line City, Pin code

- 2.2 Modify the above program to provide border lines to the address.
- 2.3 Write a program using one print statement to print the pattern of asterisks as shown below:

2.4 Write a program that will print the following figure using suitable characters.



- 2.5 Given the radius of a circle, write a program to compute and display its area. Use a symbolic constant to define the π value and assume a suitable value for radius.
- 2.6 Write a program to output the following multiplication table:

 $5 \times 1 = 5$ $5 \times 2 = 10$ $5 \times 3 = 15$ $5 \times 10 = 50$

2.7 Given two integers 20 and 10, write a program that uses a function add() to add these two numbers and sub() to find the difference of these two numbers and then display the sum and difference in the following form:

$$20 + 10 = 30$$

 $20 - 10 = 10$

2.8 Given the values of three variables a, b and c, write a program to compute and display the value of x, where

$$x = \frac{a}{b-c}$$

Execute your program for the following values:

- (a) a = 250, b = 85, c = 25
- (b) a = 300, b = 70, c = 70

Comment on the output in each case.

2.9 Relationship between Celsius and Fahrenheit is governed by the formula

$$F = \frac{9C}{5} + 32$$

Write a program to convert the temperature

- (a) from Celsius to Fahrenheit and
- (b) from Fahrenheit to Celsius.
- 2.10 Area of a triangle is given by the formula

$$A = \sqrt{S(S-a)(S-b)(S-c)}$$

Where a, b and c are sides of the triangle and 2S = a + b + c. Write a program to compute the area of the triangle given the values of a, b and c.

2.11 Distance between two points (x_1, y_1) and (x_2, y_2) is governed by the formula

$$D^2 = (x_2 - x_1)^2 + (y_2 - y_1)^2$$

Write a program to compute D given the coordinates of the points.

- 2.12 A point on the circumference of a circle whose center is (o, o) is (4,5). Write a program to compute perimeter and area of the circle. (Hint: use the formula given in the Ex. 2.11)
- 2.13 The line joining the points (2,2) and (5,6) which lie on the circumference of a circle is the diameter of the circle. Write a program to compute the area of the circle.
- 2.14 Write a program to display the equation of a line in the form

$$ax + by = c$$

for
$$a = 5, b = 8$$
 and $c = 18$.

2.15 Write a program to display the following simple arithmetic calculator

$_{\mathrm{X}} =$	y =	
sum =	Difference =	
Product =	Division =	

Debugging Exercises

2.1 Identify the error in the following program:

```
#include <stdio.h>
#include <math.h>
    void main()
    {
    long sum;
    int n,i;
```

```
printf("Enter the value of n: ");
scanf("%d",n);/*Reading value of n*/
sum=1;
for(i=1;i<=n;i++)
{
   sum=sum+pow(2,i);/*Calculating the sum of the series*/
}
printf("Sum of series = %ld\n",sum);
}</pre>
```

2.2 Identify the error in the following program:

```
#include <stdio.h>
#include <math.h>

void main()
{
   int x,y;
   long z;
   printf("Enter the value of x: ");
   scanf("%d",&x);/*Reading the value of x*/
   printf("Enter the value of y: ");
   scanf("%d",&y);/*Reading the value of y*/
   z=power(x,y);/*Calling the built-in function*/
   printf("%d to the power of %d is equal to %ld", x, y, z);
}
```

2.3 Identify the error in the following program:

```
#include <stdio.h>

void main()
{
  int num;
  printf("\nEnter a number: ");
  scanf("%d", &num); /*Reading an Integer*/
  if(num%2=0) /*Using % operator to compute the remainder value*/
    printf("\n%d is an even number", num);
  else
    printf("\n%d is an odd number", num);
}
```

2.4 Identify the error in the following statements:

```
(a)
     void x;
(b)
     for(i=0;i<10;i++);</pre>
```

```
(C)
     int i = 10;
     char *ptr = &i;
(d)
     char ch = 'j';
     printf("\n\n%d",ch);
(e)
     int i = 106;
     printf("\n\n%c",i);
(f)
     int int i;
```

Multiple Choice Questions

(a) James Gosling (b) Bjarne Stroustrup (c) Dennis Ritchie (d) Ray Boyce 2. Which special function is used by the C system to tell the computer where the program starts?

(a) printf

(b) begin

(c) main

- (d) scanf
- 3. What is a name having a few letters, numbers and special character (underscore) called?
 - (a) Keywords

(b) Tokens

(c) Reserved keywords

- (d) Identifiers
- 4. The statements between a function body are indicated by:
 - (a) /**/

(b) { }

(c) " "

- (d) \n
- 5. What should be used to end every program statement in C language?

1. Who amongst the following developed the C programming language?

(a) Semicolon

(b) Comma


(c) Full stop

- (d) Colon
- 6. Which of the following depicts the correct sequence of steps to run a program?
 - (a) Compile, create, link, execute
- (b) Create, compile, link, execute
- (c) Link, compile, create, execute
- (d) Link, create, compile, execute

Answers

1. (c) 6. (b)

- 2. (c)
- 3. (d)
- 4. (b)
- 5. (a)



3.1 Introduction

A programming language is designed to help process certain kinds of *data* consisting of numbers, characters and strings and to provide useful output known as *information*. The task of processing of data is accomplished by executing a sequence of precise instructions called a *program*. These instructions are formed using certain symbols and words according to some rigid rules known as *syntax rules* (or *grammar*). Every program instruction must confirm precisely to the syntax rules of the language.

Like any other language, C has its own vocabulary and grammar. In this chapter, we will discuss the concepts of constants and variables and their types as they relate to C programming language.

3.2 Character Set

The characters that can be used to form words, numbers and expressions depend upon the computer on which the program is run. However, a subset of characters is available that can be used on most personal, micro, mini and mainframe computers. The characters in C are grouped into the following categories:

- 1. Letters
- 2. Digits
- 3. Special characters
- 4. White spaces

The entire character set is given in Table 3.1.

The compiler ignores white spaces unless they are a part of a string constant. White spaces may be used to separate words, but are prohibited between the characters of keywords and identifiers.

3.2.1 Trigraph Characters

Many non-English keyboards do not support all the characters mentioned in Table 3.1. ANSI C introduces the concept of "trigraph" sequences to provide a way to enter certain characters that are not available on

3.2 Computer Programming and Utilization

some keyboards. Each trigraph sequence consists of three characters (two question marks followed by another character) as shown in Table 3.2. For example, if a keyboard does not support square brackets, we can still use them in a program using the trigraphs ??(and ??).

Table 3.1 C Character Set

Letters			Digits
Uppercase AZ			All decimal digits 09
Lowercase az			
		Special Characters	
	, comma		& ampersand
	. period		^ caret
	; semicolon		* asterisk
	: colon		– minus sign
	? question mark		+ plus sign
	' apostrophe		< opening angle bracket
	" quotation mark		(or less than sign)
	! exclamation mark		> closing angle bracket
	vertical bar		(or greater than sign)
	/ slash		(left parenthesis
	\ backslash) right parenthesis
	~ tilde		[left bracket
	_ under score] right bracket
	\$ dollar sign		{ left brace
	% percent sign		} right brace
			# number sign
		White Spaces	
		Blank space	
		Horizontal tab	
		Carriage return	
		New line	
		Form feed	

Table 3.2 ANSI C Trigraph Sequences

Trigraph sequence	Translation
??=	# number sign
??([left bracket

Table 3.2 (Contd)

Trigraph sequence	Translation
??)] right bracket
??<	{ left brace
??>	} right brace
??!	vertical bar
??/	\ back slash
??/	^ caret
??-	~ tilde

3.3 **C Tokens**

In a passage of text, individual words and punctuation marks are called *tokens*. Similarly, in a C program the smallest individual units are known as C tokens. C has six types of tokens as shown in Fig. 3.1. C programs are written using these tokens and the syntax of the language.




Fig. 3.1 C tokens and examples

3.4 Keywords and Identifiers

Every C word is classified as either a *keyword* or an *identifier*. All keywords have fixed meanings and these meanings cannot be changed. Keywords serve as basic building blocks for program statements. The list of all keywords of ANSI C are listed in Table 3.3. All keywords must be written in lowercase. Some compilers may use additional keywords that must be identified from the C manual.

Note C99 adds some more keywords.

Table 3.3 ANSI C Keywords

Auto	Double	Int	Struct
break	else	long	switch
case	enum	register	typedef
char	extern	return	union
const	float	short	unsigned
continue	for	signed	void
default	goto	sizeof	volatile
do	if	static	while

Identifiers refer to the names of variables, functions and arrays. These are user-defined names and consist of a sequence of letters and digits, with a letter as a first character. Both uppercase and lowercase letters are permitted, although lowercase letters are commonly used. The underscore character is also permitted in identifiers. It is usually used as a link between two words in long identifiers.

Rules for Identifiers

- 1. First character must be an alphabet (or underscore).
- 2. Must consist of only letters, digits or underscore.
- 3. Only first 31 characters are significant.
- 4. Cannot use a keyword.
- 5. Must not contain white space.

3.5 Constants

Constants in C refer to fixed values that do not change during the execution of a program. C supports several types of constants as illustrated in Fig. 3.2.




Fig. 3.2 Basic types of C constants

3.5.1 Integer Constants

An *integer* constant refers to a sequence of digits. There are three types of integers, namely, *decimal* integer, *octal* integer and *hexadecimal* integer.

Decimal integers consist of a set of digits, 0 through 9, preceded by an optional – or + sign. Valid examples of decimal integer constants are:

$$123 - 321 \ 0 \ 654321 + 78$$

Embedded spaces, commas, and non-digit characters are not permitted between digits. For example,

are illegal numbers.

```
Note ANSI C supports unary plus which was not defined earlier.
```

An *octal* integer constant consists of any combination of digits from the set 0 through 7, with a leading 0. Some examples of octal integer are:

```
037 0 0435 0551
```

A sequence of digits preceded by 0x or 0X is considered as *hexadecimal* integer. They may also include alphabets A through F or a through f. The letter A through F represent the numbers 10 through 15. Following are the examples of valid hex integers:

We rarely use octal and hexadecimal numbers in programming.

The largest integer value that can be stored is machine-dependent. It is 32767 on 16-bit machines and 2,147,483,647 on 32-bit machines. It is also possible to store larger integer constants on these machines by appending *qualifiers* such as U,L and UL to the constants.

Examples:

```
56789U or 56789u (unsigned integer)
987612347UL or 98761234ul (unsigned long integer)
9876543L or 9876543l (long integer)
```

The concept of unsigned and long integers are discussed in detail in Section 3.7.

Example 3.1 Representation of integer constants on a 16-bit computer.

The program in Fig. 3.3 illustrates the use of integer constants on a 16-bit machine. The output in Fig. 3.3 shows that the integer values larger than 32767 are not properly stored on a 16-bit machine. However, when they are qualified as long integer (by appending L), the values are correctly stored.

```
Program
    main()
{
        printf("Integer values\n\n");
        printf("%d %d %d\n", 32767,32767+1,32767+10);
        printf("\n");
        printf("Long integer values\n\n");
        printf("%ld %ld %ld\n", 32767L,32767L+1L,32767L+10L);
}
```

Output

Integer values 32767 -32768 -32759 Long integer values 32767 32768 32777

Fig. 3.3 Representation of integer constants on 16-bit machine

3.5.2 Real Constants

Integer numbers are inadequate to represent quantities that vary continuously, such as distances, heights, temperatures, prices, and so on. These quantities are represented by numbers containing fractional parts like 17.548. Such numbers are called *real* (or *floating point*) constants. Further examples of real constants are:

$$0.0083 - 0.75 435.36 + 247.0$$

These numbers are shown in decimal notation, having a whole number followed by a decimal point and the fractional part. It is possible to omit digits before the decimal point, or digits after the decimal point. That is,

$$215. .95 -.71 +.5$$

are all valid real numbers.

A real number may also be expressed in *exponential* (or *scientific*) notation. For example, the value 215.65 may be written as 2.1565e2 in exponential notation. e2 means multiply by 10^2 . The general form is:

mantissa e exponent

The *mantissa* is either a real number expressed in *decimal notation* or an integer. The *exponent* is an integer number with an optional *plus* or *minus sign*. The letter **e** separating the mantissa and the exponent can be written in either lowercase or uppercase. Since the exponent causes the decimal point to "float", this notation is said to represent a real number in *floating point form*. Examples of legal floating-point constants are:

Embedded white space is not allowed.

Exponential notation is useful for representing numbers that are either very large or very small in magnitude. For example, 7500000000 may be written as 7.5E9 or 75E8. Similarly, -0.000000368 is equivalent to -3.68E-7.

Floating-point constants are normally represented as double-precision quantities. However, the suffixes f or F may be used to force single-precision and l or L to extend double precision further.

Some examples of valid and invalid numeric constants are given in Table 3.4.

Table 3.4 Examples of Numeric Constants

Constant	Valid ?	Remarks
698354L	Yes	Represents long integer
25,000	No	Comma is not allowed
+5.0E3	Yes	(ANSI C supports unary plus)
3.5e-5	Yes	

Table 3.4	(Contd)
-----------	---------

Constant	Valid ?	Remarks
7.1e 4	No	No white space is permitted
-4.5e-2	Yes	
1.5E+2.5	No	Exponent must be an integer
\$255	No	\$ symbol is not permitted
0X7B	Yes	Hexadecimal integer

3.5.3 Single Character Constants

A single character constant (or simply character constant) contains a single character enclosed within a pair of *single* quote marks. Example of character constants are:

Note that the character constant '5' is not the same as the *number 5*. The last constant is a blank space. Character constants have integer values known as ASCII values. For example, the statement

would print the number 97, the ASCII value of the letter a. Similarly, the statement

would output the letter 'a'.

Since each character constant represents an integer value, it is also possible to perform arithmetic operations on character constants.

3.5.4 String Constants

A string constant is a sequence of characters enclosed in *double* quotes. The characters may be letters, numbers, special characters and blank space. Examples are:

Remember that a character constant (e.g., 'X') is not equivalent to the single character string constant (e.g., "X"). Further, a single character string constant does not have an equivalent integer value while a character constant has an integer value. Character strings are often used in programs to build meaningful programs.

3.5.5 Backslash Character Constants

C supports some special backslash character constants that are used in output functions. For example, the symbol '\n' stands for newline character. A list of such backslash character constants is given in Table 3.5. Note that each one of them represents one character, although they consist of two characters. These characters combinations are known as *escape sequences*.

Table 3.5 Backslash Character Constants

Constant	Meaning
'\a'	audible alert (bell)
'\b'	back space

Table 3.5 (Contd)

Constant	Meaning
'\f'	form feed
'\n'	new line
'\r'	carriage return
'\t'	horizontal tab
'\v'	vertical tab
'\"	single quote
\ "	double quote
'\?'	question mark
·//'	backslash
'\0'	null

3.6 Variables

A *variable* is a data name that may be used to store a data value. Unlike constants that remain unchanged during the execution of a program, a variable may take different values at different times during execution. In Chapter 2, we used several variables. For instance, we used the variable **amount** in Sample Program 3 to store the value of money at the end of each year (after adding the interest earned during that year).

A variable name can be chosen by the programmer in a meaningful way so as to reflect its function or nature in the program. Some examples of such names are:

Average height Total Counter_1 class strength

As mentioned earlier, variable names may consist of letters, digits, and the underscore(_) character, subject to the following conditions:

- 1. They must begin with a letter. Some systems permit underscore as the first character.
- 2. ANSI standard recognizes a length of 31 characters. However, length should not be normally more than eight characters, since only the first eight characters are treated as significant by many compilers. (In C99, at least 63 characters are significant.)
- Uppercase and lowercase are significant. That is, the variable Total is not the same as total or TOTAL.
- 4. It should not be a keyword.
- 5. White space is not allowed.

Some examples of valid variable names are:

John Value T_raise
Delhi x1 ph_value
mark sum1 distance

Invalid examples include:

123 (area) % 25th Further examples of variable names and their correctness are given in Table 3.6.

Table 3.6 Examples of Variable Names

Variable name	Valid ?	Remark
First_tag	Valid	
char	Not valid	char is a keyword
Price\$	Not valid	Dollar sign is illegal
group one	Not valid	Blank space is not permitted
average_number	Valid	First eight characters are significant
int_type	Valid	Keyword may be part of a name

If only the first eight characters are recognized by a compiler, then the two names

average height average weight

mean the same thing to the computer. Such names can be rewritten as

avg height and avg weight

or

ht average and wt average

without changing their meanings.

Data Types

C language is rich in its data types. Storage representations and machine instructions to handle constants differ from machine to machine. The variety of data types available allow the programmer to select the type appropriate to the needs of the application as well as the machine.

ANSI C supports three classes of data types:

- 1. Primary (or fundamental) data types
- 2. Derived data types
- 3. User-defined data types

The primary data types and their extensions are discussed in this section. The user-defined data types are defined in the next section while the derived data types such as arrays, functions, structures and pointers are discussed as and when they are encountered.

All C compilers support five fundamental data types, namely integer (int), character (char), floating point (float), double-precision floating point (double) and void. Many of them also offer extended data types such as long int and long double. Various data types and the terminology used to describe them are given in Fig. 3.4. The range of the basic four types are given in Table 3.7. We discuss briefly each one of them in this section.

C99 adds three more data types, namely Bool, Complex, and Imaginary.




Fig. 3.4 Primary data types in C

 Table 3.7
 Size and Range of Basic Data Types on 16-bit Machines

Data type	Range of values
char	-128 to 127
int	-32,768 to 32,767
float	3.4e-38 to 3.4e+e38
double	1.7e–308 to 1.7e+308

3.7.1 Integer Types

Integers are whole numbers with a range of values supported by a particular machine. Generally, integers occupy one word of storage, and since the word sizes of machines vary (typically, 16 or 32 bits) the size of an integer that can be stored depends on the computer. If we use a 16 bit word length, the size of the integer value is limited to the range -32768 to +32767 (that is, -2^{15} to $+2^{15}-1$). A signed integer uses one bit for sign and 15 bits for the magnitude of the number. Similarly, a 32 bit word length can store an integer ranging from -2,147,483,648 to 2,147,483,647.

In order to provide some control over the range of numbers and storage space, C has three classes of integer storage, namely **short int**, **int**, and **long int**, in both **signed** and **unsigned** forms. ANSI C defines these types so that they can be organized from the smallest to the largest, as shown in Fig. 3.5. For example, **short int** represents fairly small integer values and requires half the amount of storage as

a regular **int** number uses. Unlike signed integers, unsigned integers use all the bits for the magnitude of the number and are always positive. Therefore, for a 16 bit machine, the range of unsigned integer numbers will be from 0 to 65,535.




Fig. 3.5 Integer types

We declare **long** and **unsigned** integers to increase the range of values. The use of qualifier **signed** on integers is optional because the default declaration assumes a signed number. Table 3.8 shows all the allowed combinations of basic types and qualifiers and their size and range on a 16-bit machine.

Note C99 allows long long integer types.

Table 3.8 Size and Range of Data Types on a 16-bit Machine

Туре	Size (bits)	Range
char or signed char	8	–128 to 127
unsigned char	8	0 to 255
int or signed int	16	-32,768 to 32,767
unsigned int	16	0 to 65535
short int or		
signed short int	8	–128 to 127
unsigned short int	8	0 to 255
long int or		
signed long int	32	-2,147,483,648 to 2,147,483,647
unsigned long int	32	0 to 4,294,967,295
float	32	3.4E - 38 to 3.4E + 38
double	64	1.7E - 308 to 1.7E + 308
long double	80	3.4E - 4932 to 1.1E + 4932

3.7.2 Floating Point Types

Floating point (or real) numbers are stored in 32 bits (on all 16 bit and 32 bit machines), with 6 digits of precision. Floating point numbers are defined in C by the keyword **float**. When the accuracy provided by a **float** number is not sufficient, the type **double** can be used to define the number. A **double** data type number uses 64 bits giving a precision of 14 digits. These are known as *double precision* numbers. Remember that double type represents the same data type that **float** represents, but with a greater precision. To extend the precision further, we may use **long double** which uses 80 bits. The relationship among floating types is illustrated in Fig. 3.6.



Fig. 3.6 Floating-point types

3.7.3 Void Types

The **void** type has no values. This is usually used to specify the type of functions. The type of a function is said to be **void** when it does not return any value to the calling function. It can also play the role of a generic type, meaning that it can represent any of the other standard types.

3.7.4 Character Types

A single character can be defined as a **character(char)** type data. Characters are usually stored in 8 bits (one byte) of internal storage. The qualifier **signed** or **unsigned** may be explicitly applied to char. While **unsigned chars** have values between 0 and 255, **signed chars** have values from -128 to 127.

3.8 Declaration of Variables

After designing suitable variable names, we must declare them to the compiler. Declaration does two things:

- 1. It tells the compiler what the variable name is.
- 2. It specifies what type of data the variable will hold.

The declaration of variables must be done before they are used in the program.

3.8.1 Primary Type Declaration

A variable can be used to store a value of any data type. That is, the name has nothing to do with its type. The syntax for declaring a variable is as follows:

v1, v2,vn are the names of variables. Variables are separated by commas. A declaration statement must end with a semicolon. For example, valid declarations are:

```
int count;
int number, total;
double ratio;
```

int and **double** are the keywords to represent integer type and real type data values respectively. Table 3.9 shows various data types and their keyword equivalents.

Table 3.9 Data Types and Their Keywords

Data type	Keyword equivalent
Character	char
Unsigned character	unsigned char

Table 3.9 (Contd)

Data type	Keyword equivalent
Signed character	signed char
Signed integer	signed int (or int)
Signed short integer	signed short int
	(or short int or short)
Signed long integer	signed long int
	(or long int or long)
Unsigned integer	unsigned int (or unsigned)
Unsigned short integer	unsigned short int
	(or unsigned short)
Unsigned long integer	unsigned long int
	(or unsigned long)
Floating point	float
Double-precision	
floating point	double
Extended double-precision	
floating point	long double

The program segment given in Fig. 3.7 illustrates declaration of variables. **main**() is the beginning of the program. The opening brace { signals the execution of the program. Declaration of variables is usually done immediately after the opening brace of the program. The variables can also be declared outside (either before or after) the **main** function. The importance of place of declaration will be dealt in detail later while discussing functions.

 \overline{Note} C99 permits declaration of variables at any point within a function or block, prior to their use.

```
main() /*.... */
 /*.....*/
  float
       x, y;
  int
       code;
  short int count;
  long int
       amount;
  double
       deviation;
  unsigned
       n;
  char
 /*.....*/
 /*.....*/
```

3.14 Computer Programming and Utilization

When an adjective (qualifier) **short, long, or unsigned** is used without a basic data type specifier, C compilers treat the data type as an **int.** If we want to declare a character variable as unsigned, then we must do so using both the terms like **unsigned char**.

Default values of Constants

Integer constants, by default, represent **int** type data. We can override this default by specifying unsigned or long after the number (by appending U or L) as shown below:

Literal	Туре	Value
+111	int	111
-222	int	-222
45678U	unsigned int	45,678
-56789L	long int	-56,789
987654UL	unsigned long int	9,87,654

Similarly, floating point constants, by default represent **double** type data. If we want the resulting data type to be **float** or **long double**, we must append the letter f or F to the number for **float** and letter l or L for **long double** as shown below:

Literal	Type	Value
0.	double	0.0
.0	double	0.0
12.0	double	12.0
1.234	double	1.234
-1.2f	float	-1.2
1.23456789L	long double	1.23456789

3.8.2 User-Defined Type Declaration

C supports a feature known as "type definition" that allows users to define an identifier that would represent an existing data type. The user-defined data type identifier can later be used to declare variables. It takes the general form:

typedef type identifier;

Where *type* refers to an existing data type and "identifier" refers to the "new" name given to the data type. The existing data type may belong to any class of type, including the user-defined ones. Remember that the new type is 'new' only in name, but not the data type. **typedef** cannot create a new type. Some examples of type definition are:

```
typedef int units;
typedef float marks;
```

Here, **units** symbolizes **int** and **marks** symbolizes **float**. They can be later used to declare variables as follows:

```
units batch1, batch2;
marks name[50], name2[50];
```

batch1 and batch2 are inclared as **int** variable and name1[50] and name 2[50] are declared as 50 element floating point array variables. The main advantage of **typedef** is that we can create meaningful data type names for increasing the readability of the program.

Another user-defined data type is enumerated data type provided by ANSI standard. It is defined as follows:

```
enum identifier {value1, value2, ... valuen};
```

The "identifier" is a user-defined enumerated data type which can be used to declare variables that can have one of the values enclosed within the braces (known as *enumeration constants*). After this definition, we can declare variables to be of this 'new' type as below:

```
enum identifier v1, v2, ... vn;
```

The enumerated variables v1, v2, ... vn can only have one of the values *value1*, *value2*, ... *valuen*. The assignments of the following types are valid:

```
v1 = value3;
v5 = value1;
```

An example:

```
enum day {Monday, Tuesday, ... Sunday};
enum day week_st, week_end;
week_st = Monday;
week_end = Friday;
if (week_st == Tuesday)
week_end = Saturday;
```

The compiler automatically assigns integer digits beginning with 0 to all the enumeration constants. That is, the enumeration constant value1 is assigned 0, value2 is assigned 1, and so on. However, the automatic assignments can be overridden by assigning values explicitly to the enumeration constants. For example:

```
enum day {Monday = 1, Tuesday, ... Sunday};
```

Here, the constant Monday is assigned the value of 1. The remaining constants are assigned values that increase successively by 1.

The definition and declaration of enumerated variables can be combined in one statement. Example:

```
enum day {Monday, ... Sunday} week_st, week_end;
```

3.9 Assigning Values to Variables

Variables are created for use in program statements such as,

```
value = amount + inrate * amount;
while (year <= PERIOD)
{
    ....
    year = year + 1;
}</pre>
```

In the first statement, the numeric value stored in the variable **inrate** is multiplied by the value stored in **amount** and the product is added to **amount**. The result is stored in the variable value. This process is possible only if the variables **amount** and inrate have already been given values. The variable **value** is called the *target variable*. While all the variables are declared for their type, the variables that are used in expressions (on the right side of equal (=) sign of a computational statement) *must* be assigned values before they are encountered in the program. Similarly, the variable **year** and the symbolic constant **PERIOD** in the **while** statement must be assigned values before this statement is encountered.

3.9.1 Assignment Statement

Values can be assigned to variables using the assignment operator = as follows:

```
variable name = constant;
```

We have already used such statements in Chapter 1. Further examples are:

```
initial_value = 0;
final_value = 100;
balance = 75.84;
yes = 'x';
```

C permits multiple assignments in one line. For example

```
initial_value = 0; final_value = 100;
```

are valid statements.

An assignment statement implies that the value of the variable on the left of the 'equal sign' is set equal to the value of the quantity (or the expression) on the right. The statement

```
year = year + 1;
```

means that the 'new value' of **year** is equal to the 'old value' of **year** plus 1.

During assignment operation, C converts the type of value on the right-hand side to the type on the left. This may involve truncation when real value is converted to an integer.

It is also possible to assign a value to a variable at the time the variable is declared. This takes the following form:

```
data-type variable name = constant;
```

Some examples are:

```
int final_value = 100;
char yes = 'x';
double balance = 75.84;
```

The process of giving initial values to variables is called *initialization*. C permits the *initialization* of more than one variables in one statement using multiple assignment operators. For example the statements

$$p = q = s = 0;$$

 $x = y = z = MAX;$

are valid. The first statement initializes the variables \mathbf{p} , \mathbf{q} , and \mathbf{s} to zero while the second initializes \mathbf{x} , \mathbf{y} , and \mathbf{z} with MAX. Note that MAX is a symbolic constant defined at the beginning.

Remember that external and static variables are initialized to zero by *default*. Automatic variables that are not initialized explicitly will contain garbage.

Example 3.2 Program in Fig. 3.8 shows typical declarations, assignments and values stored in various types of variables.

The variables \mathbf{x} and \mathbf{p} have been declared as floating-point variables. Note that the way the value of 1.234567890000 that we assigned to \mathbf{x} is displayed under different output formats. The value of \mathbf{x} is displayed as 1.234567880630 under %.12lf format, while the actual value assigned is 1.234567890000. This is because the variable \mathbf{x} has been declared as a **float** that can store values only up to six decimal places.

The variable **m** that has been declared as **int** is not able to store the value 54321 correctly. Instead, it contains some garbage. Since this program was run on a 16-bit machine, the maximum value that an **int** variable can store is only 32767. However, the variable **k** (declared as **unsigned**) has stored the value 54321 correctly. Similarly, the **long int** variable **n** has stored the value 1234567890 correctly.

The value 9.87654321 assigned to **y** declared as double has been stored correctly but the value is printed as 9.876543 under %lf format. Note that unless specified otherwise, the **printf** function will always display a **float** or **double** value to six decimal places. We will discuss later the output formats for displaying numbers.

```
Program
   main()
    /*......DECLARATIONS.....*/
        float x, p;
        double y, q;
        unsigned k ;
    /*.....DECLARATIONS AND ASSIGNMENTS......*/
            m = 54321;
        long int n = 1234567890;
    /*.....*/
        x = 1.234567890000;
        y = 9.87654321;
        k = 54321;
        p = q = 1.0;
   /*....*/
        printf("m = %d\n", m);
        printf("n = %ld\n", n);
        printf("x = %.121f\n'', x);
        printf("x = %f\n'', x);
        printf("y = %.12lf\n'', y);
        printf("y = %lf\n'', y);
        printf("k = %u p = %f q = %.12lf\n", k, p, q);
Output
   m = -11215
```

```
n = 1234567890
x = 1.234567880630
x = 1.234568
y = 9.876543210000
y = 9.876543
k = 54321 p = 1.000000 q = 1.00000000000
```

Fig. 3.8 Examples of assignments

3.9.2 Reading Data from Keyboard

Another way of giving values to variables is to input data through keyboard using the **scanf** function. It is a general input function available in C and is very similar in concept to the **printf** function. It works much like an INPUT statement in BASIC. The general format of **scanf** is as follows:

```
scanf("control string", &variable1,&variable2,....);
```

The control string contains the format of data being received. The ampersand symbol & before each variable name is an operator that specifies the variable name's *address*. We must always use this operator, otherwise unexpected results may occur. Let us look at an example:

```
scanf("%d", &number);
```

When this statement is encountered by the computer, the execution stops and waits for the value of the variable **number** to be typed in. Since the control string "%d" specifies that an integer value is to be read from the terminal, we have to type in the value in integer form. Once the number is typed in and the 'Return' Key is pressed, the computer then proceeds to the next statement. Thus, the use of **scanf** provides an interactive feature and makes the program 'user friendly'. The value is assigned to the variable **number**.

Example 3.3 The program in Fig. 3.9 illustrates the use of **scanf** function.

The first executable statement in the program is a **printf**, requesting the user to enter an integer number. This is known as "prompt message" and appears on the screen like

Enter an integer number

As soon as the user types in an integer number, the computer proceeds to compare the value with 100. If the value typed in is less than 100, then a message

Your number is smaller than 100

is printed on the screen. Otherwise, the message

Your number contains more than two digits

is printed. Outputs of the program run for two different inputs are also shown in Fig. 3.9.

```
Program
    main()
{
        int number;

        printf("Enter an integer number\n");
        scanf ("%d", &number);
```

Fig. 3.9 Use of scanf function for interactive computing

Some compilers permit the use of the 'prompt message' as a part of the control string in scanf, like

```
scanf("Enter a number %d", &number);
```

We discuss more about **scanf** in Chapter 5.

In Fig. 3.9 we have used a decision statement **if...else** to decide whether the number is less than 100. Decision statements are discussed in depth in Chapter 6.

Example 3.4 Sample program 3 discussed in Chapter 2 can be converted into a more flexible interactive program using **scanf** as shown in Fig. 3.10.

In this case, computer requests the user to input the values of the amount to be invested, interest rate and period of investment by printing a prompt message

Input amount, interest rate, and period

and then waits for input values. As soon as we finish entering the three values corresponding to the three variables **amount**, **inrate**, and **period**, the computer begins to calculate the amount at the end of each year, up to 'period' and produces output as shown in Fig. 3.10.

```
Program
  main()
{
    int year, period;
    float amount, inrate, value;
    printf("Input amount, interest rate, and period\n\n");
    scanf ("%f %f %d", &amount, &inrate, &period);
    printf("\n");
    year = 1;
    while( year <= period)
    {
        value = amount + inrate * amount;
        printf("%2d Rs %8.2f\n", year, value);
}</pre>
```

```
amount = value ;
                     year = year + 1;
Output
     Input amount, interest rate, and period
        10000 0.14 5
           1 Rs 11400.00
           2 Rs 12996.00
           3 Rs 14815.44
           4 Rs 16889.60
           5 Rs 19254.15
     Input amount, interest rate, and period
        20000 0.12 7
           1 Rs 22400.00
           2 Rs 25088.00
           3 Rs 28098.56
           4 Rs 31470.39
           5 Rs 35246.84
           6 Rs 39476.46
           7 Rs 44213.63
```

Fig. 3.10 Interactive investment program

Note that the **scanf** function contains three variables. In such cases, care should be exercised to see that the values entered match the *order* and *type* of the variables in the list. Any mismatch might lead to unexpected results. The compiler may not detect such errors.

3.10 Defining Symbolic Constants

We often use certain unique constants in a program. These constants may appear repeatedly in a number of places in the program. One example of such a constant is 3.142, representing the value of the mathematical constant "pi". Another example is the total number of students whose mark-sheets are analysed by a 'test analysis program'. The number of students, say 50, may be used for calculating the class total, class average, standard deviation, etc. We face two problems in the subsequent use of such programs. These are

- 1. problem in modification of the program and
- 2. problem in understanding the program.

3.10.1 Modifiability

We may like to change the value of "pi" from 3.142 to 3.14159 to improve the accuracy of calculations or the number 50 to 100 to process the test results of another class. In both the cases, we will have to search throughout the program and explicitly change the value of the constant wherever it has been used. If any value is left unchanged, the program may produce disastrous outputs.

3.10.2 Understandability

When a numeric value appears in a program, its use is not always clear, especially when the same value means different things in different places. For example, the number 50 may mean the number of students at one place and the 'pass marks' at another place of the same program. We may forget what a certain number meant, when we read the program some days later.

Assignment of such constants to a *symbolic name* frees us from these problems. For example, we may use the name **STRENGTH** to define the number of students and **PASS_MARK** to define the pass marks required in a subject. Constant values are assigned to these names at the beginning of the program. Subsequent use of the names **STRENGTH** and **PASS_MARK** in the program has the effect of causing their defined values to be automatically substituted at the appropriate points. A constant is defined as follows:

#define symbolic-name value of constant

Valid examples of constant definitions are:

#define STRENGTH 100
#define PASS_MARK 50
#define MAX 200
#define PI 3.14159

Symbolic names are sometimes called *constant identifiers*. Since the symbolic names are constants (not variables), they do not appear in declarations. The following rules apply to a **#define** statement which define a symbolic constant:

- 1. Symbolic names have the same form as variable names. (Symbolic names are written in CAPITALS to visually distinguish them from the normal variable names, which are written in lowercase letters. This is only a convention, not a rule.)
- 2. No blank space between the pound sign '#' and the word **define** is permitted.
- 3. '#' must be the first character in the line.
- 4. A blank space is required between #define and symbolic name and between the symbolic name and the constant.
- 5. #define statements must not end with a semicolon.
- 6. After definition, the *symbolic name* should not be assigned any other value within the program by using an assignment statement. For example, STRENGTH = 200; is illegal.
- 7. Symbolic names are NOT declared for data types. Its data type depends on the type of constant.
- 8. **#define** statements may appear *anywhere* in the program but before it is referenced in the program (the usual practice is to place them in the beginning of the program).

#define statement is a *preprocessor* compiler directive and is much more powerful than what has been mentioned here. More advanced types of definitions will be discussed later. Table 3.10 illustrates some invalid statements of **#define**.

Table 3.10 Examples of Invalid #define Statements

Statement	Validity	Remark
#define X = 2.5	Invalid	'=' sign is not allowed
# define MAX 10	Invalid	No white space between # and define

Table 3.10 (Contd)

Statement	Validity	Remark
#define N 25;	Invalid	No semicolon at the end
#define N 5, M 10	Invalid	A statement can define only one name.
#Define ARRAY 11	Invalid	define should be in lowercase letters
#define PRICE\$ 100	Invalid	\$ symbol is not permitted in name

3.11 Declaring a Variable as Constant

We may like the value of certain variables to remain constant during the execution of a program. We can achieve this by declaring the variable with the qualifier **const** at the time of initialization. Example:

const is a new data type qualifier defined by ANSI standard. This tells the compiler that the value of the **int** variable **class_size** must not be modified by the program. However, it can be used on the right hand side of an assignment statement like any other variable.

3.12 Declaring a Variable as Volatile

ANSI standard defines another qualifier **volatile** that could be used to tell explicitly the compiler that a variable's value may be changed at any time by some external sources (from outside the program). For example:

volatile int date;

The value of **date** may be altered by some external factors even if it does not appear on the left-hand side of an assignment statement. When we declare a variable as **volatile**, the compiler will examine the value of the variable each time it is encountered to see whether any external alteration has changed the value.

Remember that the value of a variable declared as **volatile** can be modified by its own program as well. If we wish that the value must not be modified by the program while it may be altered by some other process, then we may declare the variable as both **const** and **volatile** as shown below:

Note | C99 adds another qualifier called restrict.

3.13 Overflow and Underflow of Data

Problem of data overflow occurs when the value of a variable is either too big or too small for the data type to hold. The largest value that a variable can hold also depends on the machine. Since floating-point values are rounded off to the number of significant digits allowed (or specified), an overflow normally results in the largest possible real value, whereas an underflow results in zero.

Integers are always exact within the limits of the range of the integral data types used. However, an overflow which is a serious problem may occur if the data type does not match the value of the constant.

C does not provide any warning or indication of integer overflow. It simply gives incorrect results. (Overflow normally produces a negative number.) We should therefore exercise a greater care to define correct data types for handling the input/output values.

Just Remember

- Do not use the underscore as the first character of identifiers (or variable names) because many of the identifiers in the system library start with underscore.
- Use only 31 or less characters for identifiers. This helps ensure portability of programs.
- Do not use keywords or any system library names for identifiers.
- Use meaningful and intelligent variable names.
- Do not create variable names that differ only by one or two letters.
- Each variable used must be declared for its type at the beginning of the program or function.
- All variables must be initialized before they are used in the program.
- Integer constants, by default, assume **int** types. To make the numbers **long** or **unsigned**, we must append the letters L and U to them.
- Floating point constants default to **double**. To make them to denote **float** or **long double**, we must append the letters F or L to the numbers.
- Do not use lowercase I for long as it is usually confused with the number 1.
- Use single quote for character constants and double quotes for string constants.
- A character is stored as an integer. It is therefore possible to perform arithmetic operations on characters.
- Do not combine declarations with executable statements.
- A variable can be made constant either by using the preprocessor command #define at the beginning of the program or by declaring it with the qualifier const at the time of initialization.
- Do not use semicolon at the end of #define directive.
- The character # should be in the first column.
- Do not give any space between # and define.
- C does not provide any warning or indication of overflow. It simply gives incorrect results. Care should be exercised in defining correct data type.
- A variable defined before the main function is available to all the functions in the program.
- A variable defined inside a function is local to that function and not available to other functions.

Review Questions



- 3.1 State whether the following statements are *true* or *false*.
 - (a) Any valid printable ASCII character can be used in an identifier.
 - (b) All variables must be given a type when they are declared.
 - (c) Declarations can appear anywhere in a program.
 - (d) ANSI C treats the variables **name** and **Name** to be same.
 - (e) The underscore can be used anywhere in an identifier.
 - (f) The keyword **void** is a data type in C.

- (g) Floating point constants, by default, denote **float** type values.
- (h) Like variables, constants have a type.
- (i) Character constants are coded using double quotes.
- (j) Initialization is the process of assigning a value to a variable at the time of declaration.
- (k) All **static** variables are automatically initialized to zero.
- (1) The **scanf** function can be used to read only one value at a time.
- 3.2 Fill in the blanks with appropriate words.
 - (a) The keyword _____ can be used to create a data type identifier.
 - (b) ______ is the largest value that an unsigned short int type variable can store.
 - (c) A global variable is also known as _____ variable.
 - (d) A variable can be made constant by declaring it with the qualifier _____ at the time of initialization.
- 3.3 What are trigraph characters? How are they useful?
- 3.4 Describe the four basic data types. How could we extend the range of values they represent?
- 3.5 What is an unsigned integer constant? What is the significance of declaring a constant unsigned?
- 3.6 Describe the characteristics and purpose of escape sequence characters.
- 3.7 What is a variable and what is meant by the "value" of a variable?
- 3.8 How do variables and symbolic names differ?
- 3.9 State the differences between the declaration of a variable and the definition of a symbolic name.
- 3.10 What is initialization? Why is it important?
- 3.11 What are the qualifiers that an **int** can have at a time?
- 3.12 A programmer would like to use the word DPR to declare all the double-precision floating point values in his program. How could he achieve this?
- 3.13 What are enumeration variables? How are they declared? What is the advantage of using them in a program?
- 3.14 Describe the purpose of the qualifiers **const** and **volatile**.
- 3.15 When dealing with very small or very large numbers, what steps would you take to improve the accuracy of the calculations?
- 3.16 Which of the following are invalid constants and why?

0.0001	5×1.5	99999
+100	75.45 E-2	"15.75"
-45.6	-1.79 e + 4	0.00001234

3.17 Which of the following are invalid variable names and why?

MinimumFirst.namen1+n2&namedoubles3rd_rown\$Row1floatSum TotalRow TotalColumn-total

3.18 Find errors, if any, in the following declaration statements.

```
Int x;
float letter,DIGIT;
double = p,q
exponent alpha,beta;
```

```
m,n,z: INTEGER
short char c;
long int m; count;
long float temp;
```

3.19 What would be the value of x after execution of the following statements?

```
int x, y = 10;
char z = 'a';
x = y + z;
```

3.20 Identify syntax errors in the following program. After corrections, what output would you expect when you execute it?

Programming Exercises

3.1 Write a program to determine and print the sum of the following harmonic series for a given value of n:

$$1+ 1/2 + 1/3 + ... + 1/n$$

The value of n should be given interactively through the terminal.

- 3.2 Write a program to read the price of an item in decimal form (like 15.95) and print the output in paise (like 1595 paise).
- 3.3 Write a program that prints the even numbers from 1 to 100.
- 3.4 Write a program that requests two float type numbers from the user and then divides the first number by the second and display the result along with the numbers.
- 3.5 The price of one kg of rice is Rs. 16.75 and one kg of sugar is Rs. 15. Write a program to get these values from the user and display the prices as follows:

```
*** LIST OF ITEMS ***
Item Price
Rice Rs 16.75
Sugar Rs 15.00
```

3.6 Write program to count and print the number of negative and positive numbers in a given set of numbers. Test your program with a suitable set of numbers. Use **scanf** to read the numbers. Reading should be terminated when the value 0 is encountered.

- 3.7 Write a program to do the following:
 - (a) Declare x and y as integer variables and z as a short integer variable.
 - (b) Assign two 6 digit numbers to x and y
 - (c) Assign the sum of x and y to z
 - (d) Output the values of x, y and z

Comment on the output.

- 3.8 Write a program to read two floating point numbers using a **scanf** statement, assign their sum to an integer variable and then output the values of all the three variables.
- 3.9 Write a program to illustrate the use of **typedef** declaration in a program.
- 3.10 Write a program to illustrate the use of symbolic constants in a real-life application.

Debugging Exercises

3.1 Identify the error in the following program:

```
#include <stdio.h>
#DEFINE CP 50

void main()
{
   int SP, profit;
   printf("Enter the SELLING PRICE ");
   scanf("%d", &SP);
   profit=SP-CP; /*Using Symbolic Constant CP in an expression*/
   printf("\nThe profit earned is %d", profit);
}
```

3.2 Identify the error in the following variable declaration statements:

```
(a)
    int dept-sales;
(b)
    char _flag01;
(c)
    int Int;
(d)
    int char;
(e)
    char 27item;
(f)
    char item27;
```

3.3 Identify the error in the following program:

```
#include <stdio.h>
void main()
 int a=b=c=3;
 int x;
 x=a-b/3+c*2-1;/*Expression evaluation*/
 printf("Value of x = %d", x); /*Printing the resultant value <math>x*/
```

3.4 Identify the error in the following program:

```
#include <stdio.h>
void main()
 const int x=5;
x=5;
 printf("Value of x = %d", x);
 getch();
}
```

Multiple Choice Questions

(c) 24

1.	What are the words with predefined me	anin	g but cannot be used as variables known as?
	(a) Constant	(b)	Identifier
	(c) Keywords	(d)	Datatype
2.	Which of the following is not a data type	e?	
	(a) integer	(b)	char

(d) 36

(c) void (d) default

3. How many keywords are recognized by standard ANSI C? (a) 30 (b) 32

4. Which amongst the following is not a reserved keyword for C?

(a) case (b) auto (c) default (d) main 5. What is the size of a character variable in C language?

(a) 1 byte (b) 2 bytes (c) 4 bytes (d) 8 bytes

,	John pater i regramming and othization		
6.	Which of the following is not a valid n	ame	for a C variable?
	(a) Learning C		Learning C
	(c) Learning C		LEARNING C
7.	` /		he difference between declaration and definition of a
	variable correctly?		
	(a) A definition occurs once, but a dec	larat	ion can occur numerous times
	(b) A declaration occurs once, but a de-	efinit	ion may occur numerous times
	(c) Both can occur multiple times, but	a de	eclaration must occur first
	(d) Both can occur multiple times, but	a de	efinition must occur first
8.	Which of the following statements hold	d tru	e for an identifier?
	(a) It can use a keyword		
	(b) It can contain white space		
	(c) It can contain letters, digits and all	othe	er types of symbols
	(d) First character of an identifier mus		=
9.	What will the following piece of code	retur	n?
	main()		
	{		
	printf("%d", 'a');		
	}		
	(a) 0	(b)	a
	(c) Value assigned to a, if any	(d)	ASCII value of 'a' i.e. 97
10.	What is a sequence of characters enclo	sed i	n double quotes known as?
	(a) Constant	(b)	Variable
	(c) String constant	` /	Character constant
11.	What is the maximum value of an unsi	gned	integer?
	(a) 65535	(b)	-65535
	(c) 32767	(d)	-32767
12.	Which of the following is a valid defin		
	(a) #define MAX 200	` /	#define MAX=200
	(c) # define MAX 200		#define MAX 200;
13.	What is the keyword typedef used for?		
	(a) Define the type of function		Create a type of function
	(c) Create a new datatype name		Define the type of variable
14.	Which of the following is not a basic d		- -
	(a) char	` /	float
	(c) array	` /	double
15. Which of the following is a valid string constant?			
	(a) "programming"		"Programming
	(c) //programming		\$programming\$
16.	What is the range of signed char on 16		
	(a) -32768 to -32768 to 2767	` '	3.4e–38 to 3.4e+e38
	(c) -128 to 127	(d)	-256 to 255

17.	What is a real number treated as by det	fault?
	(a) integer	(b) float
	(c) double	(d) long double
18.	How many bits does a double data type	e use?
	(a) 8 bits	(b) 24 bits
	(c) 32 bits	(d) 64 bits
Answe	rs	
	·	

Answers					
1. (c)	2. (d)	3. (b)	4. (d)	5. (a)	
6. (c)	7. (b)	8. (d)	9. (d)	10. (c)	
11. (a)	12. (a)	13. (c)	14. (c)	15. (a)	
16. (c)	17. (b)	18. (d)			

4.1 Introduction

C supports a rich set of built-in operators. We have already used several of them, such as =, +, -, *, & and <. An *operator* is a symbol that tells the computer to perform certain mathematical or logical manipulations. Operators are used in programs to manipulate data and variables. They usually form a part of the mathematical or logical *expressions*.

C operators can be classified into a number of categories. They include:

- 1. Arithmetic operators
- 2. Relational operators
- 3. Logical operators
- 4. Assignment operators
- 5. Increment and decrement operators
- 6. Conditional operators
- 7. Bitwise operators
- 8. Special operators

An expression is a sequence of operands and operators that reduces to a single value. For example, 10 + 15

is an expression whose value is 25. The value can be any type other than *void*.

4.2 Arithmetic Operators

C provides all the basic arithmetic operators. They are listed in Table 4.1. The operators +, -, *, and / all work the same way as they do in other languages. These can operate on any built-in data type allowed in C. The unary minus operator, in effect, multiplies its single operand by -1. Therefore, a number preceded by a minus sign changes its sign.

Table 4.1 Arithmetic Operators

Operator	Meaning
+	Addition or unary plus
_	Subtraction or unary minus
*	Multiplication
/	Division
%	Modulo division

Integer division truncates any fractional part. The modulo division operation produces the remainder of an integer division. Examples of use of arithmetic operators are:

$$a-b$$
 $a+b$
 $a*b$ a/b
 $a\%b$ $-a*b$

Here **a** and **b** are variables and are known as *operands*. The modulo division operator % cannot be used on floatin g point data. Note that C does not have an operator for *exponentiation*. Older versions of C does not support unary plus but ANSI C supports it.

4.2.1 Integer Arithmetic

When both the operands in a single arithmetic expression such as a+b are integers, the expression is called an *integer expression*, and the operation is called *integer arithmetic*. Integer arithmetic always yields an integer value. The largest integer value depends on the machine, as pointed out earlier. In the above examples, if \bf{a} and \bf{b} are integers, then for $\bf{a}=14$ and $\bf{b}=4$ we have the following results:

$$a-b = 10$$

 $a+b = 18$
 $a*b = 56$
 $a/b = 3$ (decimal part truncated)
 $a\%b = 2$ (remainder of division)

During integer division, if both the operands are of the same sign, the result is truncated towards zero. If one of them is negative, the direction of trunction is implementation dependent. That is,

$$6/7 = 0$$
 and $-6/-7 = 0$

but -6/7 may be zero or -1. (Machine dependent)

Similarly, during modulo division, the sign of the result is always the sign of the first operand (the dividend). That is

$$-14 \% 3 = -2$$

 $-14 \% -3 = -2$
 $14 \% -3 = 2$

Example 4.1 The program in Fig. 4.1 demonstrates the working of arithmetic operators.

```
Program
#include <stdio.h>
int main()
```

```
int a = 9, b = 4, c;
                     /*'+' operator is used to add two numbers*/
         c = a+b;
     clrscr();
         printf("a+b = %d \n",c);
         c = a-b; /*'-' operator is used to subtract two numbers*/
         printf("a-b = %d \n",c);
                  /*'*' operator is used to multiply two numbers*/
         printf("a*b = %d n",c);
                   /*'/' operator is used to divide two numbers*/
         printf("a/b = %d \n",c);
                   /*'%' operator is used to find the remainder of two numbers*/
         printf("Remainder when a divided by b = %d \n", c);
     getch();
     return 0;
Output
     a+b = 13
     a-b = 5
     a*b = 36
     a/b = 2
     Remainder when a divided by b = 1
```

Fig. 4.1 Working of arithmetic operators

Example 4.2 The program in Fig. 4.2 shows the use of integer arithmetic to convert a given number of days into months and days.

```
Program
     main ()
        int months, days;
        printf("Enter days\n") ;
        scanf("%d", &days);
        months = days / 30;
        days = days % 30 ;
        printf("Months = %d Days = %d", months, days);
Output
     Enter days
     265
```

4.4 Computer Programming and Utilization

```
Months = 8 Days = 25
Enter days
364
Months = 12 Days = 4
Enter days
45
Months = 1 Days = 15
```

Fig. 4.2 Illustration of integer arithmetic

The variables months and days are declared as integers. Therefore, the statement

months =
$$days/30$$
;

truncates the decimal part and assigns the integer part to months. Similarly, the statement

assigns the remainder part of the division to days. Thus the given number of days is converted into an equivalent number of months and days and the result is printed as shown in the output.

4.2.2 Real Arithmetic

An arithmetic operation involving only real operands is called *real arithmetic*. A real operand may assume values either in decimal or exponential notation. Since floating point values are rounded to the number of significant digits permissible, the final value is an approximation of the correct result. If **x**, **y**, and **z** are **floats**, then we will have:

$$x = 6.0/7.0 = 0.857143$$

 $y = 1.0/3.0 = 0.333333$
 $z = -2.0/3.0 = -0.666667$

The operator % cannot be used with real operands.

4.2.3 Mixed-mode Arithmetic

When one of the operands is real and the other is integer, the expression is called a *mixed-mode arithmetic* expression. If either operand is of the real type, then only the real operation is performed and the result is always a real number. Thus

$$15/10.0 = 1.5$$

whereas

$$15/10 = 1$$

More about mixed operations will be discussed later when we deal with the evaluation of expressions.

4.3 Relational Operators

We often compare two quantities and depending on their relation, take certain decisions. For example, we may compare the age of two persons, or the price of two items, and so on. These comparisons can be

done with the help of relational operators. We have already used the symbol '<', meaning 'less than'. An expression such as

$$a < b \text{ or } 1 < 20$$

containing a relational operator is termed as a relational expression. The value of a relational expression is either one or zero. It is one if the specified relation is true and zero if the relation is false. For example

10 < 20 is true

but

20 < 10 is false

C supports six relational operators in all. These operators and their meanings are shown in Table 4.2.

Table 4.2 Relational Operators

Operator	Meaning
<	is less than
<=	is less than or equal to
>	is greater than
>=	is greater than or equal to
==	is equal to
ļ=	is not equal to

A simple relational expression contains only one relational operator and takes the following form:

ae-1 relational operator ae-2

ae-1 and ae-2 are arithmetic expressions, which may be simple constants, variables or combination of them. Given below are some examples of simple relational expressions and their values:

4.5 <= 10 TRUE

4.5 < -10 FALSE

-35 >= 0 FALSE

10 < 7+5 TRUE

a+b = c+d TRUE only if the sum of values of a and b is equal to the sum of values of c and d.

When arithmetic expressions are used on either side of a relational operator, the arithmetic expressions will be evaluated first and then the results compared. That is, arithmetic operators have a higher priority over relational operators.

Relational expressions are used in decision statements such as if and while to decide the course of action of a running program. We have already used the while statement in Chapter 2. Decision statements are discussed in detail in Chapters 6 and 7.

Relational Operator Complements

Among the six relational operators, each one is a complement of another operator.

is complement of <= is complement of < >= is complement of !=

We can simplify an expression involving the **not** and the **less than** operators using the complements as shown below:

Actual one	Simplified one
!(x <y)< td=""><td>x >= y</td></y)<>	x >= y
!(x>y)	$x \le y$
!(x!=y)	x == y
!(x<=y)	x > y
!(x>=y)	x < y
!(x == y)	x != y

4.4 Logical Operators

In addition to the relational operators, C has the following three *logical operators*.

&& meaning logical AND meaning logical OR meaning logical NOT

The logical operators && and \parallel are used when we want to test more than one condition and make decisions. An example is:

$$a > b \&\& x == 10$$

An expression of this kind, which combines two or more relational expressions, is termed as a *logical expression* or a *compound relational expression*. Like the simple relational expressions, a logical expression also yields a value of *one* or *zero*, according to the truth table shown in Table 4.3. The logical expression given above is true only if $\mathbf{a} > \mathbf{b}$ is *true* and $\mathbf{x} == 10$ is true. If either (or both) of them are false, the expression is *false*.

Table 4.3 Truth Table

op-1	op-2	Value of the expression	
		op-1 && op-2	op-1 op-2
Non-zero	Non-zero	1	1
Non-zero	0	0	1
0	Non-zero	0	1
0	0	0	0

Some examples of the usage of logical expressions are:

- 1. if (age > 55 && salary < 1000)
- 2. if (number $< 0 \parallel$ number > 100)

We shall see more of them when we discuss decision statements.

NOTE: Relative precedence of the relational and logical operators is as follows:

It is important to remember this when we use these operators in compound expressions.

Assignment Operators

Assignment operators are used to assign the result of an expression to a variable. We have seen the usual assignment operator, '='. In addition, C has a set of 'shorthand' assignment operators of the form

where v is a variable, exp is an expression and op is a C binary arithmetic operator. The operator op= is known as the shorthand assignment operator.

The assignment statement

is equivalent to

$$v = v op (exp);$$

with v evaluated only once. Consider an example

$$x += y+1;$$

This is same as the statement

$$x = x + (y+1);$$

The shorthand operator += means 'add y+1 to x' or 'increment x by y+1'. For y = 2, the above statement becomes

$$x += 3;$$

and when this statement is executed, 3 is added to x. If the old value of x is, say 5, then the new value of x is 8. Some of the commonly used shorthand assignment operators are illustrated in Table 4.4.

Table 4.4 Shorthand Assignment Operators

Statement with simple assignment operator	Statement with shorthand operator
a = a + 1	a += 1
a = a - 1	a -= 1
a = a * (n+1)	a *= n+1
a = a / (n+1)	a /= n+1
a = a % b	a %= b

The use of shorthand assignment operators has three advantages:

- 1. What appears on the left-hand side need not be repeated and therefore it becomes easier to write.
- 2. The statement is more concise and easier to read.
- 3. The statement is more efficient.

These advantages may be appreciated if we consider a slightly more involved statement like

$$value(5*j-2) = value(5*j-2) + delta;$$

With the help of the += operator, this can be written as follows:

$$value(5*j-2) += delta;$$

It is easier to read and understand and is more efficient because the expression 5*j-2 is evaluated only once.

Example 4.3 Program of Fig. 4.3 prints a sequence of squares of numbers. Note the use of the shorthand operator *= .

The program attempts to print a sequence of squares of numbers starting from 2. The statement

a *= a;

which is identical to

a = a*a;

replaces the current value of a by its square. When the value of a becomes equal or greater than N (=100) the **while** is terminated. Note that the output contains only three values 2, 4 and 16.

```
Program
    #define N 100
    #define A 2
    main()
{
        int a;
        a = A;
        while(a < N)
        {
            printf("%d\n", a);
              a *= a;
        }
}
Output
2
4
16</pre>
```

Fig. 4.3 Use of shorthand operator *=

4.6 Increment and Decrement Operators

C allows two very useful operators not generally found in other languages. These are the increment and decrement operators:

```
++ and - -
```

The operator ++ adds 1 to the operand, while -- subtracts 1. Both are unary operators and takes the following form:

We use the increment and decrement statements in **for** and **while** loops extensively.

While ++m and m++ mean the same thing when they form statements independently, they behave differently when they are used in expressions on the right-hand side of an assignment statement. Consider the following:

$$m = 5;$$
 $y = ++m;$

In this case, the value of y and m would be 6. Suppose, if we rewrite the above statements as

$$m = 5;$$
 $y = m++;$

then, the value of y would be 5 and m would be 6. A prefix operator first adds 1 to the operand and then the result is assigned to the variable on left. On the other hand, a postfix operator first assigns the value to the variable on left and then increments the operand.

Similar is the case, when we use ++ (or --) in subscripted variables. That is, the statement

$$a[i++] = 10;$$

is equivalent to

The increment and decrement operators can be used in complex statements. Example:

$$m = n++ -j+10;$$

Old value of n is used in evaluating the expression. n is incremented after the evaluation. Some compilers require a space on either side of n++ or ++n.

Rules for ++ and -- Operators

- · Increment and decrement operators are unary operators and they require variable as their operands.
- When postfix ++ (or --) is used with a variable in an expression, the expression is evaluated first using the original value of the variable and then the variable is incremented (or decremented) by one.

- When prefix ++(or --) is used in an expression, the variable is incremented (or decremented) first and then the expression is evaluated using the new value of the variable.
- The precedence and associatively of ++ and -- operators are the same as those of unary + and unary -.

4.7 Conditional Operator

A ternary operator pair "?:" is available in C to construct conditional expressions of the form

where exp1, exp2, and exp3 are expressions.

The operator?: works as follows: *exp1* is evaluated first. If it is nonzero (true), then the expression *exp2* is evaluated and becomes the value of the expression. If *exp1* is false, *exp3* is evaluated and its value becomes the value of the expression. Note that only one of the expressions (either *exp2* or *exp3*) is evaluated. For example, consider the following statements.

$$a = 10;$$
 $b = 15;$
 $x = (a > b) ? a : b;$

In this example, x will be assigned the value of b. This can be achieved using the **if..else** statements as follows:

4.8 Bitwise Operators

C has a distinction of supporting special operators known as *bitwise operators* for manipulation of data at bit level. These operators are used for testing the bits, or shifting them right or left. Bitwise operators may not be applied to **float** or **double**. Table 4.5 lists the bitwise operators and their meanings.

Table 4.5 Bitwise Operators

Operator	Meaning
&	bitwise AND
	bitwise OR
۸	bitwise exclusive OR
<<	shift left
>>	shift right

Special Operators 4.9

C supports some special operators of interest such as comma operator, **sizeof** operator, pointer operators (& and *) and member selection operators (, and ->). The comma and size of operators are discussed in this section while the pointer operators are discussed in Chapter 11. Member selection operators which are used to select members of a structure are discussed in Chapters 12 and 11. ANSI committee has introduced two preprocessor operators (# and ##).

4.9.1 The Comma Operator

The comma operator can be used to link the related expressions together. A comma-linked list of expressions are evaluated left to right and the value of right-most expression is the value of the combined expression. For example, the statement

value =
$$(x = 10, y = 5, x+y);$$

first assigns the value 10 to \mathbf{x} , then assigns 5 to \mathbf{y} , and finally assigns 15 (i.e. 10 + 5) to value. Since comma operator has the lowest precedence of all operators, the parentheses are necessary. Some applications of comma operator are:

In **for** loops:

```
for (n = 1, m = 10, n \le m; n++, m++)
```

In while loops:

while (c = getchar(), c
$$!= 10'$$
)

Exchanging values:

$$t = x$$
, $x = y$, $y = t$;

4.9.2 The size of Operator

The size of is a compile time operator and, when used with an operand, it returns the number of bytes the operand occupies. The operand may be a variable, a constant or a data type qualifier.

```
m = sizeof(sum);
Examples:
                                 n = sizeof (long int);
                                 k = sizeof(235L);
```

The **sizeof** operator is normally used to determine the lengths of arrays and structures when their sizes are not known to the programmer. It is also used to allocate memory space dynamically to variables during execution of a program.

Example 4.4 The Program in Fig. 4.4 demonstrates the working of logical operators.

```
Program
     #include <stdio.h>
     int main()
```

```
int a = 5, b = 5, c = 10, result;
     clrscr();
     result = (a == b) && (c > b);
         printf("(a = b) && (c > b) equals to d\n", result);
         result = (a == b) && (c < b);
         printf("(a = b) && (c < b) equals to dn", result);
         result = (a == b) || (c < b);
         printf("(a = b) || (c < b) equals to d\n", result);
         result = (a != b) || (c < b);
         printf("(a != b) || (c < b) equals to %d\n", result);
         result = !(a != b);
         printf("!(a == b) equals to %d\n", result);
         result = !(a == b);
         printf("!(a == b) equals to %d\n", result);
     getch();
     return 0;
Output
     (a = b) \&\& (c > b) equals to 1
     (a = b) \&\& (c < b) equals to 0
     (a = b) \mid\mid (c < b) \text{ equals to } 1
     (a != b) || (c < b) equals to 0
     !(a != b) equals to 1
     !(a == b) equals to 0
```

Fig. 4.4 Working of logical operators

Example 4.5 In Fig. 4.5, the program employs different kinds of operators. The results of their evaluation are also shown for comparison.

Notice the way the increment operator ++ works when used in an expression. In the statement

$$c = ++a - b;$$

new value of \mathbf{a} (= 16) is used thus giving the value 6 to c. That is, a is incremented by 1 before it is used in the expression. However, in the statement

$$d = b++ + a$$
;

the old value of \mathbf{b} (=10) is used in the expression. Here, b is incremented by 1 after it is used in the expression.

We can print the character % by placing it immediately after another % character in the control string. This is illustrated by the statement

```
printf("a%%b = %d\n", a%b);
```

The program also illustrates that the expression

```
c > d ? 1 : 0
```

assumes the value 0 when c is less than d and 1 when c is greater than d.

```
Program
     main()
     {
           int a, b, c, d;
           a = 15;
           b = 10;
           c = ++a - b;
           printf("a = %d b = %d c = %d\n",a, b, c);
           d = b++ +a;
           printf("a = %d b = %d d = %d\n",a, b, d);
           printf("a/b = %d\n'', a/b);
           printf("a%%b = %d\n", a%b);
           printf("a *= b = %d\n'', a*=b);
           printf("%d\n", (c>d) ? 1 : 0);
           printf("%d\n", (c<d) ? 1 : 0);
Output
     a = 16b = 10 c = 6
     a = 16b = 11 d = 26
     a/b = 1
     a\%b = 5
     a *= b = 176
     1
```

Fig. 4.5 Further illustration of arithmetic operators

Arithmetic Expressions

An arithmetic expression is a combination of variables, constants, and operators arranged as per the syntax of the language. We have used a number of simple expressions in the examples discussed so far. C can handle any complex mathematical expressions. Some of the examples of C expressions are shown in Table 4.6. Remember that C does not have an operator for exponentiation.

Table 4.6 **Expressions**

Algebraic expression	C expression
a x b - c	a * b - c
(m+n) (x+y)	(m+n) * (x+y)
$\left(\frac{ab}{c}\right)$	a * b/c
3x² +2x+1	3 * x * x + 2 * x + 1
$\left(\frac{x}{y}\right) + c$	x/y+c

4.11 **Evaluation of Expressions**

Expressions are evaluated using an assignment statement of the form:

Variable is any valid C variable name. When the statement is encountered, the expression is evaluated first and the result then replaces the previous value of the variable on the left-hand side. All variables used in the expression must be assigned values before evaluation is attempted. Examples of evaluation statements are

The blank space around an operator is optional and adds only to improve readability. When these statements are used in a program, the variables a, b, c, and d must be defined before they are used in the expressions.

Example 4.6 The program in Fig. 4.6 illustrates the use of variables in expressions and their evaluation.

Output of the program also illustrates the effect of presence of parentheses in expressions. This is discussed in the next section.

```
Program
     main()
              float a, b, c, x, y, z;
           a = 9;
           b = 12;
           c = 3;
           x = a - b / 3 + c * 2 - 1;
```

```
y = a - b / (3 + c) * (2 - 1);
            z = a - (b / (3 + c) * 2) - 1;
           printf("x = %f\n'', x);
           printf("y = %f\n'', y);
           printf("z = %f\n'', z);
Output
     x = 10.000000
     y = 7.000000
     z = 4.000000
```

Illustrations of evaluation of expressions

Precedence of Arithmetic Operators 4.12

An arithmetic expression without parentheses will be evaluated from left to right using the rules of precedence of operators. There are two distinct priority levels of arithmetic operators in C:

The basic evaluation procedure includes 'two' left-to-right passes through the expression. During the first pass, the high priority operators (if any) are applied as they are encountered. During the second pass, the low priority operators (if any) are applied as they are encountered. Consider the following evaluation statement that has been used in the program of Fig. 4.4.

$$x = a-b/3 + c*2-1$$

When a = 9, b = 12, and c = 3, the statement becomes

$$x = 9 - 12/3 + 3 \cdot 2 - 1$$

and is evaluated as follows:

First pass

Step1:
$$x = 9-4+3*2-1$$

Step2: $x = 9-4+6-1$

Second pass

Step3: x = 5+6-1Step4: x = 11-1Step 5: x = 10

These steps are illustrated in Fig. 4.7. The numbers inside parentheses refer to step numbers.




Fig. 4.7 Illustration of hierarchy of operations

However, the order of evaluation can be changed by introducing parentheses into an expression. Consider the same expression with parentheses as shown below:

$$9-12/(3+3)*(2-1)$$

Whenever parentheses are used, the expressions within parentheses assume highest priority. If two or more sets of parentheses appear one after another as shown above, the expression contained in the left-most set is evaluated first and the right-most in the last. Given below are the new steps.

First pass

Step 1: 9-12/6 * (2-1) Step 2: 9-12/6 * 1

Second pass

Step 3: 9-2 * 1 Step 4: 9-2

Third pass

Step 5: 7

This time, the procedure consists of three left-to-right passes. However, the number of evaluation steps remains the same as 5 (i.e equal to the number of arithmetic operators).

Parentheses may be nested, and in such cases, evaluation of the expression will proceed outward from the innermost set of parentheses. Just make sure that every opening parenthesis has a matching closing parenthesis. For example

$$9 - (12/(3+3) * 2) - 1 = 4$$

whereas

$$9 - ((12/3) + 3 * 2) - 1 = -2$$

While parentheses allow us to change the order of priority, we may also use them to improve understandability of the program. When in doubt, we can always add an extra pair just to make sure that the priority assumed is the one we require.

Rules for Evaluation of Expression

- First, parenthesized sub-expression from left to right are evaluated.
- If parentheses are nested, the evaluation begins with the innermost sub-expression.
- The precedence rule is applied in determining the order of application of operators in evaluating sub-expressions.
- The associativity rule is applied when two or more operators of the same precedence level appear in a sub-expression.
- Arithmetic expressions are evaluated from left to right using the rules of precedence.
- When parentheses are used, the expressions within parentheses assume highest priority.

4.13 **Some Computational Problems**

When expressions include real values, then it is important to take necessary precautions to guard against certain computational errors. We know that the computer gives approximate values for real numbers and the errors due to such approximations may lead to serious problems. For example, consider the following statements:

$$a = 1.0/3.0;$$

 $b = a * 3.0;$

We know that (1.0/3.0) 3.0 is equal to 1. But there is no guarantee that the value of **b** computed in a program will equal 1.

Another problem is division by zero. On most computers, any attempt to divide a number by zero will result in abnormal termination of the program. In some cases such a division may produce meaningless results. Care should be taken to test the denominator that is likely to assume zero value and avoid any division by zero.

The third problem is to avoid overflow or underflow errors. It is our responsibility to guarantee that operands are of the correct type and range, and the result may not produce any overflow or underflow.

Example 4.7 Output of the program in Fig. 4.8 shows round-off errors that can occur in computation of floating point numbers.

```
Program
           — Sum of n terms of 1/n ————-*/
 main()
    float sum, n, term;
    int count = 1;
     sum = 0;
     printf("Enter value of n\n");
        scanf("%f", &n);
     term = 1.0/n;
     while ( count <= n )
          sum = sum + term ;
          count++;
```

```
printf("Sum = f\n'', sum);
Output
  Enter value of n
  99
  Sum = 1.000001
  Enter value of n
  143
  Sum = 0.999999
```

Fig. 4.8 Round-off errors in floating point computations

We know that the sum of n terms of 1/n is 1. However, due to errors in floating point representation, the result is not always 1.

Type Conversions in Expressions 4.14

4.14.1 Implicit Type Conversion


C permits mixing of constants and variables of different types in an expression. C automatically converts any intermediate values to the proper type so that the expression can be evaluated without losing any significance. This automatic conversion is known as *implicit type conversion*.

During evaluation it adheres to very strict rules of type conversion. If the operands are of different types, the 'lower' type is automatically converted to the 'higher' type before the operation proceeds. The result is of the higher type. A typical type conversion process is illustrated in Fig. 4.9.

Given below is the sequence of rules that are applied while evaluating expressions.

All **short** and **char** are automatically converted to **int**; then


- 1. if one of the operands is **long double**, the other will be converted to **long double** and the result will be **long double**;
- 2. else, if one of the operands is **double**, the other will be converted to **double** and the result will be double:
- 3. else, if one of the operands is **float**, the other will be converted to **float** and the result will be
- 4. else, if one of the operands is **unsigned long int**, the other will be converted to **unsigned long** int and the result will be unsigned long int;
- 5. else, if one of the operands is long int and the other is **unsigned int**, then
 - (a) if **unsigned int** can be converted to **long int**, the **unsigned int** operand will be converted as such and the result will be long int;
 - (b) else, both operands will be converted to **unsigned long int** and the result will be **unsigned**
- 6. else, if one of the operands is **long int**, the other will be converted to **long int** and the result will be long int;
- 7. else, if one of the operands is **unsigned int**, the other will be converted to **unsigned int** and the result will be **unsigned** int.



Process of implicit type conversion

Note that some versions of C automatically convert all floating-point operands to double precision. The final result of an expression is converted to the type of the variable on the left of the assignment sign before assigning the value to it. However, the following changes are introduced during the final assignment.

- 1. **float** to **int** causes truncation of the fractional part.
- 2. **double** to **float** causes rounding of digits.
- 3. **long int** to **int** causes dropping of the excess higher order bits.



4.14.2 Explicit Conversion

We have just discussed how C performs type conversion automatically. However, there are instances when we want to force a type conversion in a way that is different from the automatic conversion. Consider, for example, the calculation of ratio of females to males in a town.

Since **female_number** and **male_number** are declared as integers in the program, the decimal part of the result of the division would be lost and **ratio** would represent a wrong figure. This problem can be solved by converting locally one of the variables to the floating point as shown below:

The operator (**float**) converts the **female_number** to floating point for the purpose of evaluation of the expression. Then using the rule of automatic conversion, the division is performed in floating point mode, thus retaining the fractional part of result.

Note that in no way does the operator (**float**) affect the value of the variable **female number**. And also, the type of **female number** remains as **int** in the other parts of the program.

The process of such a local conversion is known as *explicit conversion* or *casting a value*. The general form of a cast is:

(type-name) expression

where *type-name* is one of the standard C data types. The expression may be a constant, variable or an expression. Some examples of casts and their actions are shown in Table 4.7.

Table 4.7 Use of Casts

Example	Action
x = (int) 7.5	7.5 is converted to integer by truncation.
a = (int) 21.3/(int)4.5	Evaluated as 21/4 and the result would be 5.
b = (double)sum/n	Division is done in floating point mode.
y = (int) (a+b)	The result of a+b is converted to integer.
z = (int)a+b	a is converted to integer and then added to b.
p = cos((double)x)	Converts x to double before using it.

Casting can be used to round-off a given value. Consider the following statement:

$$x = (int) (y+0.5);$$

If y is 27.6, y+0.5 is 28.1 and on casting, the result becomes 28, the value that is assigned to x. Of course, the expression, being cast is not changed.

 $\sum_{i} (1/i)$ **Example 4.8** Figure 4.10 shows a program using a cast to evaluate the equation sum =

```
Program
     main()
           float sum ;
           int n;
           sum = 0;
           for (n = 1; n \le 10; ++n)
               sum = sum + 1/(float)n;
               printf("%2d %6.4f\n", n, sum);
Output
     1
        1.0000
     2
        1.5000
     3 1.8333
        2.0833
     4
     5
        2.2833
     6
        2.4500
     7
        2.5929
       2.7179
     9
        2.8290
     10 2.9290
```

Fig. 4.10 Use of a cast

4.15 **Operator Precedence And Associativity**

As mentioned earlier each operator, in C has a precedence associated with it. This precedence is used to determine how an expression involving more than one operator is evaluated. There are distinct levels of precedence and an operator may belong to one of these levels. The operators at the higher level of precedence are evaluated first. The operators of the same precedence are evaluated either from 'left to right' or from 'right to left', depending on the level. This is known as the associativity property of an operator. Table 4.8 provides a complete list of operators, their precedence levels, and their rules of association. The groups are listed in the order of decreasing precedence. Rank 1 indicates the highest precedence level and 15 the lowest. The list also includes those operators, which we have not yet discussed.

It is very important to note carefully, the order of precedence and associativity of operators. Consider the following conditional statement:

if
$$(x == 10 + 15 \&\& y < 10)$$

The precedence rules say that the *addition* operator has a higher priority than the logical operator (&&) and the relational operators (== and <). Therefore, the addition of 10 and 15 is executed first. This is equivalent to:

if
$$(x == 25 \&\& y < 10)$$

The next step is to determine whether \mathbf{x} is equal to 25 and \mathbf{y} is less than 10. If we assume a value of 20 for x and 5 for y, then

$$x == 25 \text{ is FALSE (0)}$$

y < 10 is TRUE (1)

Note that since the operator < enjoys a higher priority compared to ==, y < 10 is tested first and then x == 25 is tested.

Finally we get:

Because one of the conditions is FALSE, the complex condition is FALSE.

In the case of &&, it is guaranteed that the second operand will not be evaluated if the first is zero and in the case of ||, the second operand will not be evaluated if the first is non-zero.

 Table 4.8
 Summary of C Operators

Operator	Description	Associativity	Rank
()	Function call	Left to right	1
[]	Array element reference		
+	Unary plus		
_	Unary minus	Right to left	2
++	Increment		
	Decrement		
!	Logical negation		
~	Ones complement		
*	Pointer reference (indirection)		
&	Address		
sizeof	Size of an object		
(type)	Type cast (conversion)		
*	Multiplication	Left to right	3
/	Division		
%	Modulus		
+	Addition	Left to right	4
_	Subtraction		
<<	Left shift	Left to right	5
>>	Right shift		
<	Less than	Left to right	6
<=	Less than or equal to		
>	Greater than		
>=	Greater than or equal to		
==	Equality	Left to right	7
=	Inequality		
&	Bitwise AND	Left to right	8
٨	Bitwise XOR	Left to right	9

Table 4.8 (Contd.)

Operator	Description	Associativity	Rank
	Bitwise OR	Left to right	10
&&	Logical AND	Left to right	11
	Logical OR	Left to right	12
?:	Conditional expression	Right to left	13
=	Assignment operators	Right to left	14
* = /= %=			
+= -= &=			
^= =			
<<=>>=			
,	Comma operator	Left to right	15

Rules of Precedence and Associativity

- Precedence rules decides the order in which different operators are applied
- · Associativity rule decides the order in which multiple occurrences of the same level operator are applied

4.16 **Mathematical Functions**

Mathematical functions such as cos, sqrt, log, etc. are frequently used in analysis of real-life problems. Most of the C compilers support these basic math functions. However, there are systems that have a more comprehensive math library and one should consult the reference manual to find out which functions are available. Table 4.9 lists some standard math functions.

Table 4.9 **Math functions**

Function	Meaning
Trigonometric	
acos(x)	Arc cosine of x
asin(x)	Arc sine of x
atan(x)	Arc tangent of x
atan 2(x,y)	Arc tangent of x/y
cos(x)	Cosine of x
sin(x)	Sine of x
tan(x)	Tangent of x
Hyperbolic	
cosh(x)	Hyperbolic cosine of x
sinh(x)	Hyperbolic sine of x
tanh(x)	Hyperbolic tangent of x

Table 4.9 (Contd)

Function	Meaning
Other functions	
ceil(x)	x rounded up to the nearest integer
exp(x)	e to the x power (e ^x)
fabs(x)	Absolute value of x.
floor(x)	x rounded down to the nearest integer
fmod(x,y)	Remainder of x/y
log(x)	Natural log of $x, x > 0$
log10(x)	Base 10 log of $x, x > 0$
pow(x,y)	x to the power y (x ^y)
sqrt(x)	Square root of $x, x > 0$

Note

- 1. **x** and **y** should be declared as **double**.
- 2. In trigonometric and hyperbolic functions, **x** and **y** are in radians.
- 3. All the functions return a **double**.
- 4. C99 has added **float** and **long double** versions of these functions.
- 5. C99 has added many more mathematical functions.

As pointed out earlier in Chapter 2, to use any of these functions in a program, we should include the line:

include <math.h>

in the beginning of the program.

Just Remember

- Use *decrement* and *increment* operators carefully. Understand the difference between **postfix** and **prefix** operations before using them.
- Add parentheses wherever you feel they would help to make the evaluation order clear.
- Be aware of side effects produced by some expressions.
- Avoid any attempt to divide by zero. It is normally undefined. It will either result in a fatal error
 or in incorrect results.
- Do not forget a semicolon at the end of an expression.
- Understand clearly the precedence of operators in an expression. Use parentheses, if necessary.
- Associativity is applied when more than one operator of the same precedence are used in an
 expression. Understand which operators associate from right to left and which associate from left
 to right.
- Do not use *increment* or *decrement* operators with any expression other than a *variable identifier*.
- It is illegal to apply modules operator % with anything other than integers.
- Do not use a variable in an expression before it has been assigned a value.
- Integer division always truncates the decimal part of the result. Use it carefully. Use casting where necessary.

- The result of an expression is converted to the type of the variable on the left of the assignment before assigning the value to it. Be careful about the loss of information during the conversion.
- All mathematical functions implement *double* type parameters and *return* double type values.
- It is an error if any space appears between the two symbols of the operators ==, !=, <= and >=.
- It is an error if the two symbols of the operators !=, <= and >= are reversed.
- Use spaces on either side of binary operator to improve the readability of the code.
- Do not use increment and decrement operators to floating point variables.
- Do not confuse the equality operator == with the assignment operator =.

Review Questions



- 4.1 State whether the following statements are *true* or *false*.
 - (a) All arithmetic operators have the same level of precedence.
 - (b) The modulus operator % can be used only with integers.
 - (c) The operators <=, >= and != all enjoy the same level of priority.
 - (d) During modulo division, the sign of the result is positive, if both the operands are of the same sign.
 - (e) In C, if a data item is zero, it is considered false.
 - (f) The expression $!(x \le y)$ is same as the expression x > y.
 - (g) A unary expression consists of only one operand with no operators.
 - (h) Associativity is used to decide which of several different expressions is evaluated first.
 - (i) An expression statement is terminated with a period.
 - (j) During the evaluation of mixed expressions, an implicit cast is generated automatically.
 - (k) An explicit cast can be used to change the expression.
 - (1) Parentheses can be used to change the order of evaluation expressions.
- 4.2 Fill in the blanks with appropriate words.
 - (a) The expression containing all the integer operands is called ______ expression.
 - (b) The operator _____ cannot be used with real operands.
 - (c) C supports as many as ______ relational operators.
 - (d) An expression that combines two or more relational expressions is termed as _____ expression.
 - (e) The ______ operator returns the number of bytes the operand occupies.
 - (f) The order of evaluation can be changed by using ______ in an expression.
 - (g) The use _____ of on a variable can change its type in the memory.
 - (h) ______ is used to determine the order in which different operators in an expression are evaluated.
- 4.3 Given the statement

int
$$a = 10$$
, $b = 20$, c;

determine whether each of the following statements are true or false.

- (a) The statement a = +10, is valid.
- (b) The expression a + 4/6 * 6/2 evaluates to 11.
- (c) The expression b + 3/2 * 2/3 evaluates to 20.
- (d) The statement a + = b; gives the values 30 to a and 20 to b.

- (e) The statement ++a++; gives the value 12 to a
- (f) The statement a = 1/b; assigns the value 0.5 to a
- 4.4 Declared **a** as *int* and **b** as *float*, state whether the following statements are true or false.
 - (a) The statement a = 1/3 + 1/3 + 1/3; assigns the value 1 to a.
 - (b) The statement b = 1.0/3.0 + 1.0/3.0 + 1.0/3.0; assigns a value 1.0 to b.
 - (c) The statement b = 1.0/3.0 * 3.0 gives a value 1.0 to b.
 - (d) The statement b = 1.0/3.0 + 2.0/3.0 assigns a value 1.0 to b.
 - (e) The statement a = 15/10.0 + 3/2; assigns a value 3 to a.
- 4.5 Which of the following expressions are true?
 - (a) !(5+5>=10)
 - (b) $5+5==10 \parallel 1+3==5$
 - (c) $5 > 10 \parallel 10 < 20 \&\& 3 < 5$
 - (d) 10! = 15 && !(10<20) || 15 > 30
- 4.6 Which of the following arithmetic expressions are valid? If valid, give the value of the expression; otherwise give reason.

- (a) 25/3 % 2 (e) -14 % 3 (b) +9/4 + 5 (f) 15.25 + -5.0
- (c) 7.5 % 3 (g) (5/3) * 3 + 5 % 3
- (d) 14 % 3 + 7 % 2 (h) 21 % (int)4.5
- 4.7 Write C assignment statements to evaluate the following equations:
 - (a) Area = $\pi r^2 + 2 \pi rh$
 - (b) Torque = $\frac{2m_1m_2}{m_1+m_2}$.g
 - (c) Side = $\sqrt{a^2 + b^2 2ab \cos(x)}$
 - (d) Energy = mass $\left[\text{acceleration} \times \text{height} + \frac{(\text{velocity})^2}{2} \right]$
- 4.8 Identify unnecessary parentheses in the following arithmetic expressions.
 - (a) ((x-(y/5)+z)%8) + 25
 - (b) ((x-y) * p)+q
 - (c) (m*n) + (-x/y)
 - (d) x/(3*y)
- 4.9 Find errors, if any, in the following assignment statements and rectify them.
 - (a) x = y = z = 0.5, 2.0. -5.75;
 - (b) m = ++a * 5;
 - (c) y = sqrt(100);
 - (d) p * = x/y;
 - (e) s = /5;
 - (f) a = b++ -c*2

4.10 Determine the value of each of the following logical expressions if a = 5, b = 10 and c = -6

```
(a) a > b \&\& a < c
```

- (b) a < b && a > c
- (c) a == c || b > a
- (d) $b > 15 \&\& c < 0 \parallel a > 0$
- (e) (a/2.0 == 0.0 && b/2.0 != 0.0) || c < 0.0
- 4.11 What is the output of the following program?

```
main ()
{
      char x;
      int y;
      x = 100;
      v = 125;
      printf ("%c\n", x);
      printf ("%c\n", y);
      printf ("%d\n", x);
```

4.12 Find the output of the following program.

```
main ()
{
         int x = 100;
         printf("%d/n", 10 + x++);
         printf("%d/n", 10 + ++x);
```

4.13 What is printed by the following program?

```
main
{
      int x = 5, y = 10, z = 10;
      x = y == z;
      printf("%d",x);
}
```

4.14 What is the output of the following program?

```
main ()
{
      int x = 100, y = 200;
      printf ("%d", (x > y)? x : y);
```

4.15 What is the output of the following program?

```
main ()
      unsigned x = 1;
      signed char y = -1;
      if(x > y)
             printf("x > y");
```

```
else
             printf("x <= y");
Did you expect this output? Explain.
```

4.16 What is the output of the following program? Explain the output.

```
main ()
{
      int x = 10;
      if(x = 20) printf("TRUE");
      else printf("FALSE") ;
```

4.17 What is the error in each of the following statements?

```
(a) if (m == 1 \& n! = 0)
    printf("OK");
```

(b) if (x = < 5)printf ("Jump");

4.18 What is the error, if any, in the following segment?

```
int x = 10;
float y = 4.25;
x = y % x ;
```

4.19 What is printed when the following is executed?

```
for (m = 0; m < 3; ++m)
printf("%d/n", (m%2) ? m: m+2);
```

4.20 What is the output of the following segment when executed?

```
int m = -14, n = 3;
printf("%d\n", m/n * 10);
n = -n;
printf("%d\n", m/n * 10);
```

Programming Exercises

- 4.1 Given the values of the variables x, y and z, write a program to rotate their values such that x has the value of y, y has the value of z, and z has the value of x.
- 4.2 Write a program that reads a floating-point number and then displays the right-most digit of the integral part of the number.
- 4.3 Modify the above program to display the two right-most digits of the integral part of the number.
- 4.4 Write a program that will obtain the length and width of a rectangle from the user and compute its area and perimeter.
- 4.5 Given an integer number, write a program that displays the number as follows:

First line all digits

Second line : all except first digit all except first two digits Third line

Last line : The last digit

For example, the number 5678 will be displayed as:

5678

678

78

4.6 The straight-line method of computing the yearly depreciation of the value of an item is given by

$$Depreciation = \frac{Purchase \ Price - Salvage \ Value}{Years \ of \ Service}$$

Write a program to determine the salvage value of an item when the purchase price, vears of service, and the annual depreciation are given.

4.7 Write a program that will read a real number from the keyboard and print the following output in one line:

Smallest integer The given Largest integer not less than number not greater than the number the number

4.8 The total distance travelled by a vehicle in t seconds is given by

distance =
$$ut + (at^2)/2$$

where u is the initial velocity (metres per second), a is the acceleration (metres per second²). Write a program to evaluate the distance travelled at regular intervals of time, given the values of u and a. The program should provide the flexibility to the user to select his own time intervals and repeat the calculations for different values of u and a.

4.9 In inventory management, the Economic Order Quantity for a single item is given by

$$EOQ = \sqrt{\frac{2 \times demand \ rate \times setup \ costs}{holding \ cost \ per \ item \ unit \ time}}$$

and the optimal Time Between Orders

$$TBO = \sqrt{\frac{2 \times \text{setup costs}}{\text{demand rate} \times \text{holding cost per item per unit time}}}$$

Write a program to compute EOQ and TBO, given demand rate (items per unit time), setup costs (per order), and the holding cost (per item per unit time).

4.10 For a certain electrical circuit with an inductance L and resistance R, the damped natural frequency is given by

Frequency =
$$\sqrt{\frac{1}{LC} - \frac{R^2}{4C^2}}$$

It is desired to study the variation of this frequency with C (capacitance). Write a program to calculate the frequency for different values of C starting from 0.01 to 0.1 in steps of 0.01.

4.11 Write a program to read a four digit integer and print the sum of its digits.

Hint: Use / and % operators.

4.12 Write a program to print the size of various data types in C.

- 4.13 Given three values, write a program to read three values from keyboard and print out the largest of them without using **if** statement.
- 4.14 Write a program to read two integer values m and n and to decide and print whether m is a multiple of n.
- 4.15 Write a program to read three values using **scanf** statement and print the following results:
 - (a) Sum of the values
 - (b) Average of the three values
 - (c) Largest of the three
 - (d) Smallest of the three
- 4.16 The cost of one type of mobile service is Rs. 250 plus Rs. 1.25 for each call made over and above 100 calls. Write a program to read customer codes and calls made and print the bill for each customer.
- 4.17 Write a program to print a table of **sin** and **cos** functions for the interval from 0 to 180 degrees in increments of 15 shown as follows.

x (degrees)	sin (x)	cos (x)
0		
15		
180		

4.18 Write a program to compute the values of square-roots and squares of the numbers 0 to 100 in steps 10 and print the output in a tabular form as shown below.

Number	Square-root	Square
0	0	0
100	10	10000

- 4.19 Write a program that determines whether a given integer is odd or even and displays the number and description on the same line.
- 4.20 Write a program to illustrate the use of cast operator in a real life situation.

Debugging Exercises

4.1 Identify the error in the following program; or if there is no error, give its output:

```
(#include <stdio.h>
void main()
{
  if((10/2-4)&&(7%3)||(0/10))
  printf("True");
  else
  printf("False");
}
```

4.2 Identify the error in the following program; or if there is no error, give its output:

```
#include <stdio.h>
void main()
 long num, temp;
 int sum=0;
 printf("\nEnter an integer value: ");
 scanf("%ld", &num);
 temp=num;
 while (temp! == 0)
 sum = sum + temp %10;
 temp=temp/10;
 printf("\n\nThe sum of digits of %ld is %d",num,sum);/*Displaying
result*/
```

4.3 Identify the error in the following program that prints the sum of odd numbers between 1 and 50:

```
/*Program to print sum of odd numbers between 1 and 50*/
#include<stdio.h>
void main()
  int i,sum=0;
  for (i=1; i<50; i++)
  if(i%2==0)
     break:
     sum=sum+i;
  printf("\nSum of odd numbers between 1 to 50 is = %d", sum);
```

4.4 Identify the error in the following code; or if there is no error, give its output:

```
void main()
 const int a=5;
 int b=4;
 int c;
 c=a==b;
 printf("c=%d",c);
}
```

4.5 Identify the error in the following program that demonstrates the use of bitwise operations AND and OR:

```
#include <stdio.h>
void main()
{
   char a='A',b='B';
   printf("a AND b = %c",a&b);
   printf("\na OR b = %c",a^b);
}
```

Multiple Choice Questions

1.	What are those operators called that are used to compare values of operands to produce logic	cal
	value in C language?	

(a) Bitwise operator

(b) Assignment operator

(c) Relational operator

(d) Arithmetic operator

2. Which operator is used to assign a value to a variable in order to perform arithmetic operations?

(a) Logical operator

(b) Assignment operator

(c) Relational operator

(d) Arithmetic operator

3. Which of the following operators are used to perform operations on data in binary level?

(a) Logical operator

(b) Assignment operator

(c) Bitwise operator

(d) Arithmetic operator

4. Which of the following statements hold true for the assignment statement: a = b?

(a) Both variables, a and b are the same

(b) The value of b is assigned to variable a, and if variable b changes later the value of variable a will remain unchanged.

- (c) The value of b is assigned to variable a, and if variable b changes later the value of variable a will also change.
- (d) The value of variable a is assigned to variable b, and the value of variable b is assigned to variable a.

5. If x is an integer variable, which value will x = 5/2 yield?

(a) 2.5

(b) 2.00000

(c) 2

(d) 0

6. Which of the following contains only hexadecimal integers?

(a) 0x9F, 0x1, 0xbcd

(b) 01100,037, 00x

(c) 00110, 110001,1001

(d) H9F, HFF, HAA

7. What does the unary operator "&" yield when applied to a variable?

(a) The variable's correct value

(b) The variable's binary form

(c) The variable's address

(d) The variable as it is

8. If an expression contains relational, assignment and arithmetic operators without any parenthesis being specified, what will be the order of evaluation of the operators?

- (a) Relational, assignment, arithmetic (b) Assignment, arithmetic, relational
- (c) Assignment, relational, arithmetic (d) Arithmetic, relational, assignment

9.	. What will the hexadecimal number 0x001B be equal to?		
	(a) 21	(b)	27
	(c) 33	(d)	23
10.	0. What will the octal number 033 be equal to?		
	(a) 21	(b)	27
	(c) 33	(d)	23
11.	Identify the correct sequence of statement	ents	that swaps value of two statements.
	(a) a=a+b; a=a-b; b=a-b	(b)	a=a+b; b=a-b; a=a-b
	(c) a=a-b; a=a+b; b=a-b	(d)	a=a-b; a=a+b; b=b-a
12.	Identify the operator that accepts only i	integ	ger operands.
	(a) +	(b)	/
	(c) *	(d)	%
13.	Which of the following operators does	not a	associate from the left?
	(a) +	(b)	_
	(c) <	(d)	=
14.	Which of the following shows the asce	ndin	g order of precedence of these operators: $., !!, <, =$
	(a) .,!!,<,=	(b)	=,<,!!,.
	(c) =,!!,<,.		<,!!,=,.
15.	Which among the following is the com-		
	(a) /=	(b)	<=
	(c) >=	(d)	
16.	Which of these statements does not hol	d tru	ue for the operators ++ and?
	(a) They are unary operators.		
	(b) The operand can come before or at		-
	(c) They do not require variables as the		perands.
	(d) It cannot be applied to an expression.		
17.	Which of the following does not depict		_
	(a) a*=10		a!=10
	(c) a/=10	` /	a%=10
18.	What will the output of the following	C co	de be?
	<pre>#include <stdio.h></stdio.h></pre>		
	int main()		
	{ int x=1, y=1, z;		
	z = x + + +y;		
	printf ("%d, %d",x,y);		
	}		
	(a) $x=1, y=1$	(h)	x=1, y=2
	(a) $x = 1, y = 1$ (c) $x=2, y=1$	` /	x=2, y=2
19	Which of the following depict bitwise		• •
	(a) &	(b)	^
	(c) <<		>>
		()	

4.34 Computer Programming and Utilization

20. Which of the following operators are used to link related expressions together?


(a) Bitwise and operator

(b) Logical and operator

(c) Comma operator

(d) Sizeof operator

Answers					
1. (c)	2. (b)	3. (c)	4. (b)	5. (c)	
6. (d)	7. (c)	8. (d)	9. (b)	10. (b)	
11. (b)	12. (d)	13. (d)	14. (c)	15. (d)	
16. (c)	17. (b)	18. (c)	19. (b)	20. (c)	



5.1 Introduction

Reading, processing, and writing of data are the three essential functions of a computer program. Most programs take some data as input and display the processed data, often known as *information* or *results*, on a suitable medium. So far we have seen two methods of providing data to the program variables. One method is to assign values to variables through the assignment statements such as $\mathbf{x} = \mathbf{5}$; $\mathbf{a} = \mathbf{0}$; and so on. Another method is to use the input function **scanf** which can read data from a keyboard. We have used both the methods in most of our earlier example programs. For outputting results we have used extensively the function **printf** which sends results out to a terminal.

Unlike other high-level languages, C does not have any built-in input/output statements as part of its syntax. All input/output operations are carried out through function calls such as **printf** and **scanf**. There exist several functions that have more or less become standard for input and output operations in C. These functions are collectively known as the standard I/O library. In this chapter we shall discuss some common I/O functions that can be used on many machines without any change. However, one should consult the system reference manual for exact details of these functions and also to see what other functions are available.

To use a particular function from the I/O library we must include its corresponding header file at the beginning of the program; otherwise the compiler won't recognise the functions and result in errors. A header file contains the source code of the built-in library functions. For instance, the stdio.h header file contains the source code of standard input/output functions while math.h contains the source code of built-in mathematical functions. A header file is included at the beginning of the program with the help of a pre-processor directive, as shown below:

#include <stdio.h>

It may be recalled that we have included a statement

#include <stdio.h>

in the Sample Program 5 in Chapter 2. where a math library function cos (x) has been used.

This is to instruct the compiler to fetch the function cos(x) from the math library, and that it is not a part of C language. Similarly, each program that uses a standard input/output function must contain the statement

#include <stdio.h>

at the beginning. However, there might be exceptions. For example, this is not necessary for the functions **printf** and **scanf** which have been defined as a part of the C language.

The file name **stdio.h** is an abbreviation for *standard input-output header* file. The instruction **#include** <**stdio.h**> tells the compiler 'to search for a file named **stdio.h** and place its contents at this point in the program'. The contents of the header file become part of the source code when it is compiled.

5.2 Reading a Character

The simplest of all input/output operations is reading a character from the 'standard input' unit (usually the keyboard) and writing it to the 'standard output' unit (usually the screen). Reading a single character can be done by using the function **getchar**. (This can also be done with the help of the **scanf** function which is discussed in Section 5.4.) The **getchar** takes the following form:

```
variable name = getchar();
```

variable_name is a valid C name that has been declared as **char** type. When this statement is encountered, the computer waits until a key is pressed and then assigns this character as a value to **getchar** function. Since **getchar** is used on the right-hand side of an assignment statement, the character value of **getchar** is in turn assigned to the variable name on the left. For example

```
char name;
name = getchar();
```

Will assign the character 'H' to the variable **name** when we press the key H on the keyboard. Since **getchar** is a function, it requires a set of parentheses as shown.

Example 5.1 The program in Fig. 5.1 shows the use of **getchar** function in an interactive environment.

The program displays a question of YES/NO type to the user and reads the user's response in a single character (Y or N). If the response is Y or y, it outputs the message

My name is BUSY BEE

otherwise, outputs

You are good for nothing

Note

There is one line space between the input text and output message.

```
Program
  #include <stdio.h>
  main()
  {
     char answer;
```

```
printf("Would you like to know my name?\n");
     printf("Type Y for YES and N for NO: ");
     answer = getchar(); /* .... Reading a character...*/
     if(answer == 'Y' || answer == 'v')
        printf("\n\nMy name is BUSY BEE\n");
        printf("\n\nYou are good for nothing\n");
Output
     Would you like to know my name?
    Type Y for YES and N for NO: Y
    My name is BUSY BEE
    Would you like to know my name?
    Type Y for YES and N for NO: n
    You are good for nothing
```

Fig. 5.1 Use of getchar function to read a character from keyboard

The getchar function may be called successively to read the characters contained in a line of text. For example, the following program segment reads characters from keyboard one after another until the 'Return' key is pressed.

```
char character;
character = ' ';
while(character != '\n')
    character = getchar();
```

Warning

The getchar() function accepts any character keyed in. This includes RETURN and TAB. This means when we enter single character input, the newline character is waiting in the input queue after **getchar()** returns. This could create problems when we use **getchar()** in a loop interactively. A dummy **getchar()** may be used to 'eat' the unwanted newline character. We can also use the **fflush** function to flush out the unwanted characters.

Note

We shall be using decision statements like if, if...else and while extensively in this chapter. They are discussed in detail in Chapters 6 and 7.

Example 5.2 The program of Fig. 5.2 requests the user to enter a character and displays a message on the screen telling the user whether the character is an alphabet or digit, or any other special character.

This program receives a character from the keyboard and tests whether it is a letter or digit and prints out a message accordingly. These tests are done with the help of the following functions:

```
isalpha(character)
isdigit(character)
```

For example, **isalpha** assumes a value non-zero (TRUE) if the argument **character** contains an alphabet; otherwise it assumes 0 (FALSE). Similar is the case with the function **isdigit**.

```
Program
     #include <stdio.h>
     #include <ctype.h>
     main()
        char character;
        printf("Press any key\n");
        character = getchar();
        if (isalpha(character) > 0)/* Test for letter */
           printf("The character is a letter.");
        else
           if (isdigit (character) > 0)/* Test for digit */
              printf("The character is a digit.");
           else
              printf("The character is not alphanumeric.");
Output
     Press any key
     The character is a letter.
     Press any key
     The character is a digit.
     Press any key
     The character is not alphanumeric.
```

Fig. 5.2 Program to test the character type

C supports many other similar functions, which are given in Table 5.1. These character functions are contained in the file **ctype.h** and therefore the statement

```
#include <ctype.h>
```

must be included in the program.

Table 5.1 Character Test Functions

Function	Test
isalnum(c)	Is c an alphanumeric character?
isalpha(c)	Is c an alphabetic character?
isdigit(c)	ls c a digit?
islower(c)	Is c lower case letter?
isprint(c)	Is c a printable character?
ispunct(c)	Is c a punctuation mark?
isspace(c)	Is c a white space character?
isupper(c)	Is c an upper case letter?

Writing a Character

Like **getchar**, there is an analogous function **putchar** for writing characters one at a time to the terminal. It takes the form as shown below:

```
putchar (variable name);
```

where *variable name* is a type **char** variable containing a character. This statement displays the character contained in the *variable name* at the terminal. For example, the statements

```
answer = 'Y':
                              putchar (answer);
will display the character Y on the screen. The statement
```

putchar ('\n');

would cause the cursor on the screen to move to the beginning of the next line.

Example 5.3 A program that reads a character from keyboard and then prints it in reverse case is given in Fig. 5.3. That is, if the input is upper case, the output will be lower case and vice versa.

The program uses three new functions: islower, toupper, and tolower. The function islower is a conditional function and takes the value TRUE if the argument is a lowercase alphabet; otherwise takes the value FALSE. The function **toupper** converts the lowercase argument into an uppercase alphabet while the function **tolower** does the reverse.

```
Program
     #include <stdio.h>
     #include <ctype.h>
     main()
        char alphabet;
        printf("Enter an alphabet");
        putchar('\n'); /* move to next line */
```

```
alphabet = getchar();
    if (islower(alphabet))
    putchar(toupper(alphabet));/* Reverse and display */
else
    putchar(tolower(alphabet)); /* Reverse and display */
}
Output
Enter an alphabet
a
A
Enter an alphabet
Q
q
Enter an alphabet
z
Z
```

Fig. 5.3 Reading and writing of alphabets in reverse case

5.4 Formatted Input

Formatted input refers to an input data that has been arranged in a particular format. For example, consider the following data:

15.75 123 John

This line contains three pieces of data, arranged in a particular form. Such data has to be read conforming to the format of its appearance. For example, the first part of the data should be read into a variable **float**, the second into **int**, and the third part into **char**. This is possible in C using the **scanf** function. (**scanf** means *scan* formatted.)

We have already used this input function in a number of examples. Here, we shall explore all of the options that are available for reading the formatted data with **scanf** function. The general form of **scanf** is

```
scanf ("control string", arg1, arg2, ..... argn);
```

The *control string* specifies the field format in which the data is to be entered and the arguments *arg1*, *arg2*,, *argn* specify the address of locations where the data is stored. Control string and arguments are separated by commas.

Control string (also known as *format string*) contains field specifications, which direct the interpretation of input data. It may include:

- Field (or format) specifications, consisting of the conversion character %, a data type character (or type specifier), and an *optional* number, specifying the field width.
- Blanks, tabs, or newlines.

Blanks, tabs and newlines are ignored. The data type character indicates the type of data that is to be assigned to the variable associated with the corresponding argument. The field width specifier is optional. The discussions that follow will clarify these concepts.

5.4.1 Inputting Integer Numbers

The field specification for reading an integer number is:

The percentage sign (%) indicates that a conversion specification follows. w is an integer number that specifies the *field width* of the number to be read and **d**, known as data type character, indicates that the number to be read is in integer mode. Consider the following example:

Data line:

The value 50 is assigned to **num1** and 31426 to **num2**. Suppose the input data is as follows:

The variable **num1** will be assigned 31 (because of %2d) and **num2** will be assigned 426 (unread part of 31426). The value 50 that is unread will be assigned to the first variable in the next scanf call. This kind of errors may be eliminated if we use the field specifications without the field width specifications. That is, the statement

will read the data

31426 50

correctly and assign 31426 to num1 and 50 to num2.

Input data items must be separated by spaces, tabs or newlines. Punctuation marks do not count as separators. When the scanf function searches the input data line for a value to be read, it will always bypass any white space characters.

What happens if we enter a floating point number instead of an integer? The fractional part may be stripped away! Also, scanf may skip reading further input.

When the scanf reads a particular value, reading of the value will be terminated as soon as the number of characters specified by the field width is reached (if specified) or until a character that is not valid for the value being read is encountered. In the case of integers, valid characters are an optionally signed sequence of digits.

An input field may be skipped by specifying * in the place of field width. For example, the statement

```
scanf("%d %*d %d", &a, &b)
```

will assign the data

123 456 789

as follows:

```
123 to a
456 skipped (because of *)
789 to b
```

The data type character \mathbf{d} may be preceded by 'l' (letter ell) to read long integers and \mathbf{h} to read short integers.

Note

We have provided white space between the field specifications. These spaces are not necessary with the numeric input, but it is a good practice to include them.

Example 5.4 Various input formatting options for reading integers are experimented in the program shown in Fig. 5.4.

```
Program
     main()
        int a,b,c,x,y,z;
        int p,q,r;
        printf("Enter three integer numbers\n");
        scanf("%d %*d %d",&a,&b,&c);
        printf("%d %d %d \n\n",a,b,c);
        printf("Enter two 4-digit numbers\n");
        scanf("%2d %4d",&x,&y);
        printf("%d %d\n\n", x,y);
        printf("Enter two integers\n");
        scanf("%d %d", &a,&x);
        printf("%d %d \n\n",a,x);
        printf("Enter a nine digit number\n");
        scanf("%3d %4d %3d",&p,&q,&r);
        printf("%d %d %d \n\n",p,q,r);
        printf("Enter two three digit numbers\n");
        scanf("%d %d",&x,&y);
        printf("%d %d",x,y);
Output
     Enter three integer numbers
     1 2 3
     1 3 -3577
     Enter two 4-digit numbers
     6789 4321
     67 89
     Enter two integers
     44 66
     4321 44
     Enter a nine-digit number
     123456789
     66 1234 567
     Enter two three-digit numbers
     123 456
     89 123
```

Example 5.5 The program in Fig. 5.5 reads and displays an integer value.

```
Program
     #include <stdio.h>
     int main()
         int testInteger;
     clrscr();
     printf("Enter an integer: ");
     scanf("%d", &testInteger);
     printf("Number = %d", testInteger);
     // %d format string is used in case of integers
     getch();
         return 0;
Output
     Enter an integer: 4
     Number = 4
```

Fig. 5.5 Program to read and display integer value

The first scanf requests input data for three integer values a, b, and c, and accordingly three values 1, 2, and 3 are keyed in. Because of the specification %*d the value 2 has been skipped and 3 is assigned to the variable **b**. Notice that since no data is available for **c**, it contains garbage.

The second scanf specifies the format %2d and %4d for the variables x and y respectively. Whenever we specify field width for reading integer numbers, the input numbers should not contain more digits that the specified size. Otherwise, the extra digits on the right-hand side will be truncated and assigned to the next variable in the list. Thus, the second scanf has truncated the four digit number 6789 and assigned 67 to x and 89 to y. The value 4321 has been assigned to the first variable in the immediately following scanf statement.

 $Note \mid$ It is legal to use a non-whitespace character between field specifications. However, the ${f scanf}$ expects a matching character in the given location. For example,

```
scanf("%d-%d", &a, &b);
        123-456
```

to assign 123 to a and 456 to b.

Inputting Real Numbers 5.4.2

Unlike integer numbers, the field width of real numbers is not to be specified and therefore scanf reads real numbers using the simple specification %f for both the notations, namely, decimal point notation and exponential notation. For example, the statement

```
scanf("%f %f %f", &x, &y, &z);
```

with the input data

accepts input like

```
475.89 43.21E-1 678
```

will assign the value 475.89 to \mathbf{x} , 4.321 to \mathbf{y} , and 678.0 to \mathbf{z} . The input field specifications may be separated by any arbitrary blank spaces.

If the number to be read is of **double** type, then the specification should be **%lf** instead of simple **%f**. A number may be skipped using **%f** specification.

Example 5.6 Reading of real numbers (in both decimal point and exponential notation) is illustrated in Fig. 5.6.

```
Program
     main()
        float x, y;
        double p,q;
        printf("Values of x and y:");
        scanf("%f %e", &x, &y);
        printf("\n");
        printf("x = %f\ny = %f\n\n", x, y);
        printf("Values of p and q:");
        scanf("%lf %lf", &p, &q);
        printf("\np = %.12lf\np = %.12e", p,q);
Output
     Values of x and y:12.3456 17.5e-2
     x = 12.345600
     y = 0.175000
     Values of p and q:4.142857142857 18.5678901234567890
     p = 4.142857142857
     q = 1.856789012346e+001
```

Fig. 5.6 Reading of **real** numbers

Example 5.7 The program in Fig. 5.7 reads and displays a float value.

```
Program
  #include <stdio.h>
  int main()
  {
     float f;
     clrscr();
        printf("Enter a number: ");
     // %f format string is used in case of floats
        scanf("%f",&f);
        printf("Value = %f", f);
     getch();
```

```
return 0;
Output
     Enter a number: 23.45
     Value = 23.450000
```

Fig. 5.7 Program to read and display float value

Inputting Character Strings

We have already seen how a single character can be read from the terminal using the **getchar** function. The same can be achieved using the scanf function also. In addition, a scanf function can input strings containing more than one character. Following are the specifications for reading character strings:

```
%ws or %wc
```

The corresponding argument should be a pointer to a character array. However, %c may be used to read a single character when the argument is a pointer to a char variable.

Example 5.8 Reading of strings using %wc and %ws is illustrated in Fig. 5.8.

The program in Fig. 5.8 illustrates the use of various field specifications for reading strings. When we use %wc for reading a string, the system will wait until the wth character is keyed in. Note that the specification %s terminates reading at the encounter of a blank space. Therefore, name2 has read only the first part of "New York" and the second part is automatically assigned to name3. However, during the second run, the string "New-York" is correctly assigned to name2.

```
Program
     main()
     int no;
        char name1[15], name2[15], name3[15];
        printf("Enter serial number and name one\n");
        scanf("%d %15c", &no, name1);
        printf("%d %15s\n\n", no, name1);
        printf("Enter serial number and name two\n");
        scanf("%d %s", &no, name2);
        printf("%d %15s\n\n", no, name2);
        printf("Enter serial number and name three\n");
        scanf("%d %15s", &no, name3);
        printf("%d %15s\n\n", no, name3);
Output
     Enter serial number and name one
        1 123456789012345
        1 123456789012345r
```

Fig. 5.8 Reading of strings

Some versions of **scanf** support the following conversion specifications for strings:

```
%[characters]
%[^characters]
```

The specification **%[characters]** means that only the characters specified within the brackets are permissible in the input string. If the input string contains any other character, the string will be terminated at the first encounter of such a character. The specification **%[^characters]** does exactly the reverse. That is, the characters specified after the circumflex (^) are not permitted in the input string. The reading of the string will be terminated at the encounter of one of these characters.

Example 5.9 The program in Fig. 5.9 illustrates the function of %[] specification.

```
Program-A
    main()
{
        char address[80];
        printf("Enter address\n");
        scanf("%[a-z]", address);
        printf("%-80s\n\n", address);
        }

Output
        Enter address
        new delhi 110002
        new delhi

Program-B
    main()
        {
        char address[80];
        }
```

```
printf("Enter address\n");
        scanf("%[^\n]", address);
        printf("%-80s", address);
Output
     Enter address
     New Delhi 110 002
     New Delhi 110 002
```

Fig. 5.9 *Illustration of conversion specification%* [] *for strings*

Reading Blank Spaces

We have earlier seen that %s specifier cannot be used to read strings with blank spaces. But, this can be done with the help of %[] specification. Blank spaces may be included within the brackets, thus enabling the scanf to read strings with spaces. Remember that the lowercase and uppercase letters are distinct. See Fig. 5.9.

5.4.4 Reading Mixed Data Types

It is possible to use one **scanf** statement to input a data line containing mixed mode data. In such cases, care should be exercised to ensure that the input data items match the control specifications in order and type. When an attempt is made to read an item that does not match the type expected, the scanf function does not read any further and immediately returns the values read. The statement

```
scanf ("%d %c %f %s", &count, &code, &ratio, name);
will read the data
                               15 p 1.575 coffee
```

correctly and assign the values to the variables in the order in which they appear. Some systems accept integers in the place of real numbers and vice versa, and the input data is converted to the type specified in the control string.

Note | A space before the %c specification in the format string is necessary to skip the white space before p.

5.4.5 **Detection of Errors in Input**

When a scanf function completes reading its list, it returns the value of number of items that are successfully read. This value can be used to test whether any errors occurred in reading the input. For example, the statement

```
scanf("%d %f %s, &a, &b, name);
```

will return the value 3 if the following data is typed in:

```
20 150.25 motor
```

and will return the value 1 if the following line is entered

```
20 motor 150.25
```

Example 5.10 The program presented in Fig. 5.10 illustrates the testing for correctness of reading of data by **scanf** function.

The function **scanf** is expected to read three items of data and therefore, when the values for all the three variables are read correctly, the program prints out their values. During the third run, the second item does not match with the type of variable and therefore the reading is terminated and the error message is printed. Same is the case with the fourth run.

In the last run, although data items do not match the variables, no error message has been printed. When we attempt to read a real number for an **int** variable, the integer part is assigned to the variable, and the truncated decimal part is assigned to the next variable.

Note The character '2' is assigned to the character variable c.

```
Program
     main()
     int a;
    float b;
    char c;
    printf("Enter values of a, b and c\n");
    if (scanf("%d %f %c", &a, &b, &c) == 3)
        printf("a = %d b = %f c = %c\n", a, b, c);
    else
        printf("Error in input.\n");
Output
     Enter values of a, b and c
        12 3.45 A
        a = 12 b = 3.450000
                                 c = A
    Enter values of a, b and c
        23 78 9
        a = 23
               b = 78.000000
                                    c = 9
    Enter values of a, b and c
        8 A 5.25
    Error in input.
    Enter values of a, b and c
        Y 12 67
    Error in input.
    Enter values of a, b and c
        15.75 23 X
        a = 15 b = 0.750000
                                 c = 2
```

Commonly used **scanf** format codes are given in Table 5.2

Table 5.2 Commonly used scanf Format Codes

Code	Meaning
%c	read a single character
%d	read a decimal integer
%e	read a floating point value
%f	read a floating point value
%g	read a floating point value
%h	read a short integer
%i	read a decimal, hexadecimal or octal integer
%0	read an octal integer
%s	read a string
%u	read an unsigned decimal integer
%x	read a hexadecimal integer
%[]	read a string of word(s)

The following letters may be used as prefix for certain conversion characters.

- h for short integers
- 1 for long integers or double
- L for long double

Note | C99 adds some more format codes.

Points to Remember while Using scanf

If we do not plan carefully, some 'crazy' things can happen with **scanf**. Since the I/O routines are not a part of C language, they are made available either as a separate module of the C library or as a part of the operating system (like UNIX). New features are added to these routines from time to time as new versions of systems are released. We should consult the system reference manual before using these routines. Given below are some of the general points to keep in mind while writing a scanf statement.

- 1. All function arguments, except the control string, *must* be pointers to variables.
- 2. Format specifications contained in the control string should match the arguments in order.
- 3. Input data items must be separated by spaces and must match the variables receiving the input in the same order.
- 4. The reading will be terminated, when **scanf** encounters a 'mismatch' of data or a character that is not valid for the value being read.
- 5. When searching for a value, scanf ignores line boundaries and simply looks for the next appropriate character.
- 6. Any unread data items in a line will be considered as part of the data input line to the next scanf
- 7. When the field width specifier w is used, it should be large enough to contain the input data size.

Rules for scanf

- Each variable to be read must have a filed specification.
- For each field specification, there must be a variable address of proper type.
- Any non-whitespace character used in the format string must have a matching character in the user input.
- Never end the format string with whitespace. It is a fatal error!
- The scanf reads until:
 - A whitespace character is found in a numeric specification, or
 - The maximum number of characters have been read or
 - An error is detected, or
 - The end of file is reached

5.5 Formatted Output

We have seen the use of **printf** function for printing captions and numerical results. It is highly desirable that the outputs are produced in such a way that they are understandable and are in an easy-to-use form. It is therefore necessary for the programmer to give careful consideration to the appearance and clarity of the output produced by his program.

The **printf** statement provides certain features that can be effectively exploited to control the alignment and spacing of print-outs on the terminals. The general form of **printf** statement is:

```
printf("control string", arg1, arg2, ...., argn);
```

Control string consists of three types of items:

- 1. Characters that will be printed on the screen as they appear.
- 2. Format specifications that define the output format for display of each item.
- 3. Escape sequence characters such as \n, \t, and \b.

The control string indicates how many arguments follow and what their types are. The arguments $arg1, arg2, \ldots, argn$ are the variables whose values are formatted and printed according to the specifications of the control string. The arguments should match in number, order and type with the format specifications.

A simple format specification has the following form:

```
% w.p type-specifier
```

where w is an integer number that specifies the total number of columns for the output value and p is another integer number that specifies the number of digits to the right of the decimal point (of a real number) or the number of characters to be printed from a string. Both w and p are optional. Some examples of formatted **printf** statement are:

```
printf("Programming in C");
printf(" ");
printf("\n");
printf("\%d", x);
printf("a = \%f\n b = \%f", a, b);
printf("sum = \%d", 1234);
printf("\n\n");
```

printf never supplies a *newline* automatically and therefore multiple **printf** statements may be used to build one line of output. A newline can be introduced by the help of a newline character '\n' as shown in some of the examples above.

5.5.1 **Output of Integer Numbers**

The format specification for printing an integer number is:

% w d

where w specifies the minimum field width for the output. However, if a number is greater than the specified field width, it will be printed in full, overriding the minimum specification. d specifies that the value to be printed is an integer. The number is written right-justified in the given field width. Leading blanks will appear as necessary. The following examples illustrate the output of the number 9876 under different formats:

Format	Output
printf("%d", 9876)	9876
printf("%6d", 9876)	9876
printf("%2d", 9876)	9876
printf("%-6d", 9876)	9876
printf("%06d", 9876)	0 0 9 8 7 6

It is possible to force the printing to be left-justified by placing a minus sign directly after the % character, as shown in the fourth example above. It is also possible to pad with zeros the leading blanks by placing a 0 (zero) before the field width specifier as shown in the last item above. The minus (-) and zero (0) are known as flags.

Long integers may be printed by specifying **ld** in the place of **d** in the format specification. Similarly, we may use **hd** for printing short integers.

Example 5.11 The program in Fig. 5.11 illustrates the output of integer numbers under various formats.

```
Program
     main()
           int m = 12345;
           long n = 987654;
           printf("%d\n",m);
           printf("%10d\n",m);
           printf("%010d\n",m);
           printf("%-10d\n",m);
           printf("%10ld\n",n);
           printf("%10ld\n",-n);
Output
     12345
```

```
12345
0000012345
12345
987654
- 987654
```

Fig. 5.11 Formatted output of integers

5.5.2 Output of Real Numbers

The output of a real number may be displayed in decimal notation using the following format specification:

The integer w indicates the minimum number of positions that are to be used for the display of the value and the integer p indicates the number of digits to be displayed after the decimal point (precision). The value, when displayed, is rounded to p decimal places and printed right-justified in the field of w columns. Leading blanks and trailing zeros will appear as necessary. The default precision is 6 decimal places. The negative numbers will be printed with the minus sign. The number will be displayed in the form [-] mmm-nnn.

We can also display a real number in exponential notation by using the specification:

The display takes the form

where the length of the string of n's is specified by the precision p. The default precision is 6. The field width \mathbf{w} should satisfy the condition.

$$w \ge p+7$$

The value will be rounded off and printed right justified in the field of w columns.

Padding the leading blanks with zeros and printing with *left-justification* are also possible by using flags 0 or - before the field width specifier \mathbf{w} .

The following examples illustrate the output of the number y = 98.7654 under different format specifications:

Format	Output
printf("%7.4f",y)	98.7654
printf("%7.2f",y)	98.77
printf("%-7.2f",y)	98.77
printf("%f",y)	98.7654
printf("%10.2e",y)	9 . 8 8 e + 0 1
printf("%11.4e",-y)	- 9 . 8 7 6 5 e + 0 1
printf("%-10.2e",y)	9 . 8 8 e + 0 1
printf("%e",y)	9 . 8 7 6 5 4 0 e + 0 1

Some systems also support a special field specification character that lets the user define the field size at run time. This takes the following form:

```
printf("%*.*f", width, precision, number);
```

In this case, both the field width and the precision are given as arguments which will supply the values for w and p. For example,

```
printf("%*.*f",7,2,number);
is equivalent to
                            printf("%7.2f", number);
```

The advantage of this format is that the values for width and precision may be supplied at run time, thus making the format a *dynamic* one. For example, the above statement can be used as follows:

```
int width = 7;
int precision = 2;
. . . . . . . .
printf("%*.*f", width, precision, number);
```

Example 5.12 All the options of printing a real number are illustrated in Fig. 5.12.

```
Program
     main()
        float y = 98.7654;
        printf("%7.4f\n", y);
        printf("%f\n'', y);
        printf("%7.2f\n", y);
        printf("%-7.2f\n", y);
        printf("%07.2f\n", y);
        printf("%*.*f", 7, 2, y);
        printf("\n");
        printf("%10.2e\n", y);
        printf("%12.4e\n", -y);
        printf("%-10.2e\n", y);
        printf("%e\n", y);
Output
     98.7654
     98.765404
     98.77
     98.77
     0098.77
     98.77
     9.88e+001
```

```
-9.8765e+001
9.88e+001
9.876540e+001
```

Fig. 5.12 Formatted output of **real** numbers

5.5.3 Printing of a Single Character

A single character can be displayed in a desired position using the format:

%**WC**

The character will be displayed *right-justified* in the field of w columns. We can make the display *left-justified* by placing a minus sign before the integer w. The default value for w is 1.

5.5.4 Printing of Strings

The format specification for outputting strings is similar to that of real numbers. It is of the form

%w.ps

where w specifies the field width for display and p instructs that only the first p characters of the string are to be displayed. The display is right-justified.

The following examples show the effect of variety of specifications in printing a string "NEW DELHI 110001", containing 16 characters (including blanks).

Specification										Out	out									
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
%s	Ν	Е	W		D	Е	L	Н	Ι		1	1	0	0	0	1				
%20s					N	Е	W		D	Ε	L	Н	I		1	1	0	0	0	1
%20.10s											N	Е	W		D	Е	L	Н	I	
%.5s	N	Ε	W		D															
%-20.10s	N	Е	W		D	Е	L	Н	I											
%5s	N	Е	W		D	Е	L	Н	I		1	1	0	0	0	1				

Example 5.13 Printing of characters and strings is illustrated in Fig. 5.13.

```
Program
    main()
    {
    char x = 'A';
    char name[20] = "ANIL KUMAR GUPTA";
```

```
printf("OUTPUT OF CHARACTERS\n\n");
     printf("%c\n%3c\n%5c\n", x,x,x);
     printf("%3c\n%c\n", x,x);
     printf("\n");
     printf("OUTPUT OF STRINGS\n\n");
     printf("%s\n", name);
     printf("%20s\n", name);
     printf("%20.10s\n", name);
     printf("%.5s\n", name);
     printf("%-20.10s\n", name);
     printf("%5s\n", name);
Output
     OUTPUT OF CHARACTERS
        Α
           Α
        Α
     Α
     OUTPUT OF STRINGS
     ANIL KUMAR GUPTA
           ANIL KUMAR GUPTA
              ANIL KUMAR
     ANTI
     ANIL KOLMER
     ANIL KUMAR GUPTA
```

Fig. 5.13 Printing of characters and strings

5.5.5 **Mixed Data Output**

It is permitted to mix data types in one **printf** statement. For example, the statement of the type is valid.

```
printf("%d %f %s %c", a, b, c, d);
```

As pointed out earlier, **printf** uses its control string to decide how many variables to be printed and what their types are. Therefore, the format specifications should match the variables in number, order, and type. If there are not enough variables or if they are of the wrong type, the output results will be incorrect.

Table 5.3 Commonly used printf Format Codes

Code	Meaning
%c	print a single character
%d	print a decimal integer
%e	print a floating point value in exponent form
%f	print a floating point value without exponent

(Contd.)

%g	print a floating point value either e-type or f-type depending on
%i	print a signed decimal integer
%0	print an octal integer, without leading zero
%s	print a string
%u	print an unsigned decimal integer
%x	print a hexadecimal integer, without leading Ox

Table 5.4 Commonly used Output Format Flags

Flag	Meaning			
-	Output is left-justified within the field. Remaining field will be blank.			
+	+ or – will precede the signed numeric item.			
0	Causes leading zeros to appear.			
# (with o or x)	Causes octal and hex items to be preceded by O and Ox, respectively.			
# (with e, f or g)	Causes a decimal point to be present in all floating point numbers, even if it is whole number. Also prevents the truncation of trailing zeros in g-type conversion			

The following letters may be used as prefix for certain conversion characters.

- h for short integers
- 1 for long integers or double
- L for long double.

5.5.6 Enhancing the Readability of Output

Computer outputs are used as information for analysing certain relationships between variables and for making decisions. Therefore the correctness and clarity of outputs are of utmost importance. While the correctness depends on the solution procedure, the clarity depends on the way the output is presented. Following are some of the steps we can take to improve the clarity and hence the readability and understandability of outputs.

- 1. Provide enough blank space between two numbers.
- 2. Introduce appropriate headings and variable names in the output.
- 3. Print special messages whenever a peculiar condition occurs in the output.
- 4. Introduce blank lines between the important sections of the output.

The system usually provides two blank spaces between the numbers. However, this can be increased by selecting a suitable field width for the numbers or by introducing a 'tab' character between the specifications. For example, the statement

will provide four blank spaces between the two fields. We can also print them on two separate lines by using the statement

printf("a =
$$%d$$
\n b = $%d$ ", a, b);

Messages and headings can be printed by using the character strings directly in the **printf** statement. Examples:

```
printf("\n OUTPUT RESULTS \n");
printf("Code\t Name\t Age\n");
printf("Error in input data\n");
    printf("Enter your name\n");
```

Just Remember

- While using getchar function, care should be exercised to clear any unwanted characters in the input stream.
- Do not forget to include <stdio.h> headerfiles when using functions from standard input/output library.
- Do not forget to include <ctype.h> header file when using functions from character handling library.
- Provide proper field specifications for every variable to be read or printed.
- Enclose format control strings in double quotes.
- Do not forget to use address operator & for basic type variables in the input list of scanf.
- Use double quotes for character string constants.
- Use single quotes for single character constants.
- Provide sufficient field to handle a value to be printed.
- Be aware of the situations where output may be imprecise due to formatting.
- Do not specify any precision in input field specifications.
- Do not provide any white-space at the end of format string of a **scanf** statement.
- Do not forget to close the format string in the scanf or printf statement with double quotes.
- Using an incorrect conversion code for data type being read or written will result in runtime
- Do not forget the comma after the format string in **scanf** and **printf** statements.
- Not separating read and write arguments is an error.
- Do not use commas in the format string of a **scanf** statement.
- Using an address operator & with a variable in the **printf** statement will result in runtime error.

Review Questions



- 5.1 State whether the following statements are *true* or *false*.
 - (a) The purpose of the header file <studio.h> is to store the programs created by the users.
 - (b) The C standard function that receives a single character from the keyboard is **getchar**.
 - (c) The **getchar** cannot be used to read a line of text from the keyboard.
 - (d) The input list in a **scanf** statement can contain one or more variables.
 - (e) When an input stream contains more data items than the number of specifications in a scanf statement, the unused items will be used by the next **scanf** call in the program.
 - (f) Format specifiers for output convert internal representations for data to readable characters.
 - (g) Variables form a legal element of the format control string of a **printf** statement.

- (h) The **scanf** function cannot be used to read a single character from the keyboard.
- (i) The format specification %+ -8d prints an integer left-justified in a field width of 8 with a plus sign, if the number is positive.
- (j) If the field width of a format specifier is larger than the actual width of the value, the value is printed right-justified in the field.
- (k) The print list in a **printf** statement can contain function calls.
- (1) The format specification %5s will print only the first 5 characters of a given string to be printed.
- 5.2 Fill in the blanks in the following statements.
 - (a) The ______ specification is used to read or write a short integer.
 - (b) The conversion specifier ______ is used to print integers in hexadecimal form.
 - (c) For using character functions, we must include the header file ______ in the program.
 - (d) For reading a double type value, we must use the specification ______.
 - (e) The specification ______ is used to read a data from input list and discard it without assigning it to many variables.
 - (f) The specification _____ may be used in **scanf** to terminate reading at the encounter of a particular character.
 - (g) The specification %[] is used for reading strings that contain ______.
 - (h) By default, the real numbers are printed with a precision of ______ decimal places.
 - (i) To print the data left-justified, we must use ______ in the field specification.
 - (j) The specifier _____ prints floating-point values in the scientific notation.
- 5.3 Distinguish between the following pairs:
 - (a) **getchar** and **scanf** functions.
 - (b) %s and %c specifications for reading.
 - (c) %s and %[] specifications for reading.
 - (d) %g and %f specification for printing.
 - (e) %f and %e specifications for printing.
- 5.4 Write **scanf** statements to read the following data lists:
 - (a) 78 B 45
- (b) 123 1.23 45A
- (c) 15-10-2002
- (d) 10 TRUE 20
- 5.5 State the outputs produced by the following **printf** statements.
 - (a) printf ("%d%c%f", 10, 'x', 1.23);
 - (b) printf ("%2d %c %4.2f", 1234,, 'x', 1.23);
 - (c) printf ("%d\t%4.2f", 1234, 456);
 - (d) printf ("\"%08.2f\"", 123.4);
 - (e) printf ("%d%d %d", 10, 20);

For questions 5.6 to 5.10 assume that the following declarations have been made in the program:

```
int year, count;
float amount, price;
char code, city[10];
double root;
```

- 5.6 State errors, if any, in the following input statements.
 - (a) scanf("%c%f%d", city, &price, &year);

- (b) scanf("%s%d", city, amount);
- (c) scanf("%f, %d, &amount, &year):
- (d) scanf(\n"%f", root);
- (e) scanf("%c %d %ld", *code, &count, Root);
- 5.7 What will be the values stored in the variables **year** and **code** when the data

1988, x

is keyed in as a response to the following statements:

- (a) scanf("%d %c", &year, &code);
- (b) scanf("%c %d", &year, &code);
- (c) scanf("%d %c", &code, &year);
- (d) scanf("%s %c", &year, &code);
- 5.8 The variables **count**, **price**, and **city** have the following values:

```
count <----- 1275
city < ---- Cambridge
```

Show the exact output that the following output statements will produce:

- (a) printf("%d %f", count, price);
- (b) printf("%2d\n%f", count, price);
- (c) printf("%d %f", price, count);
- (d) printf("%10dxxxx%5.2f",count, price);
- (e) printf("%s", city);
- (f) printf(%-10d %-15s", count, city);
- 5.9 State what (if anything) is wrong with each of the following output statements:
 - (a) printf(%d 7.2%f, year, amount);
 - (b) printf("%-s, %c"\n, city, code);
 - (c) printf("%f, %d, %s, price, count, city);
 - (d) printf("%c%d%f\n", amount, code, year);
- 5.10 In response to the input statement

```
scanf("%4d%*%d", &year, &code, &count);
```

the following data is keyed in:

19883745

What values does the computer assign to the variables **year**, **code**, and **count**?

- 5.11 How can we use the **getchar()** function to read multicharacter strings?
- 5.12 How can we use the **putchar** () function to output multicharacter strings?
- 5.13 What is the purpose of **scanf()** function?
- 5.14 Describe the purpose of commonly used conversion characters in a scanf() function.
- 5.15 What happens when an input data item contains
 - (a) more characters than the specified field width and
 - (b) fewer characters than the specified field width?
- 5.16 What is the purpose of **print()** function?
- 5.17 Describe the purpose of commonly used conversion characters in a **printf()** function.
- 5.18 How does a control string in a **printf**() function differ from the control string in a **scanf**() function?

- 5.19 What happens if an output data item contains
 - (a) more characters than the specified field width and
 - (b) fewer characters than the specified field width?
- 5.20 How are the unrecognized characters within the control string are interpreted in
 - (a) scanf function; and
 - (b) **printf** function?

Programming Exercises



- 5.1 Given the string "WORDPROCESSING", write a program to read the string from the terminal and display the same in the following formats:
 - (a) WORD PROCESSING
 - (b) WORD PROCESSING
 - (c) W.P.
- 5.2 Write a program to read the values of x and y and print the results of the following expressions in one line:

(a)
$$\frac{x+y}{x-y}$$

(b)
$$\frac{x+y}{2}$$

(c)
$$(x+y)(x-y)$$

5.3 Write a program to read the following numbers, round them off to the nearest integers and print out the results in integer form:

$$35.7 \quad 50.21 \quad -23.73 \quad -46.45$$

5.4 Write a program that reads 4 floating point values in the range, 0.0 to 20.0, and prints a horizontal bar chart to represent these values using the character * as the fill character. For the purpose of the chart, the values may be rounded off to the nearest integer. For example, the value 4.36 should be represented as follows.

Note that the actual values are shown at the end of each bar.

5.5 Write an interactive program to demonstrate the process of multiplication. The program should ask the user to enter two two-digit integers and print the product of integers as shown below.

	45
	× 37
7×45 is	315
3×45 is	135
Add them	1665

- 5.6 Write a program to read three integers from the keyboard using one **scanf** statement and output them on one line using:
 - (a) three **printf** statements,
 - (b) only one **printf** with conversion specifiers, and

- (c) only one **printf** without conversion specifiers.
- 5.7 Write a program that prints the value 10.45678 in exponential format with the following specifications:
 - (a) correct to two decimal places;
 - (b) correct to four decimal places; and
 - (c) correct to eight decimal places.
- 5.8 Write a program to print the value 345.6789 in fixed-point format with the following specifications:
 - (a) correct to two decimal places;
 - (b) correct to five decimal places; and
 - (c) correct to zero decimal places.
- 5.9 Write a program to read the name ANIL KUMAR GUPTA in three parts using the scanf statement and to display the same in the following format using the **printf** statement.
 - (a) ANIL K. GUPTA
 - (b) A.K. GUPTA
 - (c) GUPTA A.K.
- 5.10 Write a program to read and display the following table of data.

Name Code Price 67831 1234.50 Fan Motor 450 5786.70

Ш

The name and code must be left-justified and price must be right-justified.

waiting for enter key?

(a) getc()

(c) getchar()

ııtıp	ie Choice Questions		
1.	Which of the following	ing is used to input value	ue for variable through keyboard?
	(a) printf	(b)	scanf
	(c) get	(d)	void
2.	Which of the follows	ing indicate standard in	put output header file?
	(a) conio.h	(b)	stdio.h
	(c) math.h	(d)	complex.h
3.	Which of the follows	ing is used to read a cha	aracter from the standard input unit?
	(a) printf	(b)	clrscr
	(c) getchar	(d)	putchar
4.	What is the default d	lata type returned by th	e function getchar?
	(a) char	(b)	float
	(c) int	(d)	char*
5.	Which of the follows	ng values is returned v	when EOF is encountered?
	(a) -1	(b)	1
	(c) 0	(d)	10
6.	Which of the following	ng does not use a buffe	er and returns entered character immediately without

(b) getch()

(d) getche()

7. W	hich of the	following	statements	does not hold	true f	or the	function	"scanf"?
------	-------------	-----------	------------	---------------	--------	--------	----------	----------

- (a) Format specifications contained in the control string must match the arguments in order.
- (b) The variables to be read must have a filed specification.
- (c) Scanf reads until a whitespace character is encountered in a numeric specification.
- (d) Scanf does not ignore line boundaries to look for the next character while searching for a value.
- 8. What does printf() function return when an error is encountered?
 - (a) Positive value

(b) Negative value

(c) Zero

- (d) Does not return anything
- 9. What does the format code "%e" print?
 - (a) A decimal integer
 - (b) Print a signed decimal integer
 - (c) Print a floating point value without exponent
 - (d) Print a floating point value in exponent form
- 10. Which of the following functions is the odd one out?
 - (a) printf

(b) fprintf

(c) putchar

- (d) scanf
- 11. Where does the function putchar(a) always output character a to?
 - (a) Standard output

(b) Screen

(c) It is compiler dependent

(d) Depends on the standard

Answers					
1. (b)	2. (b)	3. (c)	4. (c)	5. (a)	
6. (b)	7. (d)	8. (b)	9. (d)	10. (d)	
11. (a)					

6.1 Introduction

We have seen that a C program is a set of statements which are normally executed sequentially in the order in which they appear. This happens when no options or no repetitions of certain calculations are necessary. However, in practice, we have a number of situations where we may have to change the order of execution of statements based on certain conditions, or repeat a group of statements until certain specified conditions are met. This involves a kind of decision making to see whether a particular condition has occurred or not and then direct the computer to execute certain statements accordingly.

C language possesses such decision-making capabilities by supporting the following statements:

- 1. if statement
- 2. **switch** statement
- 3. Conditional operator statement
- 4. **goto** statement

These statements are popularly known as *decision-making statements*. Since these statements 'control' the flow of execution, they are also known as *control statements*.

We have already used some of these statements in the earlier examples. Here, we shall discuss their features, capabilities and applications in more detail.

6.2 Decision Making with if Statement

The **if** statement is a powerful decision-making statement and is used to control the flow of execution of statements. It is basically a two-way decision statement and is used in conjunction with an expression. It takes the following form:

if (test expression)

It allows the computer to evaluate the expression first and then, depending on whether the value of the expression (relation or condition) is 'true' (or non-zero) or 'false' (zero), it transfers the control to a particular statement. This point of program has two *paths* to follow, one for the *true* condition and the other for the *false* condition as shown in Fig. 6.1.




Fig. 6.1 Two-way branching

Some examples of decision making, using if statements are:

- 1. **if** (bank balance is zero) borrow money
- 2. **if** (room is dark) put on lights
- 3. **if** (code is 1) person is male
- 4. **if** (age is more than 55) person is retired

The **if** statement may be implemented in different forms depending on the complexity of conditions to be tested. The different forms are:

- 1. Simple if statement
- 2. if.....else statement
- 3. Nested if....else statement
- 4. else if ladder.

We shall discuss each one of them in the next few sections.

6.3 Simple if Statement

The general form of a simple if statement is

```
if (test expression)
{
    statement-block;
}
statement-x;
```

The 'statement-block' may be a single statement or a group of statements. If the test expression is true, the statement-block will be executed; otherwise the statement-block will be skipped and the execution will jump to the statement-x. Remember, when the condition is true both the statement-block and the statement-x are executed in sequence. This is illustrated in Fig. 6.2.




Fig. 6.2 Flowchart of simple if control

Consider the following segment of a program that is written for processing of marks obtained in an entrance examination.

```
. . . . . . . . .
if (category == SPORTS)
      marks = marks + bonus marks;
printf("%f", marks);
. . . . . . . . .
```

The program tests the type of category of the student. If the student belongs to the SPORTS category, then additional bonus marks are added to his marks before they are printed. For others, bonus marks are not added.

Example 6.1 The program in Fig. 6.3 displays a number if user enters a negative number and if a user enters positive number, then that number won't be displayed.

Fig. 6.3 Use of **if** for displaying number

Example 6.2 The program in Fig. 6.4 reads four values a, b, c, and d from the terminal and evaluates the ratio of (a+b) to (c-d) and prints the result, if c-d is not equal to zero.

The program given in Fig. 6.4 has been run for two sets of data to see that the paths function properly. The result of the first run is printed as,

Ratio = -3.181818

The second run has neither produced any results nor any message. During the second run, the value of (c-d) is equal to zero and therefore, the statements contained in the statement-block are skipped. Since no other statement follows the statement-block, program stops without producing any output.

Note the use of **float** conversion in the statement evaluating the **ratio**. This is necessary to avoid truncation due to integer division. Remember, the output of the first run -3.181818 is printed correct to six decimal places. The answer contains a round off error. If we wish to have higher accuracy, we must use **double** or **long double** data type.

The simple if is often used for counting purposes. The Example 6.3 illustrates this.

Example 6.3 The program in Fig. 6.5 counts the number of boys whose weight is less than 50 kg and height is greater than 170 cm.

The program has to test two conditions, one for weight and another for height. This is done using the compound relation

```
if (weight < 50 \&\& height > 170)
```

This would have been equivalently done using two **if** statements as follows:

```
if (weight < 50)
if (height > 170)
  count = count + 1;
```

If the value of weight is less than 50, then the following statement is executed, which in turn is another if statement. This if statement tests height and if the height is greater than 170, then the count is incremented by 1.

```
Program
     main()
     {
            int count, i;
            float weight, height;
            count = 0;
            printf("Enter weight and height for 10 boys\n");
            for (i = 1; i \le 10; i++)
                  scanf("%f %f", &weight, &height);
                  if (weight < 50 && height > 170)
                         count = count + 1;
            printf("Number of boys with weight < 50 kg\n");</pre>
            printf("and height > 170 cm = %d\n", count);
Output
     Enter weight and height for 10 boys
     45
           176.5
     55
           174.2
           168.0
     47
     49
           170.7
     54
            169.0
```

Fig. 6.5 Use of **if** for counting

Applying De Morgan's Rule

While designing decision statements, we often come across a situation where the logical NOT operator is applied to a compound logical expression, like !(x&&y||!z). However, a positive logic is always easy to read and comprehend than a negative logic. In such cases, we may apply what is known as **De Morgan's** rule to make the total expression positive. This rule is as follows:


"Remove the parentheses by applying the NOT operator to every logical expression component, while complementing the relational operators."

6.4 The if.....Else Statement

The **if...else** statement is an extension of the simple **if** statement. The general form is

```
If (test expression)
    {
        True-block statement(s)
    }
else
    {
        False-block statement(s)
    }
statement-x
```

If the *test expression* is true, then the *true-block statement(s)*, immediately following the **if** statements are executed; otherwise, the *false-block statement(s)* are executed. In either case, either *true-block* or *false-block* will be executed, not both. This is illustrated in Fig. 6.6. In both the cases, the control is transferred subsequently to the statement-x.



Let us consider an example of counting the number of boys and girls in a class. We use code 1 for a boy and 2 for a girl. The program statement to do this may be written as follows:

```
. . . . . . . . .
if (code == 1)
    boy = boy + 1;
if (code == 2)
    girl = girl+1;
. . . . . . . . .
. . . . . . . . .
```

The first test determines whether or not the student is a boy. If yes, the number of boys is increased by 1 and the program continues to the second test. The second test again determines whether the student is a girl. This is unnecessary. Once a student is identified as a boy, there is no need to test again for a girl. A student can be either a boy or a girl, not both. The above program segment can be modified using the else clause as follows:

```
. . . . . . . . . .
. . . . . . . . . .
if (code == 1)
    boy = boy + 1;
    girl = girl + 1;
XXXXXXXX
. . . . . . . . . .
```

Here, if the code is equal to 1, the statement $\mathbf{boy} = \mathbf{boy} + \mathbf{1}$; is executed and the control is transferred to the statement \mathbf{xxxxxx} , after skipping the else part. If the code is not equal to 1, the statement $\mathbf{boy} = \mathbf{boy} + \mathbf{1}$; is skipped and the statement in the \mathbf{else} part $\mathbf{girl} = \mathbf{girl} + \mathbf{1}$; is executed before the control reaches the statement $\mathbf{xxxxxxxx}$.

Consider the program given in Fig. 6.4. When the value (c-d) is zero, the ratio is not calculated and the program stops without any message. In such cases we may not know whether the program stopped due to a zero value or some other error. This program can be improved by adding the **else** clause as follows:

Example 6.4 A program to evaluate the power series:

$$e^{x} = 1 + x + \frac{x^{2}}{2!} + \frac{x^{3}}{3!} + \dots + \frac{x^{n}}{n!}, 0 < x < 1$$

is given in Fig. 6.7. It uses if else to test the accuracy

The power series contains the recurrence relationship of the type

$$T_n = T_{n-1} \left(\frac{x}{n}\right) \text{ for } n > 1$$
 $T_1 = x \text{ for } n = 1$
 $T_0 = 1$

If T_{n-1} (usually known as *previous term*) is known, then T_n (known as *present term*) can be easily found by multiplying the previous term by x/n. Then

$$e^x = T_0 + T_1 + T_2 + \dots + T_n = \text{sum}$$

```
#define ACCURACY 0.0001
main()
{
    int n, count;
    float x, term, sum;
    printf("Enter value of x:");
    scanf("%f", &x);
    n = term = sum = count = 1;
    while (n <= 100)
{
    term = term * x/n;</pre>
```

```
sum = sum + term;
         count = count + 1;
         if (term < ACCURACY)
            n = 999;
         else
            n = n + 1;
     printf("Terms = %d Sum = %f\n", count, sum);
Output
     Enter value of x:0
     Terms = 2 \text{ Sum} = 1.000000
     Enter value of x:0.1
     Terms = 5 \text{ Sum} = 1.105171
     Enter value of x:0.5
     Terms = 7 \text{ Sum} = 1.648720
     Enter value of x:0.75
     Terms = 8 \text{ Sum} = 2.116997
     Enter value of x:0.99
     Terms = 9 \text{ Sum} = 2.691232
     Enter value of x:1
     Terms = 9 \text{ Sum} = 2.718279
```

Fig. 6.7 Illustration of **if...else** statement

The program uses **count** to count the number of terms added. The program stops when the value of the term is less than 0.0001 (ACCURACY). Note that when a term is less than ACCURACY, the value of n is set equal to 999 (a number higher than 100) and therefore the while loop terminates. The results are printed outside the while loop.


Example 6.5 Write a program to find maximum/minimum of two numbers.

```
Program
#include <stdio.h>
int main()
int n1, n2;
     /* Reads two integer values from user */
     printf("\nEnter two numbers: ");
     scanf("%d%d", &n1, &n2);
     /* Compare n1 with n2
```

Fig. 6.8

6.5 Nesting of if....Else Statements

When a series of decisions are involved, we may have to use more than one **if...else** statement in *nested* form as shown below:



The logic of execution is illustrated in Fig. 6.9. If the *condition-1* is false, the statement-3 will be executed; otherwise it continues to perform the second test. If the *condition-2* is true, the statement-1 will be evaluated; otherwise the statement-2 will be evaluated and then the control is transferred to the statement-x.

A commercial bank has introduced an incentive policy of giving bonus to all its deposit holders. The policy is as follows: A bonus of 2 per cent of the balance held on 31st December is given to every one, irrespective of their balance, and 5 per cent is given to female account holders if their balance is more than Rs. 5000. This logic can be coded as follows:

```
if (sex is female)
   if (balance > 5000)
      bonus = 0.05 * balance;
   else
      bonus = 0.02 * balance;
else
   bonus = 0.02 * balance;
balance = balance + bonus;
. . . . . . . . .
```




Fig. 6.9 Flowchart of nested **if...else** statements

When nesting, care should be exercised to match every if with an else. Consider the following alternative to the above program (which looks right at the first sight):

```
if (sex is female)
   if (balance > 5000)
      bonus = 0.05 * balance;
   else
      bonus = 0.02 * balance;
   balance = balance + bonus;
```

There is an ambiguity as to over which if the else belongs to. In C, an else is linked to the closest nonterminated if. Therefore, the else is associated with the inner if and there is no else option for the outer if. This means that the computer is trying to execute the statement

```
balance = balance + bonus;
```

without really calculating the bonus for the male account holders.

Consider another alternative, which also looks correct:

```
if (sex is female)
      if (balance > 5000)
      bonus = 0.05 * balance;
   else
      bonus = 0.02 * balance;
   balance = balance + bonus;
```

In this case, else is associated with the outer if and therefore bonus is calculated for the male account holders. However, bonus for the female account holders, whose balance is equal to or less than 5000 is not calculated because of the missing **else** option for the inner **if**.

Example 6.6 The program in Fig. 6.10 selects and prints the largest of the three numbers using nested if...else statements.

```
Program
     main()
     float A, B, C;
     printf("Enter three values\n");
     scanf("%f %f %f", &A, &B, &C);
     printf("\nLargest value is ");
     if (A>B)
        if (A>C)
           printf("%f\n", A);
           printf("%f\n", C);
     }
     else
```

```
if (C>B)
           printf("%f\n", C);
        else
           printf("%f\n", B);
     }
Output
     Enter three values
     23445 67379 88843
     Largest value is 88843.000000
```

Fig. 6.10 Selecting the largest of three numbers

Dangling Else Problem

One of the classic problems encountered when we start using nested if...else statements is the dangling else. This occurs when a matching else is not available for an if. The answer to this problem is very simple. Always match an else to the most recent unmatched if in the current block. In some cases, it is possible that the false condition is not required. In such situations, else statement may be omitted "else is always paired with the most recent unpaired if"

The Else if Ladder

There is another way of putting ifs together when multipath decisions are involved. A multipath decision is a chain of ifs in which the statement associated with each else is an if. It takes the following general form:

```
if (condition 1)
     statement-1;
else if (condition 2)
          statement-2;
   else if (condition 3)
              statement-3;
       else if (condition n)
                  statement-n;
                 default-statement;
     statement-x;
```

This construct is known as the **else if** ladder. The conditions are evaluated from the top (of the ladder), downwards. As soon as a true condition is found, the statement associated with it is executed and the control is transferred to the statement-x (skipping the rest of the ladder). When all the n conditions become false, then the final else containing the default-statement will be executed. Figure 6.11 shows the logic of execution of **else if** ladder statements.

6.14 Computer Programming and Utilization

Let us consider an example of grading the students in an academic institution. The grading is done according to the following rules:

Average marks	Grade
80 to 100	Honours
60 to 79	First Division
50 to 59	Second Division
40 to 49	Third Division
0 to 39	Fail




Fig. 6.11 Flowchart of else..if ladder

This grading can be done using the **else if** ladder as follows:

```
if (marks > 79)
    grade = "Honours";
else if (marks > 59)
    grade = "First Division";
```

```
else if (marks > 49)
             grade = "Second Division";
          else if (marks > 39)
                       grade = "Third Division";
                else
                   grade = "Fail";
   printf ("%s\n", grade);
Consider another example given below:
   if (code == 1)
      colour = "RED";
   else if (code == 2)
         colour = "GREEN";
      else if (code == 3)
                colour = "WHITE";
             else
                colour = "YELLOW";
```

Code numbers other than 1, 2 or 3 are considered to represent YELLOW colour. The same results can be obtained by using nested if...else statements.

```
if (code != 1)
  if (code != 2)
     if (code != 3)
        colour = "YELLOW";
     else
        colour = "WHITE";
  else
        colour = "GREEN";
else
        colour = "RED";
```

In such situations, the choice is left to the programmer. However, in order to choose an **if** structure that is both effective and efficient, it is important that the programmer is fully aware of the various forms of an **if** statement and the rules governing their nesting.

Example 6.7 An electric power distribution company charges its domestic consumers as follows:

Consumption Units	Rate of Charge
0 - 200	Rs. 0.50 per unit
201 - 400	Rs. 100 plus Rs. 0.65 per unit excess of 200
401 - 600	Rs. 230 plus Rs. 0.80 per unit excess of 400
601 and above	Rs. 390 plus Rs. 1.00 per unit excess of 600

6.16 Computer Programming and Utilization

The program in Fig. 6.12 reads the customer number and power consumed and prints the amount to be paid by the customer.

```
Program
    main()
     {
        int units, custnum;
        float charges;
        printf("Enter CUSTOMER NO. and UNITS consumed\n");
        scanf ("%d %d", &custnum, &units);
        if (units <= 200)
           charges = 0.5 * units;
        else if (units <= 400)
                     charges = 100 + 0.65 * (units - 200);
                        else if (units <= 600)
                        charges = 230 + 0.8 * (units - 400);
                           charges = 390 + (units - 600);
        printf("\n\nCustomer No: %d: Charges = %.2f\n",
           custnum, charges);
Output
     Enter CUSTOMER NO. and UNITS consumed 101 150
     Customer No:101 Charges = 75.00
     Enter CUSTOMER NO. and UNITS consumed 202 225
    Customer No:202 Charges = 116.25
    Enter CUSTOMER NO. and UNITS consumed 303 375
    Customer No:303 Charges = 213.75
    Enter CUSTOMER NO. and UNITS consumed 404 520
    Customer No:404 Charges = 326.00
    Enter CUSTOMER NO. and UNITS consumed 505 625
     Customer No:505 Charges = 415.00
```

Fig. 6.12 Illustration of else..if ladder

Example 6.8 Write a program for finding the roots of the quadratic equation.

```
Program
    #include <stdio.h>
#include <math.h>
int main()
{
```

```
double a, b, c, determinant, root1, root2, realPart, imaginaryPart;
     printf("Enter coefficients a, b and c: ");
     scanf("%lf %lf %lf", &a, &b, &c);
     determinant = b*b-4*a*c;
        if (determinant > 0)
        root1 = (-b+sqrt(determinant))/(2*a);
           root2 = (-b-sqrt(determinant))/(2*a);
           printf("root1 = %.21f and root2 = %.21f", root1 , root2);
     else if (determinant == 0)
           root1 = root2 = -b/(2*a);
           printf("root1 = root2 = %.21f;", root1);
     }
     else
     {
           realPart = -b/(2*a);
           imaginaryPart = sqrt(-determinant)/(2*a);
           printf("root1 = %.21f+%.21fi and root2 = %.2f-%.2fi", realPart,
           imaginaryPart, realPart, imaginaryPart);
    return 0;
```

Fig. 6.13

Rules for Indentation

When using control structures, a statement often controls many other statements that follow it. In such situations it is a good practice to use *indentation* to show that the indented statements are dependent on the preceding controlling statement. Some guidelines that could be followed while using indentation are listed below:

- Indent statements that are dependent on the previous statements; provide at least three spaces of indentation.
- Align vertically else clause with their matching if clause.
- Use braces on separate lines to identify a block of statements.
- Indent the statements in the block by at least three spaces to the right of the braces.
- Align the opening and closing braces.
- Use appropriate comments to signify the beginning and end of blocks.
- Indent the nested statements as per the above rules.
- Code only one clause or statement on each line.

6.7 The Switch Statement

We have seen that when one of the many alternatives is to be selected, we can use an **if** statement to control the selection. However, the complexity of such a program increases dramatically when the number of alternatives increases. The program becomes difficult to read and follow. At times, it may confuse even the person who designed it. Fortunately, C has a built-in multiway decision statement known as a **switch**. The **switch** statement tests the value of a given variable (or expression) against a list of **case** values and when a match is found, a block of statements associated with that **case** is executed. The general form of the **switch** statement is as shown below:

The *expression* is an integer expression or characters. *Value-1*, *value-2* are constants or constant expressions (evaluable to an integral constant) and are known as *case labels*. Each of these values should be unique within a **switch** statement. **block-1**, **block-2** are statement lists and may contain zero or more statements. There is no need to put braces around these blocks. Note that **case** labels end with a colon (:).

When the **switch** is executed, the value of the expression is successfully compared against the values *value-1*, *value-2*,.... If a case is found whose value matches with the value of the expression, then the block of statements that follows the case are executed.

The **break** statement at the end of each block signals the end of a particular case and causes an exit from the **switch** statement, transferring the control to the **statement-x** following the **switch**.

The **default** is an optional case. When present, it will be executed if the value of the *expression* does not match with any of the case values. If not present, no action takes place if all matches fail and the control goes to the **statement-x**. (ANSI C permits the use of as many as 257 case labels).

The selection process of **switch** statement is illustrated in the flow chart shown in Fig. 6.14.

The **switch** statement can be used to grade the students as discussed in the last section. This is illustrated below:

```
---
index = marks/10
switch (index)
```

```
case 10:
  case 9:
  case 8:
        grade = "Honours";
       break;
  case 7:
  case 6:
        grade = "First Division";
        break;
  case 5:
        grade = "Second Division";
        break;
  case 4:
        grade = "Third Division";
        break;
  default:
        grade = "Fail";
        break;
printf("%s\n", grade);
```




Fig. 6.14 Selection process of the **switch** statement

Note that we have used a conversion statement

```
index = marks / 10;
```

where, index is defined as an integer. The variable index takes the following integer values.

Marks	Index
100	10
90 - 99	9
80 - 89	8
70 - 79	7
60 - 69	6
50 - 59	5
40 - 49	4
•	
0	0

This segment of the program illustrates two important features. First, it uses empty cases. The first three cases will execute the same statements

```
grade = "Honours";
break;
```

Same is the case with case 7 and case 6. Second, default condition is used for all other cases where marks is less than 40.

The **switch** statement is often used for menu selection. For example:

```
printf(" TRAVEL GUIDE\n\n");
printf(" A Air Timings\n" );
printf(" T Train Timings\n");
printf(" B Bus Service\n" );
printf(" X To skip\n");
printf("\n Enter your choice\n");
character = getchar();
switch (character)
  case 'A' :
              air-display();
              break;
  case 'B' :
              bus-display();
              break;
  case 'T' :
              train-display();
              break;
default :
              printf(" No choice\n");
```

It is possible to nest the **switch** statements. That is, a **switch** may be part of a **case** statement. ANSI C permits 15 levels of nesting.

Rules for Switch Statement

- The **switch** expression must be an integral type.
- Case labels must be constants or constant expressions.
- Case labels must be unique. No two labels can have the same value.
- · Case labels must end with semicolon.
- The **break** statement transfers the control out of the **switch** statement.
- The break statement is optional. That is, two or more case labels may belong to the same statements.
- The **default** label is optional. If present, it will be executed when the expression does not find a matching case label.
- There can be at most one **default** label.
- The **default** may be placed anywhere but usually placed at the end.
- It is permitted to nest **switch** statements.

Example 6.9 Program in Fig. 6.15 illustrates a simple calculator to perform addition, subtraction, multiplication or division depending upon the input from user.

```
Program
     # include <stdio.h>
     int main()
         char operator;
         double firstNumber, secondNumber;
     printf("Enter an operator (+, -, *,): ");
         scanf("%c", &operator);
         printf("Enter two operands: ");
         scanf("%lf %lf",&firstNumber, &secondNumber);
     switch(operator)
     /*switch jumps on the case depending upon the value of operator inside switch*/
         case '+':
         printf("%.11f + %.11f = %.11f", firstNumber, secondNumber,
     firstNumber+secondNumber);
         break;
         case '-':
         printf("%.11f - %.11f = %.11f", firstNumber, secondNumber, firstNumber-
     secondNumber);
         break;
         case '*':
         printf("%.11f * %.11f = %.11f", firstNumber, secondNumber,
     firstNumber*secondNumber);
         break;
         case '/':
          printf("%.1lf / %.1lf = %.1lf", firstNumber, secondNumber, firstNumber/
     firstNumber);
```

```
break;
    default:
    printf("Error! operator is not correct");
}
getch();
    return 0;
}
Output

Enter an operator (+, -, *,): -
Enter two operands: 32.5
12.4
32.5 - 12.4 = 20.1
```

Fig. 6.15 Program illustrating simple calculator

6.8 The ? : Operator

The C language has an unusual operator, useful for making two-way decisions. This operator is a combination of ? and :, and takes three operands. This operator is popularly known as the *conditional operator*. The general form of use of the conditional operator is as follows:

Conditional expression ? expression1 : expression2

The *conditional expression* is evaluated first. If the result is nonzero, *expression1* is evaluated and is returned as the value of the conditional expression. Otherwise, *expression2* is evaluated and its value is returned. For example, the segment

```
if (x < 0)
  flag = 0;
else
  flag = 1;</pre>
```

can be written as

flag =
$$(x < 0)$$
 ? 0 : 1;

Consider the evaluation of the following function:

$$y = 1.5x + 3 \text{ for } x \le 2$$

 $y = 2x + 5 \text{ for } x > 2$

This can be evaluated using the conditional operator as follows:

```
y = (x > 2) ? (2 * x + 5) : (1.5 * x + 3);
```

The conditional operator may be nested for evaluating more complex assignment decisions. For example, consider the weekly salary of a salesgirl who is selling some domestic products. If x is the number of products sold in a week, her weekly salary is given by

salary =
$$\begin{cases} 4x + 100 & \text{for } x < 40 \\ 300 & \text{for } x = 40 \\ 4.5x + 150 & \text{for } x < 40 \end{cases}$$

This complex equation can be written as

```
salary = (x != 40) ? ((x < 40) ? (4*x+100) : (4.5*x+150) : 300;
The same can be evaluated using if...else statements as follows:
           if (x <= 40)
                 if (x < 40)
                    salary = 4 * x+100;
                 else
                    salary = 300;
           else
                    salary = 4.5 * x+150;
```

When the conditional operator is used, the code becomes more concise and perhaps, more efficient. However, the readability is poor. It is better to use if statements when more than a single nesting of conditional operator is required.

Example 6.10 An employee can apply for a loan at the beginning of every six months, but he will be sanctioned the amount according to the following company rules:

Rule 1: An employee cannot enjoy more than two loans at any point of time.

Rule 2: Maximum permissible total loan is limited and depends upon the category of the employee.

A program to process loan applications and to sanction loans is given in Fig. 6.16.

```
Program
  #define MAXLOAN 50000
 main()
     long int loan1, loan2, loan3, sancloan, sum23;
     printf("Enter the values of previous two loans:\n");
     scanf(" %ld %ld", &loan1, &loan2);
     printf("\nEnter the value of new loan:\n");
     scanf(" %ld", &loan3);
     sum23 = loan2 + loan3;
     sancloan = (loan1>0)? 0 : ((sum23>MAXLOAN)?
                     MAXLOAN - loan2 : loan3);
     printf("\n\n");
     printf("Previous loans pending:\n%ld %ld\n",loan1,loan2);
     printf("Loan requested = %ld\n", loan3);
     printf("Loan sanctioned = %ld\n", sancloan);
Output
     Enter the values of previous two loans:
     0 20000
     Enter the value of new loan:
     45000
     Previous loans pending:
     0 20000
```

```
Loan requested = 45000
Loan sanctioned = 30000
Enter the values of previous two loans:
1000 15000
Enter the value of new loan:
25000
Previous loans pending:
1000 15000
Loan requested = 25000
Loan sanctioned = 0
```

Fig. 6.16 Illustration of the conditional operator

The program uses the following variables:

loan3-present loan amount requestedloan2-previous loan amount pendingloan1-previous to previous loan pending

sum23 - sum of loan2 and loan3
sancloan - loan sanctioned

The rules for sanctioning new loan are:

- 1. loan1 should be zero.
- 2. loan2 + loan3 should not be more than MAXLOAN.

Note the use of **long int** type to declare variables.

Some Guidelines for Writing Multiway Selection Statements


Complex multiway selection statements require special attention. The readers should be able to understand the logic easily. Given below are guidelines that would help improve readability and facilitate maintenance.

- Avoid compound negative statements. Use positive statements wherever possible.
- Keep logical expressions simple. We can achieve this using nested if statements, if necessary (KISS Keep It Simple and Short).
- Try to code the normal/anticipated condition first.
- Use the most probable condition first. This will eliminate unnecessary tests, thus improving the efficiency of the program.
- The choice between the nested if and switch statements is a matter of individual's preference. A good rule of thumb is to use the switch when alternative paths are three to ten.
- Use proper indentations (See Rules for Indentation).
- Have the habit of using default clause in switch statements.
- Group the case labels that have similar actions.

6.9 The goto Statement

So far we have discussed ways of controlling the flow of execution based on certain specified conditions. Like many other languages, C supports the **goto** statement to branch unconditionally from one point to another in the program. Although it may not be essential to use the **goto** statement in a highly structured language like C, there may be occasions when the use of **goto** might be desirable.

The **goto** requires a *label* in order to identify the place where the branch is to be made. A *label* is any valid variable name, and must be followed by a colon. The label is placed immediately before the statement where the control is to be transferred. The general forms of **goto** and *label* statements are shown below:





Forward jump

Backward jump

The *label*: can be anywhere in the program either before or after the **goto** label; statement. During running of a program when a statement like

goto begin;

is met, the flow of control will jump to the statement immediately following the label **begin**:. This happens unconditionally.

Note that a **goto** breaks the normal sequential execution of the program. If the *label*: is before the statement goto label; a loop will be formed and some statements will be executed repeatedly. Such a jump is known as a backward jump. On the other hand, if the label: is placed after the **goto** label; some statements will be skipped and the jump is known as a *forward jump*.

A goto is often used at the end of a program to direct the control to go to the input statement, to read further data. Consider the following example:

```
main()
     double x, y;
     read:
     scanf("%f", &x);
     if (x < 0) goto read;
     y = sqrt(x);
     printf("%f %f\n", x, y);
     goto read;
```

This program is written to evaluate the square root of a series of numbers read from the terminal. The program uses two **goto** statements, one at the end, after printing the results to transfer the control back to the input statement and the other to skip any further computation when the number is negative.

Due to the unconditional goto statement at the end, the control is always transferred back to the input statement. In fact, this program puts the computer in a permanent loop known as an infinite loop. The computer goes round and round until we take some special steps to terminate the loop. Such infinite loops should be avoided. Example 6.11 illustrates how such infinite loops can be eliminated.

Example 6.11 Program presented in Fig. 6.17 illustrates the use of the goto statement. The program evaluates the square root for five numbers. The variable count keeps the count of numbers read. When count is less than or equal to 5, goto read; directs the control to the label read; otherwise, the program prints a message and stops.

```
Program
  #include <math.h>
 main()
        double x, y;
        int count;
        count = 1;
        printf("Enter FIVE real values in a LINE \n");
  read:
        scanf("%lf", &x);
        printf("\n");
        if (x < 0)
           printf("Value - %d is negative\n", count);
        else
        {
           y = sqrt(x);
           printf("%lf\t %lf\n", x, y);
        count = count + 1;
        if (count <= 5)
 goto read;
        printf("\nEnd of computation");
Output
 Enter FIVE real values in a LINE
 50.70 40 -36 75 11.25
 50.750000 7.123903
 40.000000
                 6.324555
 Value -3 is negative
 75.000000
                8.660254
 11.250000
                 3.354102
 End of computation
```

Fig. 6.17 Use of the **goto** statement

Another use of the **goto** statement is to transfer the control out of a loop (or nested loops) when certain peculiar conditions are encountered. Example:

```
if (---) goto end of program;
                                                Jumping
                                                out of
                                                loops
end of program:
```

We should try to avoid using **goto** as far as possible. But there is nothing wrong, if we use it to enhance the readability of the program or to improve the execution speed.

Example 6.12 Program presented in Fig. 6.18 calculates the sum and average of maximum of 5 numbers and if the user enters a negative number, the sum and average of previously entered positive number is displayed.

```
Program
     # include <stdio.h>
     int main()
         const int maxInput = 5;
         int i;
         double number, average, sum=0.0;
     clrscr();
     for(i=1; i<=maxInput; ++i)</pre>
         printf("%d. Enter a number: ", i);
         scanf("%lf", &number);
         if(number < 0.0)
         goto jump;
     /*goto statement jumps on jump if condition is true inside if statement*/
         sum += number;
         jump:
         average=sum/(i-1);
         printf("Sum = %.2f\n", sum);
         printf("Average = %.2f", average);
     getch();
     return 0;
Output
     1. Enter a number: 3
     2. Enter a number: 4.3
     3. Enter a number: 9.3
     4. Enter a number: -2.9
     Sum = 16.60
     Average= 5.53
```

Just Remember

- Be aware of dangling **else** statements.
- Be aware of any side effects in the control expression such as if(x++).
- Use braces to encapsulate the statements in **if** and **else** clauses of an if.... else statement.
- Check the use of =operator in place of the equal operator = =.
- Do not give any spaces between the two symbols of relational operators = =, !=, >= and <=.
- Writing !=, >= and <= operators like =!, => and =< is an error.
- Remember to use two ampersands (&&) and two bars (||) for logical operators. Use of single operators will result in logical errors.
- Do not forget to place parentheses for the if expression.
- It is an error to place a semicolon after the if expression.
- Do not use the equal operator to compare two floating-point values. They are seldom exactly equal.
- Do not forget to use a break statement when the cases in a switch statement are exclusive.
- Although it is optional, it is a good programming practice to use the default clause in a switch statement.
- It is an error to use a variable as the value in a case label of a switch statement. (Only integral constants are allowed.)
- Do not use the same constant in two case labels in a switch statement.
- Avoid using operands that have side effects in a logical binary expression such as (x—&&++y). The second operand may not be evaluated at all.
- Try to use simple logical expressions.

Review Questions

- 6.1 State whether the following are *true* or *false*:
 - (a) When **if** statements are nested, the last **else** gets associated with the nearest **if** without an **else**.
 - (b) One if can have more than one else clause.
 - (c) A **switch** statement can always be replaced by a series of **if..else** statements.
 - (d) A **switch** expression can be of any type.
 - (e) A program stops its execution when a **break** statement is encountered.
 - (f) Each expression in the **else if** must test the same variable.
 - (g) Any expression can be used for the **if** expression.
 - (h) Each case label can have only one statement.
 - (i) The **default** case is required in the **switch** statement.
 - (j) The predicate !($(x \ge 10) | (y = 5)$) is equivalent to (x < 10) & (y = 5).
- 6.2 Fill in the blanks in the following statements.
 - (a) The _____ operator is true only when both the operands are true.
 - (b) Multiway selection can be accomplished using an **else if** statement or the ______statement.

- (c) The ______ statement when executed in a switch statement causes immediate exit from the structure.
- (d) The ternary conditional expression using the operator ?: could be easily coded using _ statement.
- (e) The expression ! (x != y) can be replaced by the expression ______
- 6.3 Find errors, if any, in each of the following segments:

```
(a) if (x + y = z \&\& y > 0)
        printf(" ");
(b) if (code > 1);
        a = b + c
   else
        a = 0
(c) if (p < 0) \mid | (q < 0)
        printf (" sign is negative");
```

6.4 The following is a segment of a program:

```
x = 1;
v = 1;
if (n > 0)
   x = x + 1;
   y = y - 1;
printf(" %d %d", x, y);
```

What will be the values of x and y if n assumes a value of (a) 1 and (b) 0.

6.5 Rewrite each of the following without using compound relations:

```
(a) if (grade <= 59 && grade >= 50)
        second = second + 1;
(b) if (number > 100 || number < 0)
        printf(" Out of range");
   else
        sum = sum + number;
(c) if ((M1 > 60 \&\& M2 > 60) || T > 200)
        printf(" Admitted\n");
   else
        printf(" Not admitted\n");
```

6.6 Assuming x = 10, state whether the following logical expressions are true or false.

```
(a) x = 10 \&\& x > 10 \&\& !x
(b) x = 10 \mid x > 10 \&\& x
(c) x = 10 \&\& x > 10 | | ! x
(d) x = 10 \mid x > 10 \mid x > 10 \mid x > 10
```

6.7 Find errors, if any, in the following switch related statements. Assume that the variables x and y are of int type and x = 1 and y = 2

```
(a) switch (y);
(b) case 10;
```

$$(c)$$
 switch $(x + y)$

- (d) switch (x) {case 2: y = x + y; break};
- 6.8 Simplify the following compound logical expressions
 - (a) !(x <=10)
 - (b) !(x = = 10) | | ! ((y = = 5) | | (z < 0))
 - (c) ! ((x + y = z) & (z > 5)
 - (d) ! $(x \le 5) \& (y = 10) \& (z \le 5)$
- 6.9 Assuming that x = 5, y = 0, and z = 1 initially, what will be their values after executing the following code segments?

```
(a) if (x && y)
        x = 10;
   else
        y = 10;
(b) if (x | | y | | z)
        y = 10;
   else
        z = 0;
(c) if (x)
    if (y)
        z = 10;
   else
        z = 0;
(d) if (x = 0 | x \& y)
    if (!y)
        z = 0;
   else
        y = 1;
```

6.10 Assuming that x = 2, y = 1 and z = 0 initially, what will be their values after executing the following code segments?

```
(a) switch (x)
   {
        case 2:
               x = 1;
               y = x + 1;
        case 1:
               x = 0;
               break;
        default:
               x = 1;
               y = 0;
   }
(b) switch (y)
   {
        case 0:
               x = 0;
```

```
case 2:
                    x = 2;
                    z = 2;
             default:
                    x = 1;
                    y = 2;
6.11 Find the error, if any, in the following statements:
     (a) if (x > = 10) then
        printf ( "\n") ;
    (b) if x > = 10
        printf ( "OK" ) ;
     (c) if (x = 10)
        printf ("Good" ) ;
    (d) if (x = < 10)
        printf ("Welcome") ;
6.12 What is the output of the following program?
    main ( )
     {
          int m = 5;
          if (m < 3) printf("%d", m+1);
          else if (m < 5) printf("%d", m+2);
          else if(m < 7) printf("%d", m+3);
          else printf("%d", m+4);
    }
6.13 What is the output of the following program?
    main ()
     {
           int m = 1;
             if (m==1)
                    printf ( " Delhi " );
                    if (m == 2)
                    printf( "Chennai" ) ;
                    else
                    printf("Bangalore") ;
           else;
             printf(" END");
6.14 What is the output of the following program?
    main()
     {
          int m ;
```

y = 0;

```
for (m = 1; m < 5; m++)
                 printf(%d\n", (m%2) ? m : m*2);
6.15 What is the output of the following program?
    main()
            int m, n, p;
            for (m = 0; m < 3; m++)
            for (n = 0; n<3; n++)
            for (p = 0; p < 3;; p++)
            if (m + n + p == 2)
            goto print;
            print :
            printf("%d, %d, %d", m, n, p);
6.16 What will be the value of x when the following segment is executed?
        int x = 10, y = 15;
        x = (x < y)? (y+x) : (y-x);
6.17 What will be the output when the following segment is executed?
     int x = 0;
     if (x >= 0)
     if (x > 0)
    printf("Number is positive");
     printf("Number is negative");
6.18 What will be the output when the following segment is executed?
     char ch = 'a';
     switch (ch)
     {
            case 'a' :
            printf( "A" ) ;
            case 'b':
            Printf ("B");
            default :
            printf(" C ");
6.19 What will be the output of the following segment when executed?
     int x = 10, y = 20;
     if (x < y) \mid (x+5) > 10
     printf("%d", x);
     else
     printf("%d", y);
```

6.20 What will be output of the following segment when executed?

```
int a = 10, b = 5;
if (a > b)
```

```
{
         if(b > 5)
        printf("%d", b);
}
else
        printf("%d", a);
```

Programming Exercises



6.1 Write a program to determine whether a given number is 'odd' or 'even' and print the message NUMBER IS EVEN

or

NUMBER IS ODD

- (a) without using else option, and
- (b) with else option.
- 6.2 Write a program to find the number of and sum of all integers greater than 100 and less than 200 that are divisible by 7.
- 6.3 A set of two linear equations with two unknowns x1 and x2 is given below:

$$ax_1 + bx_2 = m$$
$$cx_1 + dx_2 = n$$

The set has a unique solution

$$x_1 = \frac{md - bn}{ad - cb}$$
$$x_2 = \frac{na - mc}{ad - cb}$$

provided the denominator ad – cb is not equal to zero.

Write a program that will read the values of constants a, b, c, d, m, and n and compute the values of x_1 and x_2 . An appropriate message should be printed if ad - cb = 0.

- 6.4 Given a list of marks ranging from 0 to 100, write a program to compute and print the number of students:
 - (a) who have obtained more than 80 marks,
 - (b) who have obtained more than 60 marks,
 - (c) who have obtained more than 40 marks,
 - (d) who have obtained 40 or less marks,
 - (e) in the range 81 to 100,
 - (f) in the range 61 to 80,
 - (g) in the range 41 to 60, and
 - (h) in the range 0 to 40.

The program should use a minimum number of **if** statements.

- 6.5 Admission to a professional course is subject to the following conditions:
 - (a) Marks in Mathematics ≥ 60
 - (b) Marks in Physics ≥ 50

- (c) Marks in Chemistry >= 40
- (d) Total in all three subjects >= 200

or

Total in Mathematics and Physics >= 150

Given the marks in the three subjects, write a program to process the applications to list the eligible candidates.

6.6 Write a program to print a two-dimensional Square Root Table as shown below, to provide the square root of any number from 0 to 9.9. For example, the value x will give the square root of 3.2 and y the square root of 3.9.

Square Root Table

Number	0.0	0.1	0.2	 0.9
0.0				
1.0				
2.0				
3.0			x	у
9.0				

6.7 Shown below is a Floyd's triangle.

1

2 3

456

78910

11 15

.

79 91

- (a) Write a program to print this triangle.
- (b) Modify the program to produce the following form of Floyd's triangle.

1

0 1

101

0 1 0 1

10101

6.8 A cloth showroom has announced the following seasonal discounts on purchase of items:

Purchase	Discount	
amount	Mill cloth	Handloom items
0 – 100	-	5%
101 – 200	5%	7.5%
201 – 300	7.5%	10.0%
Above 300	10.0%	15.0%

Write a program using switch and if statements to compute the net amount to be paid by a customer.

6.9 Write a program that will read the value of x and evaluate the following function

$$y = \begin{cases} 4x + 100 & \text{for } x < 40 \\ 300 & \text{for } x = 40 \\ 4.5x + 150 & \text{for } x < 40 \end{cases}$$

using

- (a) nested **if** statements,
- (b) else if statements, and
- (c) conditional operator?:
- 6.10 Write a program to compute the real roots of a quadratic equation

$$ax^{2} + bx + c = 0$$

The roots are given by the equations

$$x_{1} = -b + \frac{\sqrt{b^{2} - 4ac}}{2a}$$
$$x_{2} = -b - \frac{\sqrt{b^{2} - 4ac}}{2a}$$

The program should request for the values of the constants a, b and c and print the values of x₁ and x_2 . Use the following rules:

- (a) No solution, if both a and b are zero
- (b) There is only one root, if a = 0 (x = -c/b)
- (c) There are no real roots, if $b^2 4$ ac is negative
- (d) Otherwise, there are two real roots

Test your program with appropriate data so that all logical paths are working as per your design. Incorporate appropriate output messages.

- 6.11 Write a program to read three integer values from the keyboard and displays the output stating that they are the sides of right-angled triangle.
- 6.12 An electricity board charges the following rates for the use of electricity:

For the first 200 units: 80 P per unit For the next 100 units: 90 P per unit Beyond 300 units: Rs 1.00 per unit

All users are charged a minimum of Rs. 100 as meter charge. If the total amount is more than Rs. 400, then an additional surcharge of 15% of total amount is charged.

Write a program to read the names of users and number of units consumed and print out the charges with names.

- 6.13 Write a program to compute and display the sum of all integers that are divisible by 6 but not divisible by 4 and lie between 0 and 100. The program should also count and display the number of such values.
- 6.14 Write an interactive program that could read a positive integer number and decide whether the number is a prime number and display the output accordingly.

Modify the program to count all the prime numbers that lie between 100 and 200.

Note A prime number is a positive integer that is divisible only by 1 or by itself.

- 6.15 Write a program to read a double-type value x that represents angle in radians and a charactertype variable T that represents the type of trigonometric function and display the value of
 - (a) sin(x), if s or S is assigned to T,
 - (b) cos (x), if c or C is assigned to T, and
 - (c) tan (x), if t or T is assigned to T
 - using (i) **if.....else** statement and (ii) **switch** statement.

Debugging Exercises

6.1 Identify the error in the following program, if any:

```
#include <stdio.h>
#include <conio.h>
void main()
 int g=4;
 clrscr();
 if(q==5)
 getch();
```

6.2 Identify the error in the following program, if any:

```
#include <stdio.h>
#include <comio.h>
void main()
 int year;
 clrscr();
 printf("\nEnter the year value: ");
 scanf("%d",&year);/*Reading the year value*/
 if(year%4==0);/*Determining whether year is a multiple of 4*/
  printf("\n\n%d is a leap year", year);
  printf("\n%d is not a leap year", year);
 getch();
```

6.3 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
  long int num1, num2;
  int temp, d1=0, d2=0, d3=0, d4=0, d5=0, d6=0, d7=0, d8=0, d9=0, d0=0;
  printf("\nEnter the number:");
  scanf("%d", &num1);
 num2=num1;
  while (num1!=0)
    temp=num1%10;
      switch (temp) /*Using the switch-case decision making construct*/
       default:
           ; /*Do-nothing*/
        case 1:
        d1++; /*Counting number of Ones*/
       break;
        case 2:
        d2++; /*Counting number of Twos*/
       break;
        case 3:
        d3++; /*Counting number of Threes*/
        break;
        case 4:
        d4++; /*Counting number of Fours*/
        break;
        case 5:
        d5++; /*Counting number of Fives*/
        break;
        case 0:
        d0++; /*Counting number of Zeros*/
        break;
        case 6:
        d6++; /*Counting number of Sixes*/
        break;
        case 7:
        d7++; /*Counting number of Sevens*/
        break;
        case 8:
        d8++; /*Counting number of Eights*/
        break;
        case 9:
```

```
d9++; /*Counting number of Nines*/
break;

}
num1=num1/10;
}
/*Displaying the frequency of individual digits in a number*/
printf("\nThe no of 0s in %ld are %d",num2,d0);
printf("\nThe no of 1s in %ld are %d",num2,d1);
printf("\nThe no of 2s in %ld are %d",num2,d2);
printf("\nThe no of 3s in %ld are %d",num2,d3);
printf("\nThe no of 4s in %ld are %d",num2,d4);
printf("\nThe no of 5s in %ld are %d",num2,d5);
printf("\nThe no of 6s in %ld are %d",num2,d6);
printf("\nThe no of 7s in %ld are %d",num2,d7);
printf("\nThe no of 8s in %ld are %d",num2,d8);
printf("\nThe no of 9s in %ld are %d",num2,d9);
}
```

6.4 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
{
  int g=4;
  if(g==5)
   goto label;

getch();
}
label:
/*do nothing*/
```

6.5 Identify the error in the following program, if any:

```
include <stdio.h>

void main()
{
  int g=4;
  int h=7;
  int k;
  k
  -
```

```
g
 >
 h
 ?
 1
 2
printf("%d",k);
}
```

Multiple Choice Questions

1. What will the output of the following program be?

```
#include <stdio.h>
int main()
  int a=4;
  float b=4.0;
   if(a==b)
   printf("a and b are equal");
   printf("a and b are not equal");
```

(a) a and b are equal

(b) a and b are not equal

(c) a and b are same

- 2. What will the output of the following code be?

```
#include <stdio.h>
int main()
   Int a=50, b=100;
   If (a==b)
       Printf("%d,%d",a,b);
       return 0;
}
```

(a) 50,100

(b) Garbage value

(c) Raise an error

- (d) Will print nothing
- 3. Which of the following is an invalid if-else statement?
 - (a) if (if (a == 1)) {}

(b) if (func1 (a)){}

(c) if (a){}

- (d) if ((char) a) {}
- 4. What will the output of the following code be?

```
#include <stdio.h>
    int main()
```

```
int x = 1;
    if(x)
         printf("Hello C ");
         printf("It is fun\n");
    else
         printf("Hi!\n");
}
```

(a) Hello C It is fun

(b) It is fun Hi!

(c) Hi!

- (d) Will give compile time error during compilation
- 5. Which of the following data types can a controlling statement of a SWITCH statement not be?
 - (a) int

(b) float

(c) char

- (d) short
- 6. Identify the type with which CONTINUE statement cannot be used?
 - (a) do

(b) for

(c) while

- (d) switch
- 7. What will be the output of the following code?

```
User enters 10 as input.
#include <stdio.h>
    void main()
    {
        int ch;
        printf("enter a value btw 10to 20:");
        scanf("%d", &ch);
        switch (ch, ch + 1)
        case 1:
            printf("1\n");
            break;
        case 2:
            printf("2");
            break;
        }
    }
                               (b) 11
```

- (a) 10
- (c) 12

- (d) Run time error
- 8. Which of the statements hold true in case of SWITCH statements?
 - (a) Default statement should mandatorily be present in all SWITCH case programs.
 - (b) Default statement gets executed when the value of the expression matches with the first case value.
 - (c) Default statement gets executed when the value of the expression matches with the last case
 - (d) Default statement gets executed if the value of the expression does not match with any of the case values.
- 9. How many operands does the conditional operator (?:) takes?

(a) One

(b) Two

(c) Three

- (d) Four
- 10. Identify the correct general form of the conditional operator.
 - (a) Conditional expression? expression1: expression2
 - (b) Conditional expression: expression1? expression2
 - (c) expression1: expression2? Conditional expression
 - (d) expression1 ? expression2 : Conditional expression
- 11. What will the output of the following code be?

```
#include <stdio.h>
  int main()
{
      printf("%d ", 28);
      goto 11;
      printf("%d ", 29);
      11:goto 12;
      printf("%d ", 30);
      12:printf("%d ", 31);
```

(a) 28 29 30

(b) 28 29 31

(c) 28 31

(d) Compilation error

Answers

- 1. (a)
- 2. (d) 7. (b)
- 3. (a)
- 4. (d)
- 5. (b)

6. (d) 11. (c)

- 8. (d)
- 9. (c)
- 10. (a)

7.1 Introduction

We have seen in the previous chapter that it is possible to execute a segment of a program repeatedly by introducing a counter and later testing it using the **if** statement. While this method is quite satisfactory for all practical purposes, we need to initialize and increment a counter and test its value at an appropriate place in the program for the completion of the loop. For example, suppose we want to calculate the sum of squares of all integers between 1 and 10, we can write a program using the **if** statement as follows:

This program does the following things:

- 1. Initializes the variable **n**.
- 2. Computes the square of **n** and adds it to **sum**.

- 3. Tests the value of **n** to see whether it is equal to 10 or not. If it is equal to 10, then the program prints the results.
- 4. If **n** is less than 10, then it is incremented by one and the control goes back to compute the **sum** again.

The program evaluates the statement

$$sum = sum + n*n;$$

10 times. That is, the loop is executed 10 times. This number can be increased or decreased easily by modifying the relational expression appropriately in the statement **if** (n == 10). On such occasions where the exact number of repetitions are known, there are more convenient methods of looping in C. These looping capabilities enable us to develop concise programs containing repetitive processes without the use of **goto** statements.

In looping, a sequence of statements are executed until some conditions for termination of the loop are satisfied. A *program loop* therefore consists of two segments, one known as the *body of the loop* and the other known as the *control statement*. The control statement tests certain conditions and then directs the repeated execution of the statements contained in the body of the loop.

Depending on the position of the control statement in the loop, a control structure may be classified either as the *entry-controlled loop* or as the *exit-controlled loop*. The flow charts in Fig. 7.1 illustrate these structures. In the entry-controlled loop, the control conditions are tested before the start of the loop execution. If the conditions are not satisfied, then the body of the loop will not be executed. In the case of an exit-controlled loop, the test is performed at the end of the body of the loop and therefore the body is executed unconditionally for the first time. The entry-controlled and exit-controlled loops are also known as *pre-test* and *post-test* loops respectively.




Fig. 7.1 Loop control structures

The test conditions should be carefully stated in order to perform the desired number of loop executions. It is assumed that the test condition will eventually transfer the control out of the loop. In case, due to some reason it does not do so, the control sets up an infinite loop and the body is executed over and over again.

A looping process, in general, would include the following four steps:

- 1. Setting and initialization of a condition variable.
- 2. Execution of the statements in the loop.
- 3. Test for a specified value of the condition variable for execution of the loop.
- 4. Incrementing or updating the condition variable.

The test may be either to determine whether the loop has been repeated the specified number of times or to determine whether a particular condition has been met.

The C language provides for three *constructs* for performing *loop* operations. They are:

- 1. The **while** statement.
- 2. The **do** statement.
- 3. The **for** statement.

We shall discuss the features and applications of each of these statements in this chapter.

Sentinel Loops

Based on the nature of control variable and the kind of value assigned to it for testing the control expression, the loops may be classified into two general categories:

- 1. Counter-controlled loops
- 2. Sentinel-controlled loops

When we know in advance exactly how many times the loop will be executed, we use a countercontrolled loop. We use a control variable known as counter. The counter must be initialized, tested and updated properly for the desired loop operations. The number of times we want to execute the loop may be a constant or a variable that is assigned a value. A counter-controlled loop is sometimes called definite repetition loop.

In a sentinel-controlled loop, a special value called a sentinel value is used to change the loop control expression from true to false. For example, when reading data we may indicate the "end of data" by a special value, like -1 and 999. The control variable is called sentinel variable. A sentinel-controlled loop is often called *indefinite repetition loop* because the number of repetitions is not known before the loop begins executing.

The while Statement

The simplest of all the looping structures in C is the while statement. We have used while in many of our earlier programs. The basic format of the while statement is

```
while (test condition)
   body of the loop
}
```

The **while** is an *entry-controlled* loop statement. The *test-condition* is evaluated and if the condition is *true*, then the body of the loop is executed. After execution of the body, the test-condition is once again evaluated and if it is true, the body is executed once again. This process of repeated execution of the body continues until the test-condition finally becomes *false* and the control is transferred out of the loop. On exit, the program continues with the statement immediately after the body of the loop.

The body of the loop may have one or more statements. The braces are needed only if the body contains two or more statements. However, it is a good practice to use braces even if the body has only one statement.

We can rewrite the program loop discussed in Section 7.1 as follows:

The body of the loop is executed 10 times for n = 1, 2,, 10, each time adding the square of the value of n, which is incremented inside the loop. The test condition may also be written as n < 11; the result would be the same. This is a typical example of counter-controlled loops. The variable n is called *counter* or *control variable*.

Another example of while statement, which uses the keyboard input is shown below:

First the **character** is initialized to ". The **while** statement then begins by testing whether **character** is not equal to Y. Since the **character** was initialized to ", the test is true and the loop statement

```
character = getchar();
```

is executed. Each time a letter is keyed in, the test is carried out and the loop statement is executed until the letter Y is pressed. When Y is pressed, the condition becomes false because **character** equals Y, and the loop terminates, thus transferring the control to the statement xxxxxxx;. This is a typical example of sentinel-controlled loops. The character constant 'y' is called *sentinel* value and the variable **character** is the condition variable, which often referred to as the *sentinel variable*.

Example 7.1 Write a program which accepts a positive number from the user and displays "Hello" message and reduce input by 1 every time until user input is equal to 1.

```
Program
     #include <stdio.h>
     int main()
         int i;
     clrscr();
         printf("Enter a positive number:");
         scanf("%d",&i);
         while (i > 0)
        /*while loop executes until condition becomes false*/
            printf("Hello\n");
            i = i -1;
            if(i == 1)
               break;
     getch();
        return 0;
Output
     Enter a positive number: 6
     Hello
     Hello
     Hello
     Hello
     Hello
```

Fig. 7.2 Program displaying Hello Message

Example 7.2 A program to evaluate the equation

```
y = x^n
when n is a non-negative integer, is given in Fig. 7.3.
```

The variable v is initialized to 1 and then multiplied by x, n times using the while loop. The loop control variable count is initialized outside the loop and incremented inside the loop. When the value of **count** becomes greater than **n**, the control exists the loop.

```
Program
     main()
        int count, n;
        float x, y;
        printf("Enter the values of x and n : ");
        scanf("%f %d", &x, &n);
        y = 1.0;
        count = 1;
                                   /*Initialisation*/
```

```
/*LOOP BEGINs*/
     while (count <= n)
                              /*Testing*/
        y = y * x;
        count++;
                              /*Incrementing*/
     /*END OF LOOP*/
     printf("\nx = %f; n = %d; x to power n = %f\n", x, n, y);
Output
     Enter the values of x and n: 2.5 4
     x = 2.500000; n = 4; x to power n = 39.062500
     Enter the values of x and n: 0.5 4
     x = 0.500000; n = 4; x to power n = 0.062500
```

Fig. 7.3 Program to compute x to the power n using **while** loop

The do Statement **7.3 ∥**

The while loop construct that we have discussed in the previous section, makes a test of condition before the loop is executed. Therefore, the body of the loop may not be executed at all if the condition is not satisfied at the very first attempt. On some occasions it might be necessary to execute the body of the loop before the test is performed. Such situations can be handled with the help of the **do** statement. This takes the form:

```
do
{
   body of the loop
while (test-condition);
```

On reaching the **do** statement, the program proceeds to evaluate the body of the loop first. At the end of the loop, the test-condition in the while statement is evaluated. If the condition is true, the program continues to evaluate the body of the *loop* once again. This process continues as long as the *condition* is true. When the condition becomes false, the loop will be terminated and the control goes to the statement that appears immediately after the while statement.

Since the *test-condition* is evaluated at the bottom of the loop, the **do...while** construct provides an exit-controlled loop and therefore the body of the loop is always executed at least once.

A simple example of a **do...while** loop is:

```
do
              printf ("Input a number\n");
              number = getnum ();
loop
         while (number > 0);
```

This segment of a program reads a number from the keyboard until a zero or a negative number is keyed in, and assigned to the sentinel variable number.

The test conditions may have compound relations as well. For instance, the statement

```
while (number > 0 && number < 100);
```

in the above example would cause the loop to be executed as long as the number keyed in lies between 0 and 100.

Consider another example:

```
I = 1;
                                 /*Initializing*/
sum = 0;
do
sum = sum + I;
                                /*Incrementing*/
while (sum < 40 || I < 10); /*Testing*/</pre>
printf ("%d %d\n", I, sum);
```

The loop will be executed as long as one of the two relations is true.

Example 7.3 Write a program to add numbers until user enters zero using do statement.

```
Program
     #include <stdio.h>
     int main()
         double number, sum = 0;
     clrscr();
         // loop body is executed at least once
        /*although condition is false inside while, do statement executes at least
     once*/
              printf("Enter a number:");
              scanf("%lf", &number);
              sum += number;
         while (number != 0.0);
         printf("Sum = %.21f", sum);
     getch();
         return 0;
     }
```

7.8 Computer Programming and Utilization

```
Output
    Enter a number: 1
    Enter a number: 2
    Enter a number: 3
    Enter a number: 4
    Enter a number: 5
    Enter a number: 6
    Enter a number: 7
    Enter a number: 8
    Enter a number: 9
    Enter a number: 10
    Enter a number: 0
    Sum = 55
```

Fig. 7.4 Program to add numbers

Example 7.4 A program to print the multiplication table from 1×1 to 12×10 as shown below is given in Fig. 7.3.

```
2
1
                     3
                                4
                                                        10
2
                                8
           4
                     6
                                                        20
                                            .....
3
                     9
                                12
          6
                                                        30
                                            .....
4
                                                        40
                                            . . . . . .
12
                                                        120
```

This program contains two **do.... while** loops in nested form. The outer loop is controlled by the variable row and executed 12 times. The inner loop is controlled by the variable column and is executed 10 times, each time the outer loop is executed. That is, the inner loop is executed a total of 120 times, each time printing a value in the table.

```
printf("%4d", y);
                    column = column + 1;
          while (column <= COLMAX); /*...INNER LOOP ENDS...*/
          printf("\n");
          row = row + 1;
      while (row <= ROWMAX);/*.... OUTER LOOP ENDS .....*/
Output
                 MULTIPLICATION TABLE
   1
          2.
                 3
                        4
                               5
                                      6
                                             7
                                                       8
                                                              9
                                                                     10
   2.
                        8
                               10
                                      12
                                             14
                                                       16
                                                              18
          4
                 6
                                                                      2.0
   3
          6
                 9
                        12
                              15
                                     18
                                            21
                                                       24
                                                              27
                                                                      30
                        16
                               20
                                      24
                                             28
                                                       32
                                                              36
   4
          8
                 12
                                                                      40
   5
          10
                15
                        20
                               25
                                     30
                                            35
                                                       40
                                                              45
                                                                     50
          12
                        24
                                     36
                                            42
                                                       48
                                                              54
   6
                18
                              30
                                                                      60
   7
          14
                 21
                        28
                               35
                                      42
                                            49
                                                       56
                                                              63
                                                                     70
   8
          16
                 24
                        32
                               40
                                      48
                                            56
                                                       64
                                                              72
                                                                     80
   9
          18
                 27
                        36
                               45
                                      54
                                                       72
                                                                      90
                                             63
                                                              81
   10
          20
                 30
                        40
                               50
                                      60
                                            70
                                                       80
                                                              90
                                                                     100
   11
          2.2
                 33
                        44
                               55
                                      66
                                             77
                                                       88
                                                              99
                                                                     110
   12
          24
                 36
                        48
                               60
                                      72
                                                       96
                                                              108
                                                                     120
                                             84
```

Fig. 7.5 Printing of a multiplication table using do...while loop

Notice that the **printf** of the inner loop does not contain any new line character (\n). This allows the printing of all row values in one line. The empty **printf** in the outer loop initiates a new line to print the next row.

The for Statement

Simple 'for' Loops 7.4.1

The for loop is another *entry-controlled* loop that provides a more concise loop control structure. The general form of the for loop is

```
for ( initialization ; test-condition ; increment)
      body of the loop
```

The execution of the **for** statement is as follows:

- 1. Initialization of the control variables is done first, using assignment statements such as i = 1 and count = 0. The variables i and **count** are known as loop-control variables.
- 2. The value of the control variable is tested using the test-condition. The test-condition is a relational expression, such as i < 10 that determines when the loop will exit. If the condition

- is *true*, the body of the loop is executed; otherwise the loop is terminated and the execution continues with the statement that immediately follows the loop.
- 3 . When the body of the loop is executed, the control is transferred back to the **for** statement after evaluating the last statement in the loop. Now, the control variable is *incremented* using an assignment statement such as i=i+1 and the new value of the control variable is again tested to see whether it satisfies the loop condition. If the condition is satisfied, the body of the loop is again executed. This process continues till the value of the control variable fails to satisfy the test-condition.

Note

C99 enhances the for loop by allowing declaration of variables in the initialization portion.

Consider the following segment of a program:

```
for ( x = 0 ; x <= 9 ; x = x+1)

loop

{
    printf("%d", x);
}
    printf("\n");
```

This **for** loop is executed 10 times and prints the digits 0 to 9 in one line. The three sections enclosed within parentheses must be separated by semicolons. Note that there is no semicolon at the end of the *increment* section, x = x+1.

The **for** statement allows for *negative increments*. For example, the loop discussed above can be written as follows:

```
for ( x = 9 ; x >= 0 ; x = x-1 )
    printf("%d", x);
printf("\n");
```

This loop is also executed 10 times, but the output would be from 9 to 0 instead of 0 to 9. Note that braces are optional when the body of the loop contains only one statement.

Since the conditional test is always performed at the beginning of the loop, the body of the loop may not be executed at all, if the condition fails at the start. For example,

```
for (x = 9; x < 9; x = x-1)
printf("%d", x);
```

will never be executed because the test condition fails at the very beginning itself.

Let us again consider the problem of sum of squares of integers discussed in Section 7.1. This problem can be coded using the **for** statement as follows:

```
sum = 0;
for (n = 1; n <= 10; n = n+1)
{
     sum = sum+ n*n;
}
printf("sum = %d\n", sum);
-------</pre>
```

The body of the loop

```
sum = sum + n*n;
```

is executed 10 times for n = 1, 2,, 10 each time incrementing the sum by the square of the value of n.

One of the important points about the **for** loop is that all the three actions, namely *initialization*, testing, and incrementing, are placed in the for statement itself, thus making them visible to the programmers and users, in one place. The for statement and its equivalent of while and do statements are shown in Table 7.1.

Table 7.1 Comparison of the Three Loops

```
for
                                                while
                                                                               do
                                               n = 1:
for (n=1; n<=10; ++n)
                                                                              n = 1:
                                               while (n<=10)
                                                                              do
                                                        n = n+1;
                                                                                        n = n+1:
                                                                              while(n<=10);
```

Example 7.5 The program in Fig. 7.6 uses a for loop to print the "Powers of 2" table for the power 0 to 20, both positive and negative.

The program evaluates the value

$$p = 2^n$$

successively by multiplying 2 by itself n times.

$$q = 2^{-n} = \frac{1}{p}$$

Note that we have declared **p** as a *long int* and **q** as a **double**.

Additional Features of for Loop 7.4.2

The for loop in C has several capabilities that are not found in other loop constructs. For example, more than one variable can be initialized at a time in the for statement. The statements

```
p = 1;
for (n=0; n<17; ++n)
```

can be rewritten as

for
$$(p=1, n=0; n<17; ++n)$$

```
Program
     main()
         long int p;
         int n;
         double q;
```

```
printf("-----
      printf(" 2 to power n n 2 to power -n\n");
                                  ----\n");
      printf("-----
      p = 1;
      for (n = 0; n < 21; ++n) /*LOOP BEGINS*/
         if (n == 0)
           p = 1;
         else
           p = p * 2;
         q = 1.0/(double)p;
         printf("%10ld %10d %20.12lf\n", p, n, q);
                                      /*LOOP ENDS*/
      printf("----\n");
Output
         2 to power n n 2 to power -n
           1
                      0
                              1.0000000000000
            2
                      1
                              0.500000000000
           4
                      2
                              0.250000000000
           8
                      3
                              0.125000000000
           16
                       4
                              0.062500000000
           32
                      5
                              0.031250000000
           64
                      6
                              0.015625000000
                       7
          128
                              0.007812500000
          256
                      8
                              0.003906250000
          512
                      9
                               0.001953125000
         1024
                      10
                               0.000976562500
         2048
                      11
                              0.000488281250
         4096
                      12
                               0.000244140625
         8192
                      13
                               0.000122070313
                      14
        16384
                              0.000061035156
        32768
                      15
                               0.000030517578
        65536
                      16
                               0.000015258789
                      17
                              0.000007629395
       131072
       262144
                      18
                               0.000003814697
       524288
                      19
                               0.000001907349
       1048576
                      2.0
                               0.000000953674
```

Fig. 7.6 Program to print 'Power of 2' table using for loop

Note that the initialization section has two parts $\mathbf{p} = 1$ and $\mathbf{n} = 1$ separated by a *comma*.

Like the initialization section, the increment section may also have more than one part. For example, the loop

```
for (n=1, m=50; n<=m; n=n+1, m=m-1)
{
      p = m/n;
      printf("%d %d %d\n", n, m, p);
```

is perfectly valid. The multiple arguments in the increment section are separated by commas.

The third feature is that the test-condition may have any compound relation and the testing need not be limited only to the loop control variable.

Consider the example given as follows:

```
sum = 0;
for (i = 1; i < 20 \&\& sum < 100; ++i)
{
       sum = sum + i:
      printf("%d %d\n", i, sum);
}
```

The loop uses a compound test condition with the counter variable i and sentinel variable sum. The loop is executed as long as both the conditions i ≤ 20 and sum ≤ 100 are true. The sum is evaluated inside the loop.

It is also permissible to use expressions in the assignment statements of initialization and increment sections. For example, a statement of the type

```
for (x = (m+n)/2; x > 0; x = x/2)
```

is perfectly valid.

Another unique aspect of for loop is that one or more sections can be omitted, if necessary, Consider the following statements:

```
m = 5;
for ( ; m != 100 ; )
      printf("%d\n", m);
      m = m+5;
}
```

Both the initialization and increment sections are omitted in the for statement. The initialization has been done before the for statement and the control variable is incremented inside the loop. In such cases, the sections are left 'blank'. However, the semicolons separating the sections must remain. If the test-condition is not present, the **for** statement sets up an 'infinite' loop. Such loops can be broken using break or goto statements in the loop.

We can set up *time delay loops* using the null statement as follows:

```
for(j = 1000; j > 0; j = j-1)
```

This loop is executed 1000 times without producing any output; it simply causes a time delay. Notice that the body of the loop contains only a semicolon, known as a null statement. This can also be written as

```
for (j=1000; j > 0; j = j-1)
```

This implies that the C compiler will not give an error message if we place a semicolon by mistake at the end of a **for** statement. The semicolon will be considered as a *null statement* and the program may produce some nonsense.

7.4.3 Nesting of for Loops

Nesting of loops, that is, one **for** statement within another **for** statement, is allowed in C. For example, two loops can be nested as follows:

```
for (i = 1; i < 10; ++i)

{
------

for (j = 1; j != 5; ++j)

{
------

loop

loop

loop
```

The nesting may continue up to any desired level. The loops should be properly indented so as to enable the reader to easily determine which statements are contained within each **for** statement. (ANSI C allows up to 15 levels of nesting. However, some compilers permit more.)

The program to print the multiplication table discussed in Example 7.4 can be written more concisely using nested for statements as follows:

```
for (row = 1; row <= ROWMAX ; ++row)
}
    for (column = 1; column <= COLMAX ; ++column)
}
    y = row * column;
    printf("%4d", y);
}
printf("( *** F A I L *** )\n\n");
}</pre>
```

The outer loop controls the rows while the inner loop controls the columns.

Example 7.6 A class of **n** students take an annual examination in **m** subjects. A program to read the marks obtained by each student in various subjects and to compute and print the total marks obtained by each of them is given in Fig. 7.7.

The program uses two for loops, one for controlling the number of students and the other for controlling the number of subjects. Since both the number of students and the number of subjects are requested by the program, the program may be used for a class of any size and any number of subjects.

The outer loop includes three parts:

- (1) reading of roll-numbers of students, one after another;
- (2) inner loop, where the marks are read and totalled for each student; and
- (3) printing of total marks and declaration of grades.

```
Program
     #define FIRST 360
     #define SECOND 240
     main()
           int n, m, i, j,
              roll number, marks, total;
           printf("Enter number of students and subjects\n");
           scanf("%d %d", &n, &m);
           printf("\n");
           for (i = 1; i \le n; ++i)
              printf("Enter roll number: ");
              scanf("%d", &roll number);
              total = 0;
              printf("\nEnter marks of %d subjects for ROLL NO %d\n",
                        m, roll number);
              for (j = 1; j \le m; j++)
                 scanf("%d", &marks);
                 total = total + marks;
              printf("TOTAL MARKS = %d ", total);
              if (total >= FIRST)
                  printf("( First Division )\n\n");
              else if (total >= SECOND)
                     printf("( Second Division )\n\n");
                  else
                     printf("( *** F A I L *** )\n\n");
Output
     Enter number of students and subjects
     Enter roll number: 8701
     Enter marks of 6 subjects for ROLL NO 8701
     81 75 83 45 61 59
     TOTAL MARKS = 404 ( First Division )
     Enter roll number: 8702
```

7.16 Computer Programming and Utilization

```
Enter marks of 6 subjects for ROLL NO 8702
51 49 55 47 65 41
TOTAL MARKS = 308 ( Second Division )
Enter roll_number : 8704
Enter marks of 6 subjects for ROLL NO 8704
40 19 31 47 39 25
TOTAL MARKS = 201 ( *** F A I L *** )
```

Fig. 7.7 Illustration of nested for loops

Selecting a Loop

Given a problem, the programmer's first concern is to decide the type of loop structure to be used. To choose one of the three loop supported by C, we may use the following strategy:

- Analyse the problem and see whether it required a pre-test or post-test loop.
- If it requires a post-test loop, then we can use only one loop, do while.
- If it requires a pre-test loop, then we have two choices: for and while.
- Decide whether the loop termination requires counter-based control or sentinel-based control.
- Use **for** loop if the counter-based control is necessary.
- Use while loop if the sentinel-based control is required.
- Note that both the counter-controlled and sentinel-controlled loops can be implemented by all the three control structures.

Example 7.7 Write a program that displays the following pattern using for loop. The number of rows should be entered by the user.

```
#include <stdio.h>
  int main()
{
    int rows, coef = 1, space, i, j;
    clrscr();
      printf("Enter number of rows: ");
      scanf("%d",&rows);
      for(i=0; i<rows; i++)

/*for loop executes until condition 'i<rows' inside for loop becomes false*/
      for(space=1; space <= rows-i; space++)
            printf(" ");
            for(j=0; j <= i; j++)</pre>
```

```
if (j==0 || i==0)
              coef = 1;
              else
              coef = coef*(i-j+1)/j;
              printf("%4d", coef);
           printf("\n");
    getch();
      return 0;
Output
    Enter number of rows: 6
                1
              1 1
            1 2 1
           1 3 3 1
          1 4 6 4 1
        1 5 10 10 5 1
```

Fig. 7.8 Program to display pattern

7.4.4 Programs on Pattern Generation

```
Example 7.8 Write a program that reads a value n and generates the following pattern:
```

```
1
12
123
1234
12345
1234
123
12
Here n = 5.
```

7.18

```
Program
     #include <stdio.h>
     #include <conio.h>
     void main ()
     {
        int n, i, j, k;
        clrscr();
        printf("Enter the value of n: ");
        scanf("%d",&n);
        for (i=1; i \le (2*n-1); i++)
            if(i < n)
            j=i;
            else
             j=n-(i%n);
            for (k=1; k \le j; k++)
            printf("%d",k);
        printf("\n");
      getch();
Output
     Enter the value of n: 10
     1
     12
     123
     1234
     12345
     123456
     1234567
     12345678
     123456789
     12345678910
     123456789
     12345678
     1234567
     123456
     12345
     1234
     123
     12
     1
```

Example 7.9 Write a program that reads a value n and generates the following pattern:

```
55555
4444
333
22
1
22
333
4444
55555
Here n = 5.
```

```
Program
     #include <stdio.h>
     #include <comio.h>
     void main ()
     int n,i,j,k;
      clrscr();
      printf("Enter the value of n: ");
      scanf("%d",&n);
      printf("\n");
      for (i=1; i \le (2*n-1); i++)
     if(i < n)
     j=n-i+1;
     else
     j=(i%n)+1;
     for (k=1; k<=j; k++)
     printf("%d",j);
     printf("\n");
    }
   getch();
Output
     Enter the value of n: 8
     8888888
     777777
     666666
     55555
```

7.20 Computer Programming and Utilization

```
4444
333
22
1
22
333
4444
55555
666666
7777777
88888888
```

Fig. 7.10 Program to read a value and generate a pattern

Example 7.10 Write a program that reads a value n and generates the following pattern:

```
1
123
12345
1234567
123456789
Here n = 5.
```

```
Program
    #include <stdio.h>
    #include <conio.h>

void main ()
{
    int n,i,j;
    clrscr();

    printf("Enter the value of n: ");
    scanf("%d",&n);

    printf("\n");
    for(i=1;i<=n;i++)
    {
        for(j=0;j<=(n-i);j++)
            printf(" ");

        for(j=1;j<=(2*i-1);j++)
            printf( "%d ",j);

        printf("\n");
    }
}</pre>
```

```
getch();
Output
     Enter the value of n: 5
               1
             1 2 3
           1 2 3 4 5
         1 2 3 4 5 6 7
       1 2 3 4 5 6 7 8 9
```

Fig. 7.11 Program to read a value and generate a pattern

Example 7.11 Write a program that reads a value n and generates the following pattern:

```
1
  121
 12321
  121
Here n = 5.
```

```
Program
     #include <stdio.h>
     #include <comio.h>
     void main ()
      int n, i, j, k;
      clrscr();
      printf("Enter the value of n: ");
      scanf("%d",&n);
      printf("\n");
      for(i=1;i<=n;i++)
       if(i < (n/2) + 1)
        j=i;
       else
        j=n-i+1;
       for (k=0; k \le n-j; k++)
        printf(" ");
       for (k=1; k < j; k++)
        printf("%d",k);
```

```
for (k=j; k>=1; k--)
         printf("%d",k);
        printf("\n");
       getch();
Output
     Enter the value of n:9
                1
              121
             12321
            1234321
           123454321
            1234321
             12321
               121
                1
     Enter the value of n:8
              1
             121
            12321
           1234321
           1234321
            12321
              121
              1
```

Fig. 7.12 Program to read a value and generate a pattern

7.5 Jumps in Loops

Loops perform a set of operations repeatedly until the control variable fails to satisfy the test-condition. The number of times a loop is repeated is decided in advance and the test condition is written to achieve this. Sometimes, when executing a loop it becomes desirable to skip a part of the loop or to leave the loop as soon as a certain condition occurs. For example, consider the case of searching for a particular name in a list containing, say, 100 names. A program loop written for reading and testing the names 100 times must be terminated as soon as the desired name is found. C permits a *jump* from one statement to another within a loop as well as a *jump* out of a loop.

7.5.1 Jumping Out of a Loop

An early exit from a loop can be accomplished by using the break statement or the goto statement. We have already seen the use of the **break** in the **switch** statement and the **goto** in the **if...else** construct. These statements can also be used within **while**, **do**, or **for** loops. They are illustrated in Fig. 7.13 and Fig. 7.14.




Fig. 7.13 Exiting a loop with break statement




Fig. 7.14 Jumping within and exiting from the loops with **goto** statement

When a break statement is encountered inside a loop, the loop is immediately exited and the program continues with the statement immediately following the loop. When the loops are nested, the **break** would only exit from the loop containing it. That is, the **break** will exit only a single loop.

Since a **goto** statement can transfer the control to any place in a program, it is useful to provide branching within a loop. Another important use of **goto** is to exit from deeply nested loops when an error occurs. A simple **break** statement would not work here.

Example 7.12 The program in Fig. 7.15 illustrates the use of the break statement in a C program.

The program reads a list of positive values and calculates their average. The **for** loop is written to read 1000 values. However, if we want the program to calculate the average of any set of values less than 1000, then we must enter a 'negative' number after the last value in the list, to mark the end of input.

```
Program
    main()
     {
        int m;
        float x, sum, average;
        printf("This program computes the average of a
                          set of numbers\n");
        printf("Enter values one after another\n");
        printf("Enter a NEGATIVE number at the end.\n\n");
        sum = 0;
        for (m = 1 ; m < = 1000 ; ++m)
              scanf("%f", &x);
              if (x < 0)
                 break:
              sum += x ;
        average = sum/(float)(m-1);
        printf("\n");
        printf("Number of values = %d\n'', m-1);
        printf("Sum
                                = %f\n'', sum);
        printf("Average
                                = %f\n", average);
Output
    This program computes the average of a set of numbers
     Enter values one after another
     Enter a NEGATIVE number at the end.
     21 23 24 22 26 22 -1
    Number of values = 6
                        = 138.000000
     Sum
                        = 23.000000
    Average
```

Each value, when it is read, is tested to see whether it is a positive number or not. If it is positive, the value is added to the **sum**; otherwise, the loop terminates. On exit, the average of the values read is calculated and the results are printed out.

Example 7.13 A program to evaluate the series

$$\frac{1}{1-x} = 1 + x + x^2 + x^3 + \dots + x^n$$

for -1 < x < 1 with 0.01 per cent accuracy is given in Fig. 7.16. The **goto** statement is used to exit the loop on achieving the desired accuracy.

We have used the **for** statement to perform the repeated addition of each of the terms in the series. Since it is an infinite series, the evaluation of the function is terminated when the term xⁿ reaches the desired accuracy. The value of n that decides the number of loop operations is not known and therefore we have decided arbitrarily a value of 100, which may or may not result in the desired level of accuracy.

```
Program
     #define
             LOOP
                              100
     #define
              ACCURACY
                              0.0001
     main()
           int n;
           float x, term, sum;
           printf("Input value of x : ");
           scanf("%f", &x);
           sum = 0;
           for (term = 1, n = 1; n \le LOOP; ++n)
                 sum += term ;
                 if (term <= ACCURACY)
                  goto output; /*EXIT FROM THE LOOP*/
              term *= x ;
           printf("\nFINAL VALUE OF N IS NOT SUFFICIENT\n");
           printf("TO ACHIEVE DESIRED ACCURACY\n");
           goto end;
           output:
           printf("\nEXIT FROM LOOP\n");
           printf("Sum = %f; No.of terms = %d\n'', sum, n);
                    /*Null Statement*/
Output
     Input value of x : .21
     EXIT FROM LOOP
     Sum = 1.265800; No.of terms = 7
```

```
Input value of x : .75
EXIT FROM LOOP
Sum = 3.999774; No.of terms = 34
Input value of x : .99
FINAL VALUE OF N IS NOT SUFFICIENT
TO ACHIEVE DESIRED ACCURACY
```

Fig. 7.16 Use of **goto** to exit from a loop

The test of accuracy is made using an **if** statement and the **goto** statement exits the loop as soon as the accuracy condition is satisfied. If the number of loop repetitions is not large enough to produce the desired accuracy, the program prints an appropriate message.

Note that the **break** statement is not very convenient to use here. Both the normal exit and the **break** exit will transfer the control to the same statement that appears next to the loop. But, in the present problem, the normal exit prints the message

```
"FINAL VALUE OF N IS NOT SUFFICIENT TO ACHIEVE DESIRED ACCURACY"
```

and the *forced exit* prints the results of evaluation. Notice the use of a *null* statement at the end. This is necessary because a program should not end with a label.

Structured Programming

Structured programming is an approach to the design and development of programs. It is a discipline of making a program's logic easy to understand by using only the basic three control structures:

- Sequence (straight line) structure
- Selection (branching) structure
- Repetition (looping) structure

While sequence and loop structures are sufficient to meet all the requirements of programming, the selection structure proves to be more convenient in some situations.

The use of structured programming techniques helps ensure well-designed programs that are easier to write, read, debug and maintain compared to those that are unstructured.

Structured programming discourages the implementation of unconditional branching using jump statements such as **goto**, **break** and **continue**. In its purest form, structured programming is synonymous with "goto less programming".

Do not go to **goto** statement!

7.5.2 Skipping a Part of a Loop

During the loop operations, it may be necessary to skip a part of the body of the loop under certain conditions. For example, in processing of applications for some job, we might like to exclude the processing of data of applicants belonging to a certain category. On reading the category code of an applicant, a test is made to see whether his application should be considered or not. If it is not to be considered, the part of the program loop that processes the application details is skipped and the execution continues with the next loop operation.

Like the **break** statement, C supports another similar statement called the **continue** statement. However, unlike the **break** which causes the loop to be terminated, the **continue**, as the name implies, causes the loop to be continued with the next iteration after skipping any statements in between. The

continue statement tells the compiler, "SKIP THE FOLLOWING STATEMENTS AND CONTINUE WITH THE NEXT ITERATION". The format of the **continue** statement is simply

continue;

The use of the **continue** statement in loops is illustrated in Fig. 7.17. In **while** and **do** loops, **continue** causes the control to go directly to the test-condition and then to continue the iteration process. In the case of **for** loop, the increment section of the loop is executed before the test-condition is evaluated.

```
→ while (test-condition)
  if(----)
                                        if(----)
    continue;
                                        — continue;
                                     } while (test-condition)
   (a)
                                       (b)
        for (initialization; test condition; increment)
         if(----)
          continue;
           (c)
```

Fig. 7.17 Bypassing and continuing in loops

Example 7.14 The program in Fig. 7.18 illustrates the use of **continue** statement.

The program evaluates the square root of a series of numbers and prints the results. The process stops when the number 9999 is typed in.

In case, the series contains any negative numbers, the process of evaluation of square root should be bypassed for such numbers because the square root of a negative number is not defined. The continue statement is used to achieve this. The program also prints a message saying that the number is negative and keeps an account of negative numbers.

The final output includes the number of positive values evaluated and the number of negative items encountered.


```
Program
     #include <math.h>
     main()
        int count, negative;
```

7.28

```
double number, sqroot;
       printf("Enter 9999 to STOP\n");
       count = 0;
       negative = 0;
       while (count < = 100)
          printf("Enter a number : ");
          scanf("%lf", &number);
          if (number == 9999)
                          /*EXIT FROM THE LOOP*/
             break;
          if (number < 0)
             printf("Number is negative\n\n");
             negative++ ;
             continue; /*SKIP REST OF THE LOOP*/
          sqroot = sqrt(number);
          printf("Number = %lf\n  Square root = %lf\n ",
                               number, sqroot);
          count++;
       printf("Number of items done = %d\n", count);
       printf("\n\nNegative items = %d\n", negative);
       printf("END OF DATA\n");
Output
    Enter 9999 to STOP
    Enter a number : 25.0
    Number = 25.000000
    Square root = 5.000000
    Enter a number: 40.5
             = 40.500000
    Number
    Square root = 6.363961
    Enter a number : -9
    Number is negative
    Enter a number: 16
             = 16.000000
    Number
    Square root = 4.000000
    Enter a number : -14.75
    Number is negative
    Enter a number: 80
              = 80.000000
    Number
    Square root = 8.944272
    Enter a number: 9999
    Number of items done = 4
                         = 2
    Negative items
    END OF DATA
```

7.5.3 **Avoiding goto**

As mentioned earlier, it is a good practice to avoid using **goto**. There are many reasons for this. When goto is used, many compilers generate a less efficient code. In addition, using many of them makes a program logic complicated and renders the program unreadable. It is possible to avoid using **goto** by careful program design. In case any goto is absolutely necessary, it should be documented. The goto jumps shown in Fig. 7.19 would cause problems and therefore must be avoided.



Jumping out of the Program

We have just seen that we can jump out of a loop using either the **break** statement or **goto** statement. In a similar way, we can jump out of a program by using the library function exit(). In case, due to some reason, we wish to break out of a program and return to the operating system, we can use the exit() function, as shown below:

```
if (test-condition) exit(0);
. . . . . . . .
```

The exit() function takes an integer value as its argument. Normally zero is used to indicate normal termination and a nonzero value to indicate termination due to some error or abnormal condition. The use of exit() function requires the inclusion of the header file <stdlib.h>.

Concise Test Expressions

We often use test expressions in the **if, for, while** and **do** statements that are evaluated and compared with zero for making branching decisions. Since every integer expression has a true/false value, we need not make exlicit comparisons with zero. For instance, the expression x is true whenever x is not zero, and false when x is zero. Applying! operator, we can write concise test expressions without using any relational operators.

```
if (expression == 0)
is equivalent to
    if (!expression)
Similarly.
    if (expression! = 0)
is equivalent to
```

if (expression)

For example,

if (m%5 == 0 && n%5 == 0) is same as if (!(m%5)&&!(n%5))

Just Remember

- Do not forget to place the semicolon at the end of **dowhile** statement.
- Placing a semicolon after the control expression in a **while** or **for** statement is not a syntax error but it is most likely a logic error.
- Using commas rather than semicolon in the header of a **for** statement is an error.
- Do not forget to place the **increment** statement in the body of a **while** or **do...while** loop.
- It is a common error to use wrong relational operator in test expressions. Ensure that the loop is evaluated exactly the required number of times.
- Avoid a common error using = in place of = = operator.
- Do not change the control variable in both the **for** statement and the body of the loop. It is a logic error.
- Do not compare floating-point values for equality.
- Avoid using **while** and **for** statements for implementing exit-controlled (post-test) loops. Use **do...while** statement. Similarly, do not use **do...while** for pre-test loops.
- When performing an operation on a variable repeatedly in the body of a loop, make sure that the variable is initialized properly before entering the loop.
- Although it is legally allowed to place the initialization, testing and increment sections outside the header of a **for** statement, avoid them as far as possible.
- Although it is permissible to use arithmetic expressions in initialization and increment section, be aware of round off and truncation errors during their evaluation.
- Although statements preceding a for and statements in the body can be placed in the **for** header, avoid doing so as it makes the program more difficult to read.
- The use of **break** and **continue** statements in any of the loops is considered unstructured programming. Try to eliminate the use of these jump statements, as far as possible.
- Avoid the use of **goto** anywhere in the program.
- Indent the statements in the body of loops properly to enhance readability and understandability.
- Use of blank spaces before and after the loops and terminating remarks are highly recommended.
- Use the function exit() only when breaking out of a program is necessary.

Review Questions



- (a) The **do...while** statement first executes the loop body and then evaluate the loop control expression.
 - (b) In a pretest loop, if the body is executed \mathbf{n} times, the test expression is executed $\mathbf{n} + 1$ times.

- (c) The number of times a control variable is updated always equals the number of loop iterations.
- (d) Both the pretest loops include initialization within the statement.
- (e) In a for loop expression, the starting value of the control variable must be less than its ending value.
- (f) The initialization, test condition and increment parts may be missing in a **for** statement.
- (g) While loops can be used to replace for loops without any change in the body of the loop.
- (h) An exit-controlled loop is executed a minimum of one time.
- (i) The use of **continue** statement is considered as unstructured programming.
- (i) The three loop expressions used in a **for** loop header must be separated by commas.
- 7.2 Fill in the blanks in the following statements.
 - (a) In an exit-controlled loop, if the body is executed n times, the test condition is evaluated _____ times.
 - (b) The ______ statement is used to skip a part of the statements in a loop.
 - (c) A **for** loop with the no test condition is known as _____loop.
 - (d) The sentinel-controlled loop is also known as ______loop.
 - (e) In a counter-controlled loop, variable known as ______ is used to count the loop operations.
- 7.3 Can we change the value of the control variable in for statements? If yes, explain its consequences.
- 7.4 What is a null statement? Explain a typical use of it.
- 7.5 Use of **goto** should be avoided. Explain a typical example where we find the application of **goto** becomes necessary.
- 7.6 How would you decide the use of one of the three loops in C for a given problem?
- 7.7 How can we use **for** loops when the number of iterations are not known?
- 7.8 Explain the operation of each of the following **for** loops.

```
(a) for (n = 1; n != 10; n += 2)
   sum = sum + n;
(b) for (n = 5; n \le m; n = 1)
   sum = sum + n;
(c) for (n = 1; n \le 5;)
   sum = sum + n;
(d) for (n = 1; ; n = n + 1)
   sum = sum + n;
(e) for (n = 1; n < 5; n ++)
   n = n - 1
```

7.9 What would be the output of each of the following code segments?

```
(a) count = 5;
   while (count -- > 0)
   printf(count);
(b) count = 5;
   while (-- count > 0)
   printf(count);
```

```
(c) count = 5;
    do printf(count);
    while (count > 0);
(d) for (m = 10; m > 7, m -=2)
    printf(m);
```

- 7.10 Compare, in terms of their functions, the following pairs of statements:
 - (a) while and do...while
 - (b) while and for
 - (c) break and goto
 - (d) break and continue
 - (e) continue and goto
- 7.11 Analyse each of the program segments that follow and determine how many times the body of each loop will be executed.

```
(a) x = 5;
   y = 50;
   while (x \le y)
   {
        x = y/x;
        ---
   }
(b) m = 1;
   do
   {
        ___
        m = m+2;
   }
   while (m < 10);
(c) int i;
   for (i = 0; i \le 5; i = i+2/3)
   }
(d) int m = 10;
   int n = 7;
   while (m \% n >= 0)
   {
        m = m + 1;
        n = n + 2;
```

7.12 Find errors, if any, in each of the following looping segments. Assume that all the variables have been declared and assigned values.

```
(a) while (count !=10);
   {
        count = 1;
        sum = sum + x;
        count = count + 1;
(b) name = 0;
   do { name = name + 1;
   printf("My name is John\n");}
   while (name = 1)
(c) do;
   total = total + value;
   scanf("%f", &value);
   while (value != 999);
(d) for (x = 1, x > 10; x = x + 1)
   {
(e) m = 1;
   n = 0;
   for (; m+n < 10; ++n);
   printf("Hello\n");
   m = m+10
(f) for (p = 10; p > 0;)
   p = p - 1;
   printf("%f", p);
```

- 7.13 Write a **for** statement to print each of the following sequences of integers:
 - (a) 1, 2, 4, 8, 16, 32
 - (b) 1, 3, 9, 27, 81, 243
 - (c) -4, -2, 0, 2, 4
 - (d) -10, -12, -14, -18, -26, -42

7.14 Change the following **for** loops to **while** loops:

```
(a) for (m = 1; m < 10; m = m + 1)
   printf(m);
(b) for (; scanf("%d", & m) != -1;)
   printf(m);
```

- 7.15 Change the **for** loops in Exercise 7.14 to **do** loops.
- 7.16 What is the output of following code?

```
int m = 100, n = 0;
while ( n == 0 )
{
    if ( m < 10 )
        break;
    m = m-10;</pre>
```

7.17 What is the output of the following code?

```
int m = 0 ;
do
{
    if (m > 10 )
        continue ;
    m = m + 10 ;
} while ( m < 50 ) ;
printf("%d", m);</pre>
```

7.18 What is the output of the following code?

```
int n = 0, m = 1 ;
do
{
     printf(m) ;
     m++ ;
}
while (m <= n) ;</pre>
```

7.19 What is the output of the following code?

```
int n = 0, m;
for (m = 1; m <= n + 1; m++)
    printf(m);</pre>
```

7.20 When do we use the following statement?

```
for (; ; )
```

Programming Exercises

7.1 Given a number, write a program using **while** loop to reverse the digits of the number. For example, the number

12345

should be written as

54321

(**Hint:** Use modulus operator to extract the last digit and the integer division by 10 to get the n–1 digit number from the n digit number.)

7.2 The factorial of an integer m is the product of consecutive integers from 1 to m. That is,

factorial
$$m = m! = m x (m-1) x x 1$$
.

Write a program that computes and prints a table of factorials for any given m.

- 7.3 Write a program to compute the sum of the digits of a given integer number.
- 7.4 The numbers in the sequence

are called Fibonacci numbers. Write a program using a do....while loop to calculate and print the first m Fibonacci numbers.

(Hint: After the first two numbers in the series, each number is the sum of the two preceding numbers.)

- 7.5 Rewrite the program of the Example 7.1 using the **for** statement.
- 7.6 Write a program to evaluate the following investment equation

$$V = P(1+r)n$$

and print the tables which would give the value of V for various combination of the following values of P, r, and n.

(Hint: P is the principal amount and V is the value of money at the end of n years. This equation can be recursively written as

$$V = P(1+r)$$
$$P = V$$

That is, the value of money at the end of first year becomes the principal amount for the next year and so on.)

7.7 Write programs to print the following outputs using **for** loops.

- 7.8 Write a program to read the age of 100 persons and count the number of persons in the age group 50 to 60. Use **for** and **continue** statements.
- 7.9 Rewrite the program of case study 7.4 (plotting of two curves) using else...if constructs instead of continue statements.
- 7.10 Write a program to print a table of values of the function

$$y = \exp(-x)$$

for x varying from 0.0 to 10.0 in steps of 0.10. The table should appear as follows:

Table for $Y = E$	XP(-X)
-------------------	--------

X	0.1	0.2	0.3	 0.9
0.0				
1.0				
2.0				
3.0				

X	0.1	0.2	0.3	 0.9
9.0				

- 7.11 Write a program that will read a positive integer and determine and print its binary equivalent. (**Hint**: The bits of the binary representation of an integer can be generated by repeatedly dividing the number and the successive quotients by 2 and saving the remainder, which is either 0 or 1, after each division.)
- 7.12 Write a program using **for** and **if** statement to display the capital letter S in a grid of 15 rows and 18 columns as shown below.

*	*	*	*	*	*	*	*	*	*	*	. >	k	*	*	*	*	*	*	: :
*	*	-			-			-	-	-	_	-	-	-			_	*	*
*	*	*	*	*	*	*	*	*	-	-	-	-	_	-			_	*	*
*	*	*	*																
*	*	*	*																
*	*	*	*																
*	*	*	*	*	_			_	_	_		-	_			*	*	*	*
_			-				-				_	-			_	*	*	*	*
_			-				-				_	-			_	*	*	*	*
															;	k :	*	*	*
															;	k :	*	*	*
															;	k :	*	*	*
*	*	*	*	_			_	_							. *	: *	< >	k >	*
*	*	*	-			_				_	_	-	_	_	*	: >	< >	k >	*
*	*	_			_				_	_	_	_	_	_	_ >	k :	*	*	*

7.13 Write a program to compute the value of Euler's number e, that is used as the base of natural logarithms. Use the following formula.

$$e = 1 + 1/1! + 1/2! + 1/3! + \cdots + 1/n!$$

Use a suitable loop construct. The loop must terminate when the difference between two successive values of e is less than 0.00001.

7.14 Write programs to evaluate the following functions to 0.0001% accuracy.

(a)
$$\sin x = x - x^3/3! + x^5/5! - x^7/7! + \cdots$$

(b)
$$\cos x = 1 - x^2/2! + x^4/4! - x^6/6! + \cdots$$

(c) SUM =
$$1 + (1/2)^2 + (1/3)^3 + (1/4)^4 + \cdots$$

7.15 The present value (popularly known as book value) of an item is given by the relationship.

$$P = c (1-d)^n$$

where

c = original cost

d = rate of depreciation (per year)

n = number of years

p = present value after y years.

If P is considered the scrap value at the end of useful life of the item, write a program to compute the useful life in years given the original cost, depreciation rate, and the scrap value.

The program should request the user to input the data interactively.

7.16 Write a program to print a square of size 5 by using the character S as shown below:

(a)	S	S	S	S	S	(b)	S	S	S	S	S
	S	S	S	S	S		S				S
	S	S	S	S	S		S				S
	S	S	S	S	S		S				S
	S	S	S	S	S		S	S	S	S	S

7.17 Write a program to graph the function

```
y = \sin(x)
```

in the interval 0 to 180 degrees in steps of 15 degrees. Use the concepts discussed in the Case Study 4 in Chapter 7.

- 7.18 Write a program to print all integers that are **not divisible** by either 2 or 3 and lie between 1 and 100. Program should also account the number of such integers and print the result.
- 7.19 Modify the program of Exercise 7.16 to print the character O instead of S at the center of the square as shown below.

```
S S S S S
SSOSS
SSSSS
```

7.20 Given a set of 10 two-digit integers containing both positive and negative values, write a program using for loop to compute the sum of all positive values and print the sum and the number of values added. The program should use scanf to read the values and terminate when the sum exceeds 999. Do not use goto statement.

Debugging Exercises

7.1 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
 int i,n;
 long sum=0;
 printf("Enter the value of n = ");
 scanf("%d",&n); /*Reading number of terms in the series, n*/
 i=1:
 for(;i<=n;) /*Calculating the sum of the series*/</pre>
  sum=sum+i*i;i=i+1;
 printf("Sum of series = %ld", sum);
}
```

7.2 Identify the error in the following code for reading matrix elements from the console:

```
for (i=0; i<3; i++)
{
  for (j=0; j<3; j++)
   printf("a[%d][%d] = ",i,j);
   scanf("%d",&a[i][j]);
```

7.3 Identify the error in the following program for determining whether a given number is Armstrong or not:

```
#include <stdio.h>
void main()
 int num, temp, sum=0, i;
 printf("\nEnter a number: ");
 scanf("%d", &num);
 temp=num;
 while (temp>0)
 i=temp%10;
  sum=sum+i*i*i;
 temp=temp/10;
 };
 if (sum==num)
 printf("\n%d is an Armstrong number", num);
 printf("\n%d is not an Armstrong number", num);
```

7.4 Identify the error in the following program, if any:

```
#include <stdio.h>
#include <comio.h>
void main()
 int i;
 do
 printf("\nEnter the value of i = ");
 scanf("%d",&i);
 printf("\nYou entered i = %d ",i);
 }while(i>0)
 printf("\n\nYou just entered a negative value for i..the program
will quit.");
 getch();
}
```

Multiple Choice Questions

1. What will the output of the following code be?

```
#include <stdio.h>
void main()
    {
     int x;
  for (x=1; x<=10; printf("%d"x));
     x++;
```

- (a) Compile time error
- (b) Garbage value

(c) 1 to 10

- (d) Infinite loop
- 2. How many times will the given loop run?

```
for (i=0; i=5; i++)
```

(a) Five times

- (b) Six times
- (c) It will run infinitely
- (d) It will not run at all
- 3. Identify the correct statement.
 - (a) A do while statement is useful when we want that the statement within the loop must be executed at least once.
 - (b) A do while statement is useful when we want that the statement within the loop must be executed at only once.
 - (c) A do while statement is useful when we want that the statement within the loop must be executed more than once.
 - (d) A do while statement is useful when we want that the statement within the loop must not be executed at all.
- 4. Identify the correct format of a do while statement.

```
(a) do
 {
   Condition
   while (test condition);
(b) do
   Body of the loop
 }
   while (test condition);
(c) do
   Body of the loop
   while (test condition)
(d) do
 {
```

```
while (test condition);
```

5. What will the output for the following piece of code be?

```
#include <stdio.h>
void main()
{
    int x = 0;
    do
    {
        printf("Hi there!");
    } while (x != 0);
```

(a) Hi there!

(b) Hi there! Gets printed infinite no. of times

(c) Run time error

- (d) Nothing gets printed
- 6. What will the output of the following piece of code be?

```
#include <stdio.h>
    void main()
{
        int j= 0;
        while (++j)
        {
            printf("Hey");
        }
}
```

- (a) Compile time error
- (b) Nothing gets printed
- (c) Hey is printed infinite times
- (d) Varies
- 7. Goto function is used to jump from main to within a function.
 - (a) True

- (b) False
- (c) Varies from code to code
- (d) Depends on user input
- 8. Which of the following has the capability to initialize more than one variable at a time?
 - (a) do

(b) while

(c) for

- (d) if
- 9. Which of the following statements is capable of skipping the rest of a loop and then resume from the start of the loop?
 - (a) break

(b) resume

(c) skip

- (d) continue
- 10. Which of the following functions should be used to break out of a program and return to the operating system?
 - (a) break

(b) goto


(c) exit()

(d) skip

Answers

- 1. (d)
- 2. (d)
- 3. (a)
- 4. (b)
- 5. (a)

- 6. (c)
- 7. (b)
- 8. (c)
- 9. (d)
- 10. (c)



8.1 Introduction

So far we have used only the fundamental data types, namely **char, int, float, double** and variations of **int** and **double**. Although these types are very useful, they are constrained by the fact that a variable of these types can store only one value at any given time. Therefore, they can be used only to handle limited amounts of data. In many applications, however, we need to handle a large volume of data in terms of reading, processing and printing. To process such large amounts of data, we need a powerful data type that would facilitate efficient storing, accessing and manipulation of data items. C supports a derived data type known as *array* that can be used for such applications.

An array is a *fixed-size* sequenced collection of elements of the same data type. It is simply a grouping of like-type data. In its simplest form, an array can be used to represent a list of numbers, or a list of names. Some examples where the concept of an array can be used:

- List of temperatures recorded every hour in a day, or a month, or a year.
- List of employees in an organization.
- List of products and their cost sold by a store.
- Test scores of a class of students.
- List of customers and their telephone numbers.
- Table of daily rainfall data.

and so on.

Since an array provides a convenient structure for representing data, it is classified as one of the *data structures* in C. Other data structures include structures, lists, queues and trees. A complete discussion of all data structures is beyond the scope of this text. However, we shall consider structures in Chapter 12.

As we mentioned earlier, an array is a sequenced collection of related data items that share a common name. For instance, we can use an array name *salary* to represent a *set of salaries* of a group of employees in an organization. We can refer to the individual salaries by writing a number called *index* or *subscript* in brackets after the array name. For example,

salary [10]

represents the salary of 10th employee. While the complete set of values is referred to as an array, individual values are called *elements*.


The ability to use a single name to represent a collection of items and to refer to an item by specifying the item number enables us to develop concise and efficient programs. For example, we can use a loop construct, discussed earlier, with the subscript as the control variable to read the entire array, perform calculations, and print out the results.

We can use arrays to represent not only simple lists of values but also tables of data in two, three or more dimensions. In this chapter, we introduce the concept of an array and discuss how to use it to create and apply the following types of arrays.

- One-dimensional arrays
- Two-dimensional arrays
- Multidimensional arrays

Data Structures

C supports a rich set of derived and user-defined data types in addition to a variety of fundamental types as shown below:



Arrays and structures are referred to as *structured data types* because they can be used to represent data values that have a structure of some sort. Structured data types provide an organizational scheme that shows the relationships among the individual elements and facilitate efficient data manipulations. In programming parlance, such data types are known as *data structures*.

In addition to arrays and structures, C supports creation and manipulation of the following data structures:

- Linked Lists
- Stacks
- Queues
- Trees

8.2 One-Dimensional Arrays

A list of items can be given one variable name using only one subscript and such a variable is called a *single-subscripted variable* or a *one-dimensional array*. In mathematics, we often deal with variables that are single-subscripted. For instance, we use the equation

$$A = \frac{\sum_{i=1}^{n} x_i}{n}$$

to calculate the average of n values of x. The subscripted variable x_i refers to the ith element of x. In C, single-subscripted variable x_i can be expressed as

$$x[1], x[2], x[3], \dots x[n]$$

The subscript can begin with number 0. That is

x[0]

is allowed. For example, if we want to represent a set of five numbers, say (35,40,20,57,19), by an array variable **number**, then we may declare the variable **number** as follows

int number[5];

and the computer reserves five storage locations as shown below:

number[0]
number[1]
number[2]
number[3]
number[4]

The values to the array elements can be assigned as follows:

number[0] = 35; number[1] = 40; number[2] = 20; number[3] = 57; number[4] = 19;

This would cause the array **number** to store the values as shown below:

number[0]	35
number[1]	40
number[2]	20
number[3]	57
number[4]	19

8.4 Computer Programming and Utilization

These elements may be used in programs just like any other C variable. For example, the following are valid statements:

```
a = number[0] + 10;
number[4] = number[0] + number [2];
number[2] = x[5] + y[10];
value[6] = number[i] * 3;
```

The subscripts of an array can be integer constants, integer variables like i, or expressions that yield integers. C performs no bounds checking and, therefore, care should be exercised to ensure that the array indices are within the declared limits.

8.3 Declaration of One-Dimensional Arrays

Like any other variable, arrays must be declared before they are used so that the compiler can allocate space for them in memory. The general form of array declaration is

```
type variable-name[ size ];
```

The *type* specifies the type of element that will be contained in the array, such as **int**, **float**, or **char** and the *size* indicates the maximum number of elements that can be stored inside the array. For example,

```
float height[50];
```

declares the **height** to be an array containing 50 real elements. Any subscripts 0 to 49 are valid. Similarly,

```
int group[10];
```

declares the **group** as an array to contain a maximum of 10 integer constants. Remember:

- Any reference to the arrays outside the declared limits would not necessarily cause an error. Rather, it might result in unpredictable program results.
- The size should be either a numeric constant or a symbolic constant.

The C language treats character strings simply as arrays of characters. The *size* in a character string represents the maximum number of characters that the string can hold. For instance,

```
char name[10];
```

declares the **name** as a character array (string) variable that can hold a maximum of 10 characters. Suppose we read the following string constant into the string variable **name**.

Each character of the string is treated as an element of the array **name** and is stored in the memory as follows:

'W'
'E'
'L'
'L'

Contd.

66
'D'
'O'
'N'
'E'
'\0'

When the compiler sees a character string, it terminates it with an additional null character. Thus, the element **name[10]** holds the null character '\0'. When declaring character arrays, we must allow one extra element space for the null terminator.

Example 8.1 Write a program using a single-subscripted variable to evaluate the following expressions:

$$Total = \sum_{i=1}^{10} x_i^2$$

The values of x1,x2,... are read from the terminal.

Program in Fig. 8.1 uses a one-dimensional array \mathbf{x} to read the values and compute the sum of their squares.

```
Program
    main()
          int i ;
          float x[10], value, total;
    /* . . . . . . . READING VALUES INTO ARRAY . . . . . . */
          printf("ENTER 10 REAL NUMBERS\n");
          for(i = 0; i < 10; i++)
            scanf("%f", &value);
            x[i] = value ;
            total = 0.0;
          for(i = 0; i < 10; i++)
              total = total + x[i] * x[i];
    /* . . . PRINTING OF x[i] VALUES AND TOTAL . . . */
          printf("\n");
          for( i = 0; i < 10; i++)
             printf("x[%2d] = %5.2f\n'', i+1, x[i]);
          printf("\ntotal = %.2f\n", total);
```

Fig. 8.1 Program to illustrate one-dimensional array

Note C99 permits arrays whose size can be specified at run time.

Example 8.2 Write a C program to find the sum marks of n students using arrays.

The program in Fig. 8.2 uses arrays to find the sum marks of n students.

```
Program
     #include <stdio.h>
     int main()
          int marks[10], i, n, sum=0;
     /*marks is an array of int type*/
     clrscr();
     printf("Enter number of students: ");
          scanf("%d", &n);
          for (i=0; i< n; ++i)
                printf("Enter marks of student%d: ",i+1);
                scanf("%d", &marks[i]);
                sum+=marks[i];
          printf("Sum= %d", sum);
     getch();
     return 0;
Output
     Enter number of students: 4
     Enter marks of student1: 12
     Enter marks of student2: 1
     Enter marks of student3: 2
     Enter marks of student4: 3
     Sum= 18
```

8.4 Initialization of One-Dimensional Arrays

After an array is declared, its elements must be initialized. Otherwise, they will contain "garbage". An array can be initialized at either of the following stages:

- At compile time
- At run time

8.4.1 Compile Time Initialization

We can initialize the elements of arrays in the same way as the ordinary variables when they are declared. The general form of initialization of arrays is:

```
type array-name[size] = { list of values };
```

The values in the list are separated by commas. For example, the statement

```
int number[3] = \{0,0,0\};
```

will declare the variable **number** as an array of size 3 and will assign zero to each element. If the number of values in the list is less than the number of elements, then only that many elements will be initialized. The remaining elements will be set to zero automatically. For instance,

```
float total[5] = \{0.0, 15.75, -10\};
```

will initialize the first three elements to 0.0, 15.75, and -10.0 and the remaining two elements to zero.

The *size* may be omitted. In such cases, the compiler allocates enough space for all initialized elements. For example, the statement

```
int counter[ ] = {1,1,1,1};
```

will declare the **counter** array to contain four elements with initial values 1. This approach works fine as long as we initialize every element in the array.

Character arrays may be initialized in a similar manner. Thus, the statement

```
char name[ ] = {'J', 'o', 'h', 'n', '\0'};
```

declares the **name** to be an array of five characters, initialized with the string "John" ending with the null character. Alternatively, we can assign the string literal directly as under:

```
char name [ ] = "John";
```

(Character arrays and strings are discussed in detail in Chapter 9)

Compile time initialization may be partial. That is, the number of initializers may be less than the declared size. In such cases, the remaining elements are inilialized to *zero*, if the array type is numeric and *NULL* if the type is char. For example,

```
int number [5] = \{10, 20\};
```

will initialize the first two elements to 10 and 20 respectively, and the remaining elements to 0. Similarly, the declaration.

```
char city [5] = { 'B' };
```

will initialize the first element to 'B' and the remaining four to NULL. It is a good idea, however, to declare the size explicitly, as it allows the compiler to do some error checking.

8.8 Computer Programming and Utilization

Remember, however, if we have more initializers than the declared size, the compiler will produce an error. That is, the statement

```
int number [3] = \{10, 20, 30, 40\};
```

will not work. It is illegal in C.

8.4.2 Run Time Initialization

An array can be explicitly initialized at run time. This approach is usually applied for initializing large arrays. For example, consider the following segment of a C program.

```
------
for (i = 0; i < 100; i = i+1)
{
    if i < 50
        sum[i] = 0.0; /* assignment statement */
    else
        sum[i] = 1.0;
}
```

The first 50 elements of the array **sum** are initialized to zero while the remaining 50 elements are initialized to 1.0 at run time.

We can also use a read function such as **scanf** to initialize an array. For example, the statements

```
int x [3];
scanf("%d%d%d", &x[0], &[1], &x[2]);
```

will initialize array elements with the values entered through the keyboard.

Example 8.3 Given below is the list of marks obtained by a class of 50 students in an annual examination.

```
43 65 51 27 79 11 56 61 82 09 25 36 07 49 55 63 74 81 49 37 40 49 16 75 87 91 33 24 58 78 65 56 76 67 45 54 36 63 12 21 73 49 51 19 39 49 68 93 85 59
```

Write a program to count the number of students belonging to each of following groups of marks: 0–9, 10–19, 20–29,.....,100.

The program coded in Fig. 8.3 uses the array **group** containing 11 elements, one for each range of marks. Each element counts those values falling within the range of values it represents.

For any value, we can determine the correct group element by dividing the value by 10. For example, consider the value 59. The integer division of 59 by 10 yields 5. This is the element into which 59 is counted.

```
Program

#define MAXVAL 50

#define COUNTER 11

main()
```

```
float
                 value[MAXVAL];
        int
                  i, low, high;
        for ( i = 0; i < MAXVAL; i++ )
        {
        scanf("%f", &value[i]);
        /*......COUNTING FREQUENCY OF GROUPS....*/
          ++ group[ (int) ( value[i]) / 10];
        printf("\n");
        printf(" GROUP RANGE FREQUENCY\n\n");
        for ( i = 0; i < COUNTER; i++ )
             low = i * 10;
             if(i == 10)
               high = 100;
             else
             high = low + 9;
             printf(" %2d %3d to %3d %d\n",
                    i+1, low, high, group[i]);
        }
Output
   43 65 51 27 79 11 56 61 82 09 25 36 07 49 55 63 74
   81 49 37 40 49 16 75 87 91 33 24 58 78 65 56 76 67 (Input data)
   45 54 36 63 12 21 73 49 51 19 39 49 68 93 85 59
             GROUP
                          RANGE
                                    FREQUENCY
              1
                      0
                           to
                                9
                                        2
              2
                      10
                                        4
                          to
                                19
              3
                      20
                          to
                                29
                                        4
                                39
              4
                      30
                          to
              5
                      40
                          to
                                49
                                        8
              6
                      50
                          to
                                59
              7
                                        7
                      60
                          to
                                69
              8
                      70
                           to
                                79
                                        6
              9
                      80
                                89
                           to
                                        4
                      90
                                99
              10
                           to
                                        2
              11
                     100
                           to
                                100
```

Fig. 8.3 Program for frequency counting

Note that we have used an initialization statement.

```
int group [COUNTER] = \{0,0,0,0,0,0,0,0,0,0,0,0,0\};
```

which can be replaced by

This will initialize all the elements to zero.

Searching and Sorting

Searching and sorting are the two most frequent operations performed on arrays. Computer Scientists have devised several data structures and searching and sorting techniques that facilitate rapid access to data stored in lists.

Sorting is the process of arranging elements in the list according to their values, in ascending or descending order. A sorted list is called an *ordered list*. Sorted lists are especially important in list searching because they facilitate rapid search operations. Many sorting techniques are available. The three simple and most important among them are:

- Bubble sort
- Selection sort
- Insertion sort

Other sorting techniques include Shell sort, Merge sort and Quick sort.

Searching is the process of finding the location of the specified element in a list. The specified element is often called the search key. If the process of searching finds a match of the search key with a list element value, the search said to be successful; otherwise, it is unsuccessful. The two most commonly used search techniques are:

- Sequential search
- Binary search

A detailed discussion on these techniques is beyond the scope of this text. Consult any good book on data structures and algorithms.

8.5 Two-Dimensional Arrays

So far we have discussed the array variables that can store a list of values. There could be situations where a table of values will have to be stored. Consider the following data table, which shows the value of sales of three items by four sales girls:

	Item1	Item2	Item3
Salesgirl #1	310	275	365
Salesgirl #2	210	190	325
Salesgirl #3	405	235	240
Salesgirl #4	260	300	380

The table contains a total of 12 values, three in each line. We can think of this table as a matrix consisting of four *rows* and three *columns*. Each row represents the values of sales by a particular salesgirl and each column represents the values of sales of a particular item.

In mathematics, we represent a particular value in a matrix by using two subscripts such as $\mathbf{v_{ij}}$. Here \mathbf{v} denotes the entire matrix and $\mathbf{v_{ij}}$ refers to the value in the ith row and jth column. For example, in the above table v_{23} refers to the value 325.

C allows us to define such tables of items by using two-dimensional arrays. The table discussed above can be defined in C as

v[4][3]

Two-dimensional arrays are declared as follows:

```
type array name [row size][column size];
```

Note that unlike most other languages, which use one pair of parentheses with commas to separate array sizes, C places each size in its own set of brackets.

Two-dimensional arrays are stored in memory, as shown in Fig. 8.4. As with the single-dimensional arrays, each dimension of the array is indexed from zero to its maximum size minus one; the first index selects the row and the second index selects the column within that row.

Example 8.4 Write a program to read and display a simple 3×3 matrix.

```
Program
     /*Program for realizing a 3 X 3 matrix using 2-D arrays*/
     #include <stdio.h>
     #include <conio.h>
     void main()
      int i, j, a[3][3];
      clrscr();
      /*Reading matrix elements*/
      printf("Enter the elements of the 3 X 3 matrix:\n");
      for (i=0; i<3; i++)
       for (j=0; j<3; j++)
        printf("a[%d][%d] = ",i,j);
        scanf("%d", &a[i][j]);
      /*Printing matrix elements*/
      printf("The various elements contained in the 3 X 3 matrix are:\n");
      for (i=0; i<3; i++)
       printf("\n\t\t
       for (j=0; j<3; j++)
        printf("%d\t",a[i][j]);
      getch();
Output
     Enter the elements of the 3 X 3 matrix:
     a[0][0] = 1
     a[0][1] = 2
     a[0][2] = 3
```

8.12 Computer Programming and Utilization

```
a[1][0] = 4
a[1][1] = 5
a[1][2] = 6
a[2][0] = 7
a[2][1] = 8
a[2][2] = 9
The various elements contained in the 3 X 3 matrix are:

1 2 3
4 5 6
7 8 9
```

Fig. 8.4 Program to read and display a simple 3×3 matrix

Example 8.5 Write a C program to find sum of two matrix of order 2×2 using multidimensional arrays where, elements of matrix are entered by user.

```
Program
     #include <stdio.h>
     int main()
        float a[2][2], b[2][2], c[2][2];
        int i,j;
     clrscr();
        printf("Enter the elements of 1st matrix\n");
         for (i=0; i<2; ++i)
         for (j=0; j<2; ++j)
             printf("Enter a%d%d: ",i+1,j+1);
             scanf("%f",&a[i][j]);
        printf("Enter the elements of 2nd matrix\n");
        for (i=0; i<2; ++i)
        for (j=0; j<2; ++j)
             printf("Enter b%d%d: ",i+1,j+1);
             scanf("%f",&b[i][j]);
        for (i=0; i<2; ++i)
        for (j=0; j<2; ++j)
             c[i][j]=a[i][j]+b[i][j];
             /*we can directly add two matrix by '+' operator*/
        printf("\n Addition Of Matrix:");
        for (i=0; i<2; ++i)
        for (j=0; j<2; ++j)
             printf("%.1f\t",c[i][j]);
```

```
if(j==1)
                 printf("\n");
     getch();
     return 0;
Output
     Enter the elements of 1st matrix
     Enter all: 1
     Enter al2: 2
     Enter a21: 3
     Enter a22: 4
     Enter the elements of 2nd matrix
     Enter b11: 4
     Enter b12: 3
     Enter b21: 2
     Enter b22: 1
     Addition Of Matrix:
               5.0
     5.0
     5.0
                5.0
```

Fig. 8.5 C program to find sum of two matrix of order 2 \times 2 using multidimensional arrays

Example 8.6 Write a program to add two 3×3 matrices.

```
}
      printf("Enter the second 3 X 3 matrix:\n");
      for (i=0; i<3; i++)
       for (j=0; j<3; j++)
       {
       printf("b[%d][%d] = ",i,j);
       scanf("%d",&b[i][j]);/*Reading the elements of 2nd matrix*/
       }
      printf("\nThe entered matrices are: \n");
      for(i=0;i<3;i++)
      printf("\n");
       for (j=0; j<3; j++)
       printf("%d\t",a[i][j]);/*Displaying the elements of 1st matrix*/
       printf("\t\t");
       for (j=0; j<3; j++)
       printf("%d\t",b[i][j]);/*Displaying the elements of 2nd matrix*/
      for (i=0; i<3; i++)
       for (j=0; j<3; j++)
        c[i][j] =a[i][j]+b[i][j];/*Computing the sum of two matrices*/
      printf("\n\nThe sum of the two matrices is shown below: \n");
      for (i=0; i<3; i++)
      printf("\n\t\t
                         ");
      for (j=0; j<3; j++)
        printf("%d\t",c[i][j]);/*Displaying the result*/
      getch();
Output
     Enter the first 3 X 3 matrix:
     a[0][0] = 1
     a[0][1] = 2
     a[0][2] = 3
     a[1][0] = 4
     a[1][1] = 5
     a[1][2] = 6
     a[2][0] = 7
     a[2][1] = 8
     a[2][2] = 9
     Enter the second 3 X 3 matrix:
     b[0][0] = 9
     b[0][1] = 8
     b[0][2] = 7
```

```
b[1][0] = 6
b[1][1] = 5
b[1][2] = 4
b[2][0] = 3
b[2][1] = 2
b[2][2] = 1
The entered matrices are:
       2
               3
                                      9
                                            8
                                                     7
4
      5
                                      6
                                             5
              6
                                                    4
       8
               9
                                      3
                                              2
                                                     1
The sum of the two matrices is shown below:
                   10 10
                              10
                   10 10
                              10
                   10 10
                              10
```

Fig. 8.6 Program to add 3×3 matrices

Example 8.7 Write a program to multiply two 3×3 matrices.

```
Program
     /*Program for multiplying two 3 X 3 matrices using 2-D arrays*/
     #include <stdio.h>
     #include <comio.h>
     void main()
      int i,j,k,a[3][3],b[3][3],c[3][3];
      clrscr();
      printf("Enter the first 3 X 3 matrix:\n");
      for (i=0; i<3; i++)
       for (j=0; j<3; j++)
       printf("a[%d][%d] = ",i,j);
       scanf("%d",&a[i][j]);/*Reading the elements of the 1st matrix*/
      }
      printf("Enter the second 3 X 3 matrix:\n");
      for (i=0; i<3; i++)
       for (j=0; j<3; j++)
        printf("b[%d][%d] = ",i,j);
```

```
scanf("%d",&b[i][j]);/*Reading the elements of the 2nd matrix*/
       }
      }
      printf("\nThe entered matrices are: \n");
      for (i=0; i<3; i++)
      printf("\n");
       for (j=0; j<3; j++)
        printf("%d\t",a[i][j]);/*Displaying the elements of the 1st matrix*/
       }
       printf("\t\t");
       for (j=0; j<3; j++)
        printf("%d\t",b[i][j]);/*Displaying the elements of the 2nd matrix*/
      /*Multiplying the two matrices*/
      for(i=0;i<3;i++)
       for (j=0; j<3; j++)
       c[i][j]=0;
        for (k=0; k<3; k++)
         c[i][j]=c[i][j]+a[i][k]*b[k][j];
      printf("\n\nThe product of the two matrices is shown below: \n");
      for (i=0; i<3; i++)
      printf("\n\t\t ");
      for (j=0; j<3; j++)
        printf("%d\t",c[i][j]); /*Displaying the result*/
      }
     getch();
Output
     Enter the first 3 X 3 matrix:
     a[0][0] = 1
     a[0][1] = 2
     a[0][2] = 3
     a[1][0] = 4
     a[1][1] = 5
     a[1][2] = 6
```

```
a[2][0] = 7
a[2][1] = 8
a[2][2] = 9
Enter the second 3 X 3 matrix:
b[0][0] = 9
b[0][1] = 8
b[0][2] = 7
b[1][0] = 6
b[1][1] = 5
b[1][2] = 4
b[2][0] = 3
b[2][1] = 2
b[2][2] = 1
The entered matrices are:
       2
                                                8
       5
                                        6
                                                5
        8
                9
The product of the two matrices is shown below:
                    30 24
                               18
                    84 69
                                54
                    138 114
                                90
```

Fig. 8.7 Program to multiply two 3×3 matrix

Example 8.8 Write a program to generate the transpose of a 3×3 matrix.

```
printf("\nThe entered matrix is: \n");
      for (i=0; i<3; i++)
      printf("\n");
       for (j=0; j<3; j++)
       printf("%d\t",a[i][j]); /*Displaying the matrix*/
      }
      for (i=0; i<3; i++)
      for (j=0; j<3; j++)
       b[i][j]=a[j][i]; /*Computing matrix transpose*/
      printf("\n\nThe transpose of the matrix is: \n");
      for (i=0; i<3; i++)
      printf("\n");
      for (j=0; j<3; j++)
       printf("%d\t",b[i][j]); /*Displaying the resultant transposed matrix*/
     getch();
Output
     Enter a 3 X 3 matrix:
     a[0][0] = 1
    a[0][1] = 2
    a[0][2] = 3
    a[1][0] = 4
    a[1][1] = 5
     a[1][2] = 6
    a[2][0] = 7
     a[2][1] = 8
     a[2][2] = 9
     The entered matrix is:
         2
                 3
     4
             5
                     6
     7
             8
                     9
     The transpose of the matrix is:
             4
     1
                     7
     2
             5
                     8
     3
             6
                     9
```

Example 8.9 Write a program using a two-dimensional array to compute and print the following information from the table of data discussed above:

- (a) Total value of sales by each girl.
- (b) Total value of each item sold.
- (c) Grand total of sales of all items by all girls.

	Column0 [0][0]	Column1 [0][1]	Column2
Row 0≻	310	275	365
	[1][0]	[1][1]	[1][2]
Row 1≻	10	190	325
	[2][0]	[2][1]	[2][2]
Row 2➤	405	235	240
	[3][0]	[3][1]	[3][2]
Row 3➤	310	275	365

Fig. 8.9 Representation of a two-dimensional array in memory

The program and its output are shown in Fig. 8.10. The program uses the variable **value** in two-dimensions with the index i representing girls and j representing items. The following equations are used in computing the results:

(a) Total sales by
$$m^{th}$$
 girl = $\sum_{j=0}^{2}$ value [m][j] (girl_total[m])

(b) Total value of
$$n^{th}$$
 item = $\sum_{i=0}^{3}$ value [i][n] (item_total[n])

(c) Grand total =
$$\sum_{i=0}^{3} \sum_{j=0}^{2} \text{value}[i][j]$$

= $\sum_{i=0}^{3} \text{girl_total}[i]$
= $\sum_{j=0}^{2} \text{item_total}[j]$

```
Program
    #define MAXGIRLS 4
    #define MAXITEMS 3
    main()
    {
       intvalue[MAXGIRLS][MAXITEMS];
       intgirl total[MAXGIRLS] , item total[MAXITEMS];
       inti, j, grand total;
    /*.....READING OF VALUES AND COMPUTING girl total ...*/
       printf("Input data\n");
       printf("Enter values, one at a time, row-wise\n\n");
       for (i = 0; i < MAXGIRLS; i++)
            girl total[i] = 0;
            for (j = 0; j < MAXITEMS; j++)
                  scanf("%d", &value[i][j]);
                  girl total[i] = girl total[i] + value[i][j];
    /*.....*/
       for (j = 0; j < MAXITEMS; j++)
             item total[j] = 0;
             for ( i = 0 ; i < MAXGIRLS ; i++ )
                  item total[j] = item total[j] + value[i][j];
    /*.....*/
       grand total = 0;
       for ( i = 0 ; i < MAXGIRLS ; i++ )
          grand total = grand total + girl total[i];
    /* ......PRINTING OF RESULTS.....*/
    printf("\n GIRLS TOTALS\n\n");
       for ( i = 0 ; i < MAXGIRLS ; i++ )
            printf("Salesgirl[%d] = %d\n", i+1, girl total[i] );
       printf("\n ITEM TOTALS\n\n");
       for ( j = 0 ; j < MAXITEMS ; j++ )
             printf("Item[%d] = %d\n", j+1, item total[j]);
          printf("\nGrand Total = %d\n", grand total);
Output
    Input data
```

```
Enter values, one at a time, row_wise

310 257 365

210 190 325

405 235 240

260 300 380

GIRLS TOTALS

Salesgirl[1] = 950

Salesgirl[2] = 725

Salesgirl[3] = 880

Salesgirl[4] = 940

ITEM TOTALS

Item[1] = 1185

Item[2] = 1000

Item[3] = 1310

Grand Total = 3495
```

Fig. 8.10 Illustration of two-dimensional arrays

Example 8.10 Write a program to compute and print a multiplication table for numbers 1 to 5 as shown below:

	1	2	3	4	5
1	1	2	3	4	5
2	2	4	6	8	10
3	3	6			
4	4	8			
5	5	10			25

The program shown in Fig. 8.11 uses a two-dimensional array to store the table values. Each value is calculated using the control variables of the nested for loops as follows:

where i denotes rows and j denotes columns of the product table. Since the indices i and j range from 0 to 4, we have introduced the following transformation:

```
row = i+1column = j+1
```

```
printf(" ");
           for (j = 1; j \le COLUMNS; j++)
              printf("%4d", j);
           printf("\n") ;
           printf("-
                                                  -\n");
           for(i = 0; i < ROWS; i++)
                  row = i + 1;
                  printf("%2d |", row) ;
                  for (j = 1; j \le COLUMNS; j++)
                     column = j ;
                     product[i][j] = row * column ;
                     printf("%4d", product[i][j] );
                  printf("\n");
Output
        MULTIPLICATION TABLE
                                5
           1
                     3
                          4
                                5
      1
      2
           2
                4
                     6
                         8
                               10
      3
           3
                6
                    9
                         12
                               15
      4
            4
                8
                    12
                         16
                               20
      5
            5
               10
                    15
                         20
                               25
```

Fig. 8.11 Program to print multiplication table using two-dimensional array

8.6 Initializing Two-Dimensional Arrays

Like the one-dimensional arrays, two-dimensional arrays may be initialized by following their declaration with a list of initial values enclosed in braces. For example,

```
int table[2][3] = { 0,0,0,1,1,1};
```

initializes the elements of the first row to zero and the second row to one. The initialization is done row by row. The above statement can be equivalently written as

```
int table[2][3] = \{\{0,0,0\}, \{1,1,1\}\};
```

by surrounding the elements of the each row by braces.

We can also initialize a two-dimensional array in the form of a matrix as shown below:

Note the syntax of the above statements. Commas are required after each brace that closes off a row, except in the case of the last row.

When the array is completely initialized with all values, explicitly, we need not specify the size of the first dimension. That is, the statement is permitted.

If the values are missing in an initializer, they are automatically set to zero. For instance, the statement

will initialize the first two elements of the first row to one, the first element of the second row to two, and all other elements to zero.

When all the elements are to be initialized to zero, the following short-cut method may be used.

```
int m[3][5] = \{ \{0\}, \{0\}, \{0\}\};
```

The first element of each row is explicitly initialized to zero while other elements are automatically initialized to zero. The following statement will also achieve the same result:

```
int m [3] [5] = { 0, 0};
```

Example 8.11 A survey to know the popularity of four cars (Ambassador, Fiat, Dolphin and Maruti) was conducted in four cities (Bombay, Calcutta, Delhi and Madras). Each person surveyed was asked to give his city and the type of car he was using. The results, in coded form, are tabulated as follows:

```
M
        1
              \mathbf{C}
                    2
                           В
                                 1
                                       D
                                             3
                                                          2
                                                                 В
                                                                       4
                                                    M
\mathbf{C}
       1
               D
                    3
                                4
                                       В
                                             2
                                                          1
                                                                \mathbf{C}
                                                                       3
                           M
                                                    D
                                                                       3
D
              D 4
                           M
                               1
                                       M
                                            1
                                                                В
                                           4
\mathbf{C}
       1
              C
                    1
                           C
                                2
                                       M
                                                    M
                                                          4
                                                                C
                                                                       2
              \mathbf{C}
                           В
                                3
                                                                       2
D
        1
                                       M
                                             1
                                                          1
                                                                \mathbf{C}
                                                    В
D
              M
                   4
                           \mathbf{C}
                                1
                                       D
                                                          3
```

Codes represent the following information:

```
M-Madras 1-Ambassador D-Delhi 2-Fiat C-Calcutta 3-Dolphin B-Bombay 4-Maruti
```

Write a program to produce a table showing popularity of various cars in four cities.

A two-dimensional array **frequency** is used as an accumulator to store the number of cars used, under various categories in each city. For example, the element **frequency** [i][j] denotes the number of cars of type j used in city i. The **frequency** is declared as an array of size 5×5 and all the elements are initialized to zero.

The program shown in Fig. 8.12 reads the city code and the car code, one set after another, from the terminal. Tabulation ends when the letter X is read in place of a city code.


```
Program
     main()
        int i, j, car;
        int frequency[5][5] = { \{0\}, \{0\}, \{0\}, \{0\}, \{0\}\} };
        char city;
        printf("For each person, enter the city code \n");
        printf("followed by the car code.\n");
        printf("Enter the letter X to indicate end.\n");
     /*. . . . . TABULATION BEGINS . . . . . */
        for(i = 1; i < 100; i++)
           scanf("%c", &city);
           if ( city == 'X' )
              break;
           scanf("%d", &car);
           switch (city)
           {
                     case 'B' : frequency[1][car]++;
                                 break;
                     case 'C' : frequency[2][car]++;
                                  break;
                     case 'D' : frequency[3][car]++;
                                 break;
                     case 'M' : frequency[4][car]++;
                                  break;
              }
      /*. . . . .TABULATION COMPLETED AND PRINTING BEGINS. . . .*/
           printf("\n\n");
           printf(" POPULARITY TABLE\n\n");
           printf("-
                                                      —-\n");
           printf("City Ambassador Fiat Dolphin Maruti \n");
           printf("----
           for( i = 1; i \le 4; i++)
           {
                 switch(i)
                           case 1 : printf("Bombay ") ;
                              break ;
                  case 2 : printf("Calcutta ") ;
                              break ;
```

```
case 3 : printf("Delhi ") ;
                           break ;
                case 4 : printf("Madras ") ;
                           break ;
          for (j = 1; j \le 4; j++)
             printf("%7d", frequency[i][j] );
          printf("\n") ;
       printf("-
    Output
    For each person, enter the city code
    followed by the car code.
    Enter the letter X to indicate end.
                В
                   1
                      D
                         3
                           Μ
                         2
                              1
                                    3
          D 3
                  4
                      В
                            D
                              3
    D
       4
         D
            4
                  1
                      Μ
                        1
                           В
                Μ
    С
      1 C 1
                С
                   2
                     М
                        4
                           Μ
                              4
                                 С
                                    2
    D
       1 C
            2
                В
                   3
                     М
                        1
                           В
                              1
                                 С
                                    2
                                          Χ
                POPULARITY TABLE
     City
              Ambassador
                           Fiat
                                   Dolphin
                                             Maruti
                                                2
     Bombay
                  2
                             1
                                      3
                             5
     Calcutta
                  4
                                      1
                                                0
                                                2
     Delhi
                  2
                             1
                                      3
     Madras
                                      1
                                                4
```

Fig. 8.12 Program to tabulate a survey data

Memory Layout

The subscripts in the definition of a two-dimensional array represent rows and columns. This format maps the way that data elements are laid out in the memory. The elements of all arrays are stored contiguously in increasing memory locations, essentially in a single list. If we consider the memory as a row of bytes, with the lowest address on the left and the highest address on the right, a simple array will be stored in memory with the first element at the left end and the last element at the right end. Similarly, a two-dimensional array is stored "row-wise, starting from the first row and ending with the last row, treating each row like a simple array. This is illustrated below.



For a multi-dimensional array, the order of storage is that the first element stored has 0 in all its subscripts, the second has all of its subscripts 0 except the far right which has a value of 1 and so on.

The elements of a 2 x 3 x 3 array will be stored as under

The far right subscript increments first and the other subscripts increment in order from right to left. The sequence numbers 1, 2,....., 18 represents the location of that element in the list

8.7 Multi-Dimensional Arrays

C allows arrays of three or more dimensions. The exact limit is determined by the compiler. The general form of a multi-dimensional array is

where s_i is the size of the ith dimension. Some examples are:

```
int survey[3][5][12];
float table[5][4][5][3];
```

survey is a three-dimensional array declared to contain 180 integer type elements. Similarly **table** is a four-dimensional array containing 300 elements of floating-point type.

The array **survey** may represent a survey data of rainfall during the last three years from January to December in five cities.

If the first index denotes year, the second city and the third month, then the element **survey[2][3]** [10] denotes the rainfall in the month of October during the second year in city-3.

Remember that a three-dimensional array can be represented as a series of two-dimensional arrays shown as follows:

	month city	1	2	 12
Year 1	1			
	5			
	month city	1	2	 12
Year 2	month city	1	2	 12
Year 2	city	1	2	 12
Year 2	city	1	2	 12
Year 2	city	1	2	 12

ANSI C does not specify any limit for array dimension. However, most compilers permit seven to ten dimensions. Some allow even more.

8.8 Dynamic Arrays

So far, we created arrays at compile time. An array created at compile time by specifying size in the source code has a fixed size and cannot be modified at run time. The process of allocating memory at compile time is known as *static memory allocation* and the arrays that receive static memory allocation are called *static arrays*. This approach works fine as long as we know exactly what our data requirements are.

Consider a situation where we want to use an array that can vary greatly in size. We must guess what will be the largest size ever needed and create the array accordingly. A difficult task in fact! Modern languages like C do not have this limitation. In C it is possible to allocate memory to arrays at run time. This feature is known as *dynamic memory allocation* and the arrays created at run time are called *dynamic* arrays. This effectively postpones the array definition to run time.

Dynamic arrays are created using what are known as *pointer variables* and *memory management functions* **malloc**, **calloc** and **realloc**. These functions are included in the header file **stdlib.h**. The concept of dynamic arrays is used in creating and manipulating data structures such as linked lists, stacks and queues. We discuss in detail pointers and pointer variables in Chapter 11.

Just Remember

- We need to specify three things, namely, name, type and size, when we declare an array.
- Always remember that subscripts begin at 0 (not 1) and end at size -1.
- Defining the size of an array as a symbolic constant makes a program more scalable.
- Be aware of the difference between the "kth element" and the "element k". The kth element has a subscript k-1, whereas the element k has a subscript of k itself.

- Do not forget to initialize the elements; otherwise they will contain "garbage".
- Supplying more initializers in the initializer list is a compile time error.
- Use of invalid subscript is one of the common errors. An incorrect or invalid index may cause unexpected results.
- When using expressions for subscripts, make sure that their results do not go outside the permissible range of 0 to size -1. Referring to an element outside the array bounds is an error.
- When using control structures for looping through an array, use proper relational expressions to eliminate "off-by-one" errors. For example, for an array of size 5, the following **for** statements are wrong:

for
$$(i = 1; i <=5; i++)$$

for $(i = 0; i <=5; i++)$
for $(i = 0; i ==5; i++)$
for $(i = 0; i <4; i++)$

- Referring a two-dimensional array element like x[i, j] instead of x[i] [j] is a compile time error.
- When initializing character arrays, provide enough space for the terminating null character.
- Make sure that the subscript variables have been properly initialized before they are used.
- Leaving out the subscript reference operator [] in an assignment operation is compile time error.
- During initialization of multi-dimensional arrays, it is an error to omit the array size for any dimension other than the first.

Review Questions



- 8.1 State whether the following statements are *true* or *false*.
 - (a) The type of all elements in an array must be the same.
 - (b) When an array is declared, C automatically initializes its elements to zero.
 - (c) An expression that evaluates to an integral value may be used as a subscript.
 - (d) Accessing an array outside its range is a compile time error.
 - (e) A **char** type variable cannot be used as a subscript in an array.
 - (f) An unsigned long int type can be used as a subscript in an array.
 - (g) In C, by default, the first subscript is zero.
 - (h) When initializing a multidimensional array, not specifying all its dimensions is an error.
 - (i) When we use expressions as a subscript, its result should be always greater than zero.
 - (j) In C, we can use a maximum of 4 dimensions for an array.
 - (k) In declaring an array, the array size can be a constant or variable or an expression.
 - (1) The declaration int $x[2] = \{1,2,3\}$; is illegal.
- 8.2 Fill in the blanks in the following statements.
 - (a) The variable used as a subscript in an array is popularly known as ______ variable.
 - (b) An array can be initialized either at compile time or at _____.
 - (c) An array created using **malloc** function at run time is referred to as _____ array.
 - (d) An array that uses more than two subscript is referred to as _____ array.
 - (e) ______ is the process of arranging the elements of an array in order.

8.3 Identify errors, if any, in each of the following array declaration statements, assuming that ROW and COLUMN are declared as symbolic constants:

```
(a) int score (100);
(b) float values [10,15];
(c) float average[ROW],[COLUMN];
(d) char name[15];
(e) int sum[];
(f) double salary [i + ROW]
(g) long int number [ROW]
(h) int array x[COLUMN];
```

8.4 Identify errors, if any, in each of the following initialization statements.

```
(a) int number[] = {0,0,0,0,0};
(b) float item[3][2] = {0,1,2,3,4,5};
(c) char word[] = {'A', 'R', 'R', 'A', 'Y'};
(d) int m[2,4] = {(0,0,0,0)(1,1,1,1)};
(e) float result[10] = 0;
```

8.5 Assume that the arrays A and B are declared as follows:

```
int A[5][4];
float B[4];
```

Find the errors (if any) in the following program segments.

```
(a) for (i=1; i<=5; i++) for (j=1; j<=4; j++) A[i][j] = 0;</li>
(b) for (i=1; i<4; i++) scanf("%f", B[i]);</li>
(c) for (i=0; i<=4; i++) B[i] = B[i]+i;</li>
(d) for (i=4; i>=0; i--) for (j=0; j<4; j++) A[i][j] = B[j] + 1.0;</li>
```

8.6 Write a **for** loop statement that initializes all the diagonal elements of an array to one and others to zero as shown below. Assume 5 rows and 5 columns.

1	0	0	0	0	 0
0	1	0	0	0	 0
0	0	1	0	0	 0

8.30

8.7 We want to declare a two-dimensional integer type array called **matrix** for 3 rows and 5 columns. Which of the following declarations are correct?

```
(a) int maxtrix [3], [5];
(b) int matrix [5] [3];
(c) int matrix [1+2] [2+3];
(d) int matrix [3,5];
(e) int matrix [3] [5];
```

8.8 Which of the following initialization statements are correct?

```
(a) char str1[4] = "GOOD";
(b) char str2[] = "C";
(c) char str3[5] = "Moon";
(d) char str4[] = {'S', 'U', 'N'};
(e) char str5[10] = "Sun";
```

- 8.9 What is a data structure? Why is an array called a data structure?
- 8.10 What is a dynamic array? How is it created? Give a typical example of use of a dynamic array.
- 8.11 What is the error in the following program?

```
main ( )
{
    int x ;
    float y [ ] ;
    .....
}
```

- 8.12 What happens when an array with a specified size is assigned
 - (a) with values fewer than the specified size; and
 - (b) with values more than the specified size.
- 8.13 Discuss how initial values can be assigned to a multidimensional array.
- 8.14 What is the output of the following program?

```
main ( )
{
    int m [ ] = { 1,2,3,4,5 }
    int x, y = 0;
    for (x = 0; x < 5; x++ )
        y = y + m [ x ];
    printf("%d", y) ;
}</pre>
```

8.15 What is the output of the following program?

```
main ( )
{
    chart string [ ] = "HELLO WORLD";
    int m;
    for (m = 0; string [m] != '\0'; m++ )
        if ( (m%2) == 0)
```

```
printf("%c", string [m] );
```

Programming Exercises

}

8.1 Write a program for fitting a straight line through a set of points (x_i, y_i) , i = 1, ..., n. The straight line equation is

$$y = mx + c$$

and the values of m an c are gven by

$$m = \frac{n\Sigma(x_1y_i) - (\Sigma x_1)(\Sigma y_i)}{n(\Sigma x_i^2) - (\Sigma x_i)^2}$$
$$c = \frac{1}{n}(\Sigma y_i - m \Sigma x_i)$$

All summations are from 1 to n.

8.2 The daily maximum temperatures recorded in 10 cities during the month of January (for all 31 days) have been tabulated as follows:

	City			
Day	1	2	3	10
1				
2				
3				
-				
-				
-				
-				
31				

Write a program to read the table elements into a two-dimensional array **temperature**, and to find the city and day corresponding to

- (a) the highest temperature and
- (b) the lowest temperature.
- 8.3 An election is contested by 5 candidates. The candidates are numbered 1 to 5 and the voting is done by marking the candidate number on the ballot paper. Write a program to read the ballots and count the votes cast for each candidate using an array variable **count**. In case, a number read is outside the range 1 to 5, the ballot should be considered as a 'spoilt ballot' and the program should also count the number of spoilt ballots.
- 8.4 The following set of numbers is popularly known as Pascal's triangle.

```
1
1 1
1 2 1
```

1	3	3	1				
1	4	6	4	1			
1	5	10	10	5	1		
-	-	-	-	-	-	-	

If we denote rows by i and columns by j, then any element (except the boundary elements) in the triangle is given by

$$p_{ij} = p_{i-1}, j_{i-1} + p_{i-1}, j_{i-1}$$

 $p_{ij}=p_{i-1},_{j-1}+p_{i-1},_{j}$ Write a program to calculate the elements of the Pascal triangle for 10 rows and print the results.

8.5 The annual examination results of 100 students are tabulated as follows:

Roll No.	Subject 1	Subject 2	Subject 3

Write a program to read the data and determine the following:

- (a) Total marks obtained by each student.
- (b) The highest marks in each subject and the Roll No. of the student who secured it.
- (c) The student who obtained the highest total marks.
- 8.6 Given are two one-dimensional arrays A and B which are sorted in ascending order. Write a program to merge them into a single sorted array C that contains every item from arrays A and B, in ascending order.
- 8.7 Two matrices that have the same number of rows and columns can be multiplied to produce a third matrix. Consider the following two matrices.

$$\mathbf{A} = \begin{bmatrix} a_{11} \ a_{12} \ \ a_{1n} \\ a_{12} \ a_{22} \ \ a_{2n} \\ . & . \\ . & . \\ . & . \\ a_{n1} \ \ a_{nn} \end{bmatrix}$$

$$\mathbf{B} = \begin{bmatrix} b_{11} \ b_{12} \ \ b_{1n} \\ b_{12} \ b_{22} \ \ b_{2n} \\ \vdots \\ \vdots \\ \vdots \\ b_{n1} \ \ b_{nn} \end{bmatrix}$$

The product of **A** and **B** is a third matrix C of size $n \times n$ where each element of C is given by the following equation.

$$\mathbf{C}_{ij} = \sum_{k=1}^{n} a_{ik} b_{kj}$$

Write a program that will read the values of elements of A and B and produce the product matrix **C.**

- 8.8 Write a program that fills a five-by-five matrix as follows:
 - Upper left triangle with +1s
 - Lower right triangle with -1s
 - Right to left diagonal with zeros

Display the contents of the matrix using not more than two **printf** statements

8.9 Selection sort is based on the following idea:

Selecting the largest array element and swapping it with the last array element leaves an unsorted list whose size is 1 less than the size of the original list. If we repeat this step again on the unsorted list we will have an ordered list of size 2 and an unordered list size n-2. When we repeat this until the size of the unsorted list becomes one, the result will be a sorted list.

Write a program to implement this algorithm.

- 8.10 Develop a program to implement the binary search algorithm. This technique compares the search key value with the value of the element that is midway in a "sorted" list. Then;
 - (a) If they match, the search is over.
 - (b) If the search key value is less than the middle value, then the first half of the list contains the key value.
 - (c) If the search key value is greater than the middle value, then the second half contains the key value.

Repeat this "divide-and-conquer" strategy until we have a match. If the list is reduced to one non-matching element, then the list does not contain the key value.

Use the sorted list created in Exercise 8.9 or use any other sorted list.

- 8.11 Write a program that will compute the length of a given character string.
- 8.12 Write a program that will count the number occurrences of a specified character in a given line of text. Test your program.
- 8.13 Write a program to read a matrix of size $m \times n$ and print its transpose.
- 8.14 Every book published by international publishers should carry an International Standard Book Number (ISBN). It is a 10 character 4 part number as shown below.

The first part denotes the region, the second represents publisher, the third identifies the book and the fourth is the check digit. The check digit is computed as follows:

Sum = $(1 \times \text{first digit}) + (2 \times \text{second digit}) + (3 \times \text{third digit}) + - - - + (9 \times \text{ninth digit}).$

Check digit is the remainder when sum is divided by 11. Write a program that reads a given ISBN number and checks whether it represents a valid ISBN.

- 8.15 Write a program to read two matrices A and B and print the following:
 - (a) A + B: and
- (b) A B.

8.1 Identify the error in the following program, if any:

```
#include <stdio.h>

void main()
{
   int i;
   int arr[5];

printf("Enter the array values:\n");
   for(i=0;i<=5;i++)
     scanf("%d", &arr[i]);
}</pre>
```

8.2 Identify the error in the following program that computes the sum of array elements:

```
#include <stdio.h>
void main()
int i, sum;
int arr[5];
printf("Enter the array values:\n");
for(i=0;i<5;i++)
   scanf("%d", arr[i]); /*Reading values to be stored in the
array*/
printf("\nArray arr[5] contains the following elements:\n");
for (i=0; i<5; i++)
 printf("arr[%d] = %d\n", i,arr[i]);/*Printing array values*/
sum=0:
for(i=0;i<5;i++)
 sum=sum+arr[i];/*Computing sum of elements stored in the array*/
 printf("\nSum of array elements = %d", sum); /*Displaying the
result*/
```

8.3 Will the following program compile successfully? If yes, what will be output?

```
#include <stdio.h>
void main()
{
  int i,j;
  int arr[2][2]={1,2,3};
```

```
for(i=0;i<2;i++)
for(j=0;j<2;j++)
printf("arr[%d][%d] = %d\n",i,j,arr[i][j]);
}</pre>
```

8.4 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
{
  int a[]={1,2,3,4,5};
  int b[5];
  int i;

b[]=a[];
  for(i=0;i<5;i++)
    printf("b[%d] = %d\n",i,b[i]);
}</pre>
```

Multiple Choice Questions

- 1. Which of the following statements hold true?
 - (a) An array is a variable size sequenced collection of the same data type.
 - (b) An array is a fixed size sequenced collection of the same data type.
 - (c) An array is a fixed size sequenced collection of different data types.
 - (d) An array is a fixed size unorganized collection of the same data type.
- 2. How are elements in an array located?
 - (a) Randomly
 - (b) Sequentially
 - (c) Depends on how an array is defined
 - (d) Depends on the type of array
- 3. Identify the correct way to initialize an array.

```
(a) int num{} = 1,2,3,4,5 (b) int n{} = \{5,10,15,20\};
```

(c) int num[5] =
$$\{1,2,3,4,5\}$$
; (d) int n(5) = $\{1,2,3,4,5\}$;

- 4. Suppose z is an array. Which of the following operations can be carried out?
 - (a) ++z

(b) z++

(c) z*2

- (d) z+1
- 5. How many maximum dimensions can an array in C have?
 - (a) 3
 - (b) 8
 - (c) 50

(a) 0

(c) 6

- (d) Can have any no. of dimensions. Practically the memory size and compiler are the only limiters.
- 6. What will be the output for the following piece of code?

```
void main()
{
  int x[8]={1,2,3,4,5};
  printf ("%d", x[5]);
}

  (b) 5
  (d) Garbage value
```

7. What will be the output for the following piece of code?

```
void main()
{
    char str1[] = "Hello";
    char str2[] = "hello";
    if(str1==str2)
        printf(" Strings are Equal");
    else
        printf("This is not how you compare strings");
}
```

(a) Strings are equal

(b) This is not how you compare strings

(c) Runtime error

- (d) Garbage value
- 8. Identify the incorrect way to initialize a two dimensional array amongst the following?
 - (a) int arr[2][3]={0,0,0,1,1,1};(b) int arr[2][3]={{0,0,0},{1,1,1}};
 - (c) int $arr[2,3] = \{\{0,0,0\},\{1,1,1\}\};$
 - (d) int $arr[2][3] = \{\{0,0,0\}, \{1,1,1\}\}$
- 9. What are the arrays created at run time called?
 - (a) Multi dimensional array
- (b) One dimensional array

(c) Static array

- (d) Dynamic array
- 10. Which of the following will identify the 8th element is an array of 50 elements?
 - (a) Arr[7]

(b) Arr[8]

(c) $Arr{7}$

- (d) Arr{8}
- 11. int $x[5] = \{3, 4, 5\}$

What will be the value of x[4]?

(a) 4

(b) 6

(c) 0

(d) Garbage value

Answers

- 1. (b)
- 2. (b)
- 3. (c)
- 4. (d)
- 5. (d)

- 6. (a)
- 7. (b)

- 8. (c)
- 9. (d)
- 10. (a)

11. (c)



9.1 Introduction

A string is a sequence of characters that is treated as a single data item. We have used strings in a number of examples in the past. Any group of characters (except double quote sign) defined between double quotation marks is a string constant. Example:

"Man is obviously made to think."

If we want to include a double quote in the string to be printed, then we may use it with a back slash as shown below.

"\" Man is obviously made to think,\" said Pascal."

```
For example,

printf ("\" Well Done !"\");

will output the string

"Well Done!"

while the statement

printf(" Well Done!");

will output the string

Well Done!
```

Character strings are often used to build meaningful and readable programs. The common operations performed on character strings include:

- Reading and writing strings.
- · Combining strings together.
- Copying one string to another.
- · Comparing strings for equality.
- Extracting a portion of a string.

In this chapter we shall discuss these operations in detail and examine library functions that implement them.

9.2 Declaring and Initializing String Variables

C does not support strings as a data type. However, it allows us to represent strings as character arrays. In C, therefore, a string variable is any valid C variable name and is always declared as an array of characters. The general form of declaration of a string variable is:

```
char string_name[ size ];
```

The size determines the number of characters in the string name. Some examples are:

```
char city[10];
char name[30];
```

When the compiler assigns a character string to a character array, it automatically supplies a *null* character ('\0') at the end of the string. Therefore, the *size* should be equal to the maximum number of characters in the string *plus* one.

Like numeric arrays, character arrays may be initialized when they are declared. C permits a character array to be initialized in either of the following two forms:

```
char city [9] = " NEW YORK ";
char city [9]={'N', 'E', 'W', ' ', 'Y', 'O', 'R', 'K', '\0'};
```

The reason that **city** had to be 9 elements long is that the string NEW YORK contains 8 characters and one element space is provided for the null terminator. Note that when we initialize a character array by listing its elements, we must supply explicitly the null terminator.

C also permits us to initialize a character array without specifying the number of elements. In such cases, the size of the array will be determined automatically, based on the number of elements initialized. For example, the statement

```
char string [ ] = { `G', `O', `D', `D', `\0'};
```

defines the array **string** as a five element array.

We can also declare the size much larger than the string size in the initializer. That is, the statement.

```
char str[10] = "GOOD";
```

is permitted. In this case, the computer creates a character array of size 10, places the value "GOOD" in it, terminates with the null character, and initializes all other elements to NULL. The storage will look like:

G	0	0	D	\0	\0	\0	\0	\0	\0	
---	---	---	---	----	----	----	----	----	----	--

However, the following declaration is illegal.

This will result in a compile time error. Also note that we cannot separate the initialization from declaration.

That is,

```
char str3[5];
str3 = "GOOD";
```

is not allowed. Similarly,

```
char s1[4] = "abc";
char s2[4];
s2 = s1; /*Error*/
```

is not allowed. An array name cannot be used as the left operand of an assignment operator.

Terminating Null Character

You must be wondering, "why do we need a terminating null character?" As we know, a string is not a data type in C, but it is considered a data structure stored in an array. The string is a variable-length structure and is stored in a fixed-length array. The array size is not always the size of the string and most often it is much larger than the string stored in it. Therefore, the last element of the array need not represent the end of the string. We need some way to determine the end of the string data and the null character serves as the "end-of-string" marker.

9.3 Reading Strings from Terminal

9.3.1 Using *scanf* Function

The familiar input function **scanf** can be used with **%s** format specification to read in a string of characters. Example:

```
char address[10]
scanf("%s", address);
```

The problem with the **scanf** function is that it terminates its input on the first white space it finds. A white space includes blanks, tabs, carriage returns, form feeds, and new lines. Therefore, if the following line of text is typed in at the terminal,

NEW YORK

then only the string "NEW" will be read into the array **address**, since the blank space after the word 'NEW' will terminate the reading of string.

The **scanf** function automatically terminates the string that is read with a null character and therefore the character array should be large enough to hold the input string plus the null character. Note that unlike previous **scanf** calls, in the case of character arrays, the ampersand (&) is not required before the variable name.

The **address** array is created in the memory as shown below:



Note that the unused locations are filled with garbage.

If we want to read the entire line "NEW YORK", then we may use two character arrays of appropriate sizes.

That is,

```
char adr1[5], adr2[5];
scanf("%s %s", adr1, adr2);
```

with the line of text

NEW YORK

will assign the string "NEW" to adr1 and "YORK" to adr2.

Example 9.1 Write a program to illustrate how to read string from terminal.

```
Program
    #include <stdio.h>
    int main()
    {
        char name[20];
    clrscr();
        printf("Enter name: ");
        scanf("%s",name);
        /*'%s' is used to read a string*/
        printf("Your name is %s.",name);
    getch();
    return 0;
    }
Output
    Enter name: Sachin Tendulkar
    Your name is Sachin Tendulkar.
```

Fig. 9.1 Reading string from terminal using C program

Example 9.2 Write a program to read a series of words from a terminal using scanf function.

The program shown in Fig. 9.2 reads four words and displays them on the screen. Note that the string 'Oxford Road' is treated as *two words* while the string 'Oxford-Road' as *one word*.

```
Program
    main()
{
        char word1[40], word2[40], word3[40], word4[40];
        printf("Enter text : \n");
        scanf("%s %s", word1, word2);
        scanf("%s", word3);
        scanf("%s", word4);
        printf("\n");
        printf("\n");
        printf("word1 = %s\nword2 = %s\n", word1, word2);
        printf("word3 = %s\nword4 = %s\n", word3, word4);
}
```

```
Output
    Enter text :
    Oxford Road, London M17ED
    word1 = Oxford
    word2 = Road,
    word3 = London
    word4 = M17ED
    Enter text :
    Oxford-Road, London-M17ED United Kingdom
    word1 = Oxford-Road
    word2 = London-M17ED
    word3 = United
    word4 = Kingdom
```

Fig. 9.2 Reading a series of words using **scanf** function

We can also specify the field width using the form %ws in the **scanf** statement for reading a specified number of characters from the input string. Example:

```
scanf("%ws", name);
```

Here, two things may happen.

- 1. The width **w** is equal to or greater than the number of characters typed in. The entire string will be stored in the string variable.
- 2. The width w is less than the number of characters in the string. The excess characters will be truncated and left unread.


Consider the following statements:

```
char name[10];
scanf("%5s", name);
```

The input string RAM will be stored as:



The input string KRISHNA will be stored as:



9.3.2 Reading a Line of Text

We have seen just now that **scanf** with %s or %ws can read only strings without whitespaces. That is, they cannot be used for reading a text containing more than one word. However, C supports a format specification known as the *edit set conversion code* %[. .] that can be used to read a line containing a variety of characters, including whitespaces. Recall that we have used this conversion code in Chapter 5. For example, the program segment

```
char line [80];
scanf("%[^\n]", line);
printf("%s", line);
```

will read a line of input from the keyboard and display the same on the screen. We would very rarely use this method, as C supports an intrinsic string function to do this job. This is discussed in the next section.

9.3.3 Using getchar and gets Functions

We have discussed in Chapter 5 as to how to read a single character from the terminal, using the function **getchar.** We can use this function repeatedly to read successive single characters from the input and place them into a character array. Thus, an entire line of text can be read and stored in an array. The reading is terminated when the newline character ('\n') is entered and the null character is then inserted at the end of the string. The **getchar** function call takes the form:

```
char ch;
ch = getchar();
```

Note

that the getchar function has no parameters.

Example 9.3 Write a program to read a line of text containing a series of words from the terminal.

The program shown in Fig. 9.3 can read a line of text (up to a maximum of 80 characters) into the string **line** using **getchar** function. Every time a character is read, it is assigned to its location in the string **line** and then tested for *newline* character. When the *newline* character is read (signalling the end of line), the reading loop is terminated and the *newline* character is replaced by the null character to indicate the end of character string.

When the loop is exited, the value of the index **c** is one number higher than the last character position in the string (since it has been incremented after assigning the new character to the string). Therefore the index value **c-1** gives the position where the *null* character is to be stored.

```
Program
    #include <stdio.h>
    main()
{
        char line[81], character;
        int c;
        c = 0;
        printf("Enter text. Press <Return> at end\n");
        do
        {
        character = getchar();
        line[c] = character;
        c++;
        }
        while(character != '\n');
        c = c - 1;
        line[c] = '\0';
```

```
printf("\n%s\n", line);
}
Output
Enter text. Press <Return> at end
Programming in C is interesting.
Programming in C is interesting.
Enter text. Press <Return> at end
National Centre for Expert Systems, Hyderabad.
National Centre for Expert Systems, Hyderabad.
```

Fig. 9.3 Program to **read a line of text** from terminal

Another and more convenient method of reading a string of text containing whitespaces is to use the library function **gets** available in the *<stdio.h>* header file. This is a simple function with one string parameter and called as under:

```
gets (str);
```

str is a string variable declared properly. It reads characters into **str** from the keyboard until a new-line character is encountered and then appends a null character to the string. Unlike **scanf**, it does not skip whitespaces.

For example the code segment

```
char line [80];
gets (line);
printf ("%s", line);
```

reads a line of text from the keyboard and displays it on the screen. The last two statements may be combined as follows:

```
printf("%s", gets(line));
```

(Be careful not to input more character that can be stored in the string variable used. Since C does not check array-bounds, it may cause problems.)

C does not provide operators that work on strings directly. For instance we cannot assign one string to another directly. For example, the assignment statements.

```
string = "ABC";
string1 = string2;
```

are not valid. If we really want to copy the characters in **string2** into **string1**, we may do so on a character-by-character basis.

Example 9.4 Write a program to copy one string into another and count the number of characters copied.

The program is shown in Fig. 9.4. We use a **for** loop to copy the characters contained inside **string2** into the **string1**. The loop is terminated when the *null* character is reached. Note that we are again assigning a null character to the **string1**.

```
Program
  main()
  {
     char string1[80], string2[80];
```

Fig. 9.4 Copying one string into another

Example 9.5 Write a C program to remove all special characters in a string except alphabet.

```
Program
    #include<stdio.h>
    int main()
    {
        char line[150];
        int i,j;
        clrscr();
        printf("Enter a string: ");
        gets(line);
        /*gets will read a string from the user*/
        for(i=0; line[i]!='\0'; ++i)
        {
            while (!((line[i]>='a'&&line[i]<='z') ||(line[i]>='A'&&line[i]<='Z') || line[i]=='\0')))
        {
            for(j=i;line[j]!='\0';++j)
            {
                  line[j]=line[j+1];
            }
            line[j]='\0';</pre>
```

```
}
}
printf("Output String: ");
puts(line);
/*puts() will display a string on user screen*/
getch();
return 0;
}
Output
Enter a string: c.programming@gmail.com
Output String: cprogramminggmailcom
```

Fig. 9.5 Removing all special characters in a string except alphabet

9.4 Writing Strings to Screen

9.4.1 Using printf Function

We have used extensively the **printf** function with %s format to print strings to the screen. The format %s can be used to display an array of characters that is terminated by the null character. For example, the statement

```
printf("%s", name);
```

can be used to display the entire contents of the array **name**.

We can also specify the precision with which the array is displayed. For instance, the specification

indicates that the *first four* characters are to be printed in a field width of 10 columns.

However, if we include the minus sign in the specification (e.g., %-10.4s), the string will be printed left-justified. The Example 9.6 illustrates the effect of various %s specifications.

Example 9.6 Write a program to store the string "United Kingdom" in the array **country** and display the string under various format specifications.

The program and its output are shown in Fig. 9.6. The output illustrates the following features of the %s specifications.

- 1. When the field width is less than the length of the string, the entire string is printed.
- 2. The integer value on the right side of the decimal point specifies the number of characters to be printed.
- 3. When the number of characters to be printed is specified as zero, nothing is printed.
- 4. The minus sign in the specification causes the string to be printed left-justified.
- 5. The specification % .ns prints the first n characters of the string.

```
Program
     main()
        char country[15] = "United Kingdom";
        printf("\n\n");
        printf("*123456789012345*\n");
        printf(" ---- \n");
        printf("%15s\n", country);
        printf("%5s\n", country);
        printf("%15.6s\n", country);
        printf("%-15.6s\n", country);
        printf("%15.0s\n", country);
        printf("%.3s\n", country);
        printf("%s\n", country);
        printf("---- \n");
Output
     *123456789012345*
     United Kingdom
     United Kingdom
            United
     United
     Uni
     United Kingdom
```

Fig. 9.6 Writing strings using %s format

The **printf** on UNIX supports another nice feature that allows for variable field width or precision. For instance

```
printf("%*.*s\n", w, d, string);
```

prints the first **d** characters of the string in the field width of **w**.

This feature comes in handy for printing a sequence of characters. Example 9.5 illustrates this.

Example 9.7 Write a program using **for loop** to print the following output:

```
C
CP
CPr
CPro
.....
CProgramming
CProgramming
.....
CPro
CPr
CPr
CP
```

The outputs of the program in Fig. 9.7, for variable specifications %12.*s, %.*s, and %*.1s are shown in Fig. 9.8, which further illustrates the variable field width and the precision specifications.

```
Program
    main()
       int c, d;
       char string[] = "CProgramming";
       printf("\n\n");
       printf("----\n");
       for ( c = 0 ; c \le 11 ; c++ )
          d = c + 1;
          printf("|%-12.*s|\n", d, string);
       printf("|----|\n");
       for (c = 11 ; c >= 0 ; c--)
          d = c + 1;
          printf("|%-12.*s|\n", d, string);
          printf("----\n");
Output
    CP
    CPr
    CPro
    CProg
    CProgr
    CProgra
    CProgram
    CProgramm
    CProgrammi
    CProgrammin
    CProgramming
    CProgramming
    CProgrammin
    CProgrammi
    CProgramm
    CProgram
    CProgra
    CProgr
    CProg
    CPro
    CPr
    CP
    С
```

```
C
                          CI
                                            Cl
           CP
                          CPI
                                               СΙ
          CPr
                          CPr|
                                                Cl
                          CPro|
                                                  СΙ
         CPro
                                                   СΙ
       CProg
                          CProg|
                                                     Cl
      CProgr
                          CProgr|
     CProgra
                          CProgra|
                                                       CI
    CProgram
                          CProgram|
                                                        CI
                                                          CI
   CProgramm
                          CProgramm |
  CProgrammi
                          CProgrammi |
                                                           Cl
 CProgrammin
                          CProgrammin|
                                                              Cl
CProgramming
                          CProgramming |
                                                               Cl
CProgramming
                          CProgramming|
                                                               Cl
CProgrammin
                          CProgrammin|
                                                              Cl
  CProgrammi
                          CProgrammi |
                                                            CI
   CProgramm
                          CProgramm |
                                                          Cl
    CProgram
                          CProgram |
                                                        Cl
     CProgra
                          CProgra|
                                                       CI
      CProgr
                          CProgr|
                                                     CI
       CProq
                          CProq|
                                                   Cl
         CPro
                          CProl
                                                  Cl
          CPr
                          CPrl
                                                CI
           CP
                                               Cl
                          CP|
            С
                          CI
                                            CI
  (a) %12.*s
                        (b) %.*s
                                         (c) %*.1s
```

Fig. 9.8 Further illustrations of variable specifications

9.4.2 Using putchar and puts Functions

Like **getchar**, C supports another character handling function **putchar** to output the values of character variables. It takes the following form:

```
char ch = 'A';
putchar (ch);
```

The function **putchar** requires one parameter. This statement is equivalent to:

```
printf("%c", ch);
```

We have used **putchar** function in Chapter 4 to write characters to the screen. We can use this function repeatedly to output a string of characters stored in an array using a loop. Example:

```
char name[6] = "PARIS"
for (i=0, i<5; i++)
    putchar(name[i];
putchar('\n');</pre>
```

Another and more convenient way of printing string values is to use the function **puts** declared in the header file *<stdio.h>*. This is a one parameter function and invoked as under:

```
puts (str);
```

where **str** is a string variable containing a string value. This prints the value of the string variable **str** and then moves the cursor to the beginning of the next line on the screen.

For example, the program segment

```
char line [80];
gets (line);
puts (line);
```

reads a line of text from the keyboard and displays it on the screen. Note that the syntax is very simple compared to using the **scanf** and **printf** statements.

9.5 Arithmetic Operations on Characters

C allows us to manipulate characters the same way we do with numbers. Whenever a character constant or character variable is used in an expression, it is automatically converted into an integer value by the system. The integer value depends on the local character set of the system.

To write a character in its integer representation, we may write it as an integer. For example, if the machine uses the ASCII representation, then,

```
x = 'a';
printf("%d\n",x);
```

will display the number 97 on the screen.

It is also possible to perform arithmetic operations on the character constants and variables. For example,

$$x = \ \ \ \ \ \ z'-1;$$

is a valid statement. In ASCII, the value of \mathbf{z} is 122 and therefore, the statement will assign the value 121 to the variable \mathbf{x} .

We may also use character constants in relational expressions. For example, the expression

```
ch >= 'A' && ch <= 'Z'
```

would test whether the character contained in the variable ch is an upper-case letter.

We can convert a character digit to its equivalent integer value using the following relationship:

```
x = character - '0';
```

where \mathbf{x} is defined as an integer variable and **character** contains the character digit. For example, let us assume that the **character** contains the digit '7',

Then,

The C library supports a function that converts a string of digits into their integer values. The function takes the form

```
x = atoi(string);
```

x is an integer variable and **string** is a character array containing a string of digits. Consider the following segment of a program:

```
number = "1988";
year = atoi(number);
```

number is a string variable which is assigned the string constant "1988". The function **atoi** converts the string "1988" (contained in **number**) to its numeric equivalent 1988 and assigns it to the integer variable **year.** String conversion functions are stored in the header file <std.lib.h>.

Example 9.8 Write a program which would print the alphabet set a to z and A to Z in decimal and character form.

The program is shown in Fig. 9.9. In ASCII character set, the decimal numbers 65 to 90 represent upper case alphabets and 97 to 122 represent lower case alphabets. The values from 91 to 96 are excluded using an **if** statement in the **for** loop.

```
Program
    main()
        char c;
        printf("\n\n");
        for (c = 65; c \le 122; c = c + 1)
        if(c > 90 \&\& c < 97)
           continue;
        printf("|%4d - %c ", c, c);
        printf("|\n");
Output
              A | 66 - B | 67 - C | 68 - D | 69 - E | 70 - F
              G | 72 - H | 73 - I | 74 - J | 75 - K | 76 - L
              MΙ
                  78 - NI
                           79 - 01
                                    80 - PI
                                             81 - 01
              SI
                 84 - TI
                           85 - UI
                                     86 - VI
                                              87 - WI
                                             99 - c| 100 - d
           - Y|
                  90 - ZI
                           97 - al 98 - bl
     1 89
              e| 102 - f| 103 - g| 104 - h| 105 - i| 106 - j
     1101
     1107
              k| 108 - 1| 109 - m| 110 - n| 111 - o| 112 - p
              q| 114 - r| 115 - s| 116 - t| 117 - u| 118 - v
     1113
     1119
              w| 120 - x| 121 - y| 122 - z|
```

Fig. 9.9 Printing of the alphabet set in decimal and character form

9.6 Putting Strings Together

Just as we cannot assign one string to another directly, we cannot join two strings together by the simple arithmetic addition. That is, the statements such as

```
string3 = string1 + string2;
string2 = string1 + "hello";
```

are not valid. The characters from **string1** and **string2** should be copied into the **string3** one after the other. The size of the array **string3** should be large enough to hold the total characters.

The process of combining two strings together is called *concatenation*. Example 9.7 illustrates the concatenation of three strings.

Example 9.9 The names of employees of an organization are stored in three arrays, namely **first_name**, **second_name**, and **last_name**. Write a program to concatenate the three parts into one string to be called **name**.

The program is given in Fig. 9.10. Three **for** loops are used to copy the three strings. In the first loop, the characters contained in the **first_name** are copied into the variable **name** until the *null* character is reached. The *null* character is not copied; instead it is replaced by a *space* by the assignment statement

```
name[i] = `´;
```

Similarly, the **second_name** is copied into **name**, starting from the column just after the space created by the above statement. This is achieved by the assignment statement

```
name[i+j+1] = second name[j];
```

If **first_name** contains 4 characters, then the value of **i** at this point will be 4 and therefore the first character from **second_name** will be placed in the *fifth cell* of **name**. Note that we have stored a space in the *fourth cell*.

In the same way, the statement

```
name[i+j+k+2] = last_name[k];
```

is used to copy the characters from **last name** into the proper locations of **name**.

At the end, we place a null character to terminate the concatenated string **name**. In this example, it is important to note the use of the expressions $\mathbf{i}+\mathbf{j}+\mathbf{1}$ and $\mathbf{i}+\mathbf{j}+\mathbf{k}+\mathbf{2}$.

```
Program
    main()
       int i, j, k;
       char first name[10] = {"VISWANATH"};
       char second name[10] = {"PRATAP"};
       char last name[10] = {"SINGH"};
       char name[30];
    /*Copy first name into name*/
       name[i] = first name[i] ;
    /*End first name with a space*/
       name[i] = ' ';
    /*Copy second name into name*/
       for ( j = 0 ; second name[j] != '\0' ; j++ )
          name[i+j+1] = second name[j] ;
    /*End second name with a space*/
          name[i+j+1] = ' ';
    /*Copy last name into name*/
```

Fig. 9.10 Concatenation of strings

9.7 📗 Comparison of Two Strings

Once again, C does not permit the comparison of two strings directly. That is, the statements such as

```
if(name1 == name2)
if(name == "ABC")
```

are not permitted. It is therefore necessary to compare the two strings to be tested, character by character. The comparison is done until there is a mismatch or one of the strings terminates into a null character, whichever occurs first. The following segment of a program illustrates this.

9.8 String-Handling Functions (Built-in String Functions)

Fortunately, the C library supports a large number of string-handling functions that can be used to carry out many of the string manipulations discussed so far. Following are the most commonly used string-handling functions.

Function	Action
strcat()	concatenates two strings
strcmp()	compares two strings
strcpy()	copies one string over another
strlen()	finds the length of a string


We shall discuss briefly how each of these functions can be used in the processing of strings.

9.8.1 strcat () Function

The **streat** function joins two strings together. It takes the following form:

strcat(string1, string2);

string1 and string2 are character arrays. When the function strcat is executed, string2 is appended to string1. It does so by removing the null character at the end of string1 and placing string2 from there. The string at string2 remains unchanged. For example, consider the following three strings:



Execution of the statement

will result in:

while the statement

will result in:

We must make sure that the size of **string1** (to which **string2** is appended) is large enough to accommodate the final string.

streat function may also append a string constant to a string variable. The following is valid:

C permits nesting of **streat** functions. For example, the statement

```
strcat(strcat(string1,string2), string3);
```

is allowed and concatenates all the three strings together. The resultant string is stored in **string1**.

9.8.2 strcmp() Function

The **strcmp** function compares two strings identified by the arguments and has a value 0 if they are equal. If they are not, it has the numeric difference between the first nonmatching characters in the strings. It takes the form:

```
strcmp(string1, string2);
```

string1 and string2 may be string variables or string constants. Examples are:

```
strcmp(name1, name2);
strcmp(name1, "John");
strcmp("Rom", "Ram");
```

Our major concern is to determine whether the strings are equal; if not, which is alphabetically above. The value of the mismatch is rarely important. For example, the statement

```
strcmp("their", "there");
```

will return a value of –9 which is the numeric difference between ASCII "i" and ASCII "r". That is, "i" minus "r" in ASCII code is –9. If the value is negative, **string1** is alphabetically above **string2**.

9.8.3 strcpy() Function

The **strcpy** function works almost like a string-assignment operator. It takes the form:

```
strcpy(string1, string2);
```

and assigns the contents of **string2** to **string1**. **string2** may be a character array variable or a string constant. For example, the statement

```
strcpy(city, "DELHI");
```

will assign the string "DELHI" to the string variable city. Similarly, the statement

```
strcpy(city1, city2);
```

will assign the contents of the string variable **city2** to the string variable **city1**. The size of the array **city1** should be large enough to receive the contents of **city2**.

9.8.4 strlen() Function

This function counts and returns the number of characters in a string. It takes the form

```
n = strlen(string);
```

Where **n** is an integer variable, which receives the value of the length of the **string**. The argument may be a string constant. The counting ends at the first null character.

Example 9.10 s1, s2, and s3 are three string variables. Write a program to read two string constants into s1 and s2 and compare whether they are equal or not. If they are not, join them together. Then copy the contents of s1 to the variable s3. At the end, the program should print the contents of all the three variables and their lengths.

The program is shown in Fig. 9.11. During the first run, the input strings are "New" and "York". These strings are compared by the statement

```
x = strcmp(s1, s2);
```

Since they are not equal, they are joined together and copied into s3 using the statement

```
strcpy(s3, s1);
```

The program outputs all the three strings with their lengths.

During the second run, the two strings s1 and s2 are equal, and therefore, they are not joined together. In this case all the three strings contain the same string constant "London".

```
Program
     #include <string.h>
    main()
     { char s1[20], s2[20], s3[20];
        int x, 11, 12, 13;
        printf("\n\nEnter two string constants \n");
        printf("?");
        scanf("%s %s", s1, s2);
     /*comparing s1 and s2*/
        x = strcmp(s1, s2);
        if(x != 0)
             printf("\n\nStrings are not equal \n");
              strcat(s1, s2); /*joining s1 and s2*/
        else
           printf("\n\nStrings are equal \n");
     /*copying s1 to s3
        strcpy(s3, s1);
     /*Finding length of strings*/
        11 = strlen(s1);
        12 = strlen(s2);
        13 = strlen(s3);
     /*output*/
        printf("\ns1 = %s\t length = %d characters\n", s1, l1);
        printf("s2 = %s\t length = %d characters\n", s2, 12);
        printf("s3 = %s\t length = %d characters\n", s3, 13);
Output
    Enter two string constants
     ? New York
    Strings are not equal
    s1 = NewYork length = 7 characters
     s2 = York
                   length = 4 characters
     s3 = NewYork
                   length = 7 characters
    Enter two string constants
     ? London London
     Strings are equal
```

```
s1 = London length = 6 characters
s2 = London length = 6 characters
s3 = London length = 6 characters
```

Fig. 9.11 Illustration of string handling functions

9.8.5 Other String Functions

The header file **<string.h>** contains many more string manipulation functions. They might be useful in certain situations.

strncpy()

In addition to the function **strcpy** that copies one string to another, we have another function **strncpy** that copies only the left-most n characters of the source string to the target string variable. This is a three-parameter function and is invoked as follows:

This statement copies the first 5 characters of the source string **s2** into the target string **s1**. Since the first 5 characters may not include the terminating null character, we have to place it explicitly in the 6th position of **s2** as shown below:

$$s1[6] = ' \0';$$

Now, the string **s1** contains a proper string.

strncmp()

A variation of the function **strcmp** is the function **strncmp**. This function has three parameters as illustrated in the function call below:

this compares the left-most n characters of s1 to s2 and returns.

- (a) 0 if they are equal;
- (b) negative number, if s1 sub-string is less than s2; and
- (c) positive number, otherwise.

strncat()

This is another concatenation function that takes three parameters as shown below:

This call will concatenate the left-most n characters of $\mathbf{s2}$ to the end of $\mathbf{s1}$. Example:



After **strncat** (s1, s2, s4); execution:



strstr()

It is a two-parameter function that can be used to locate a sub-string in a string. This takes the forms:

```
strstr (s1, s2);
strstr (s1, "ABC");
```

The function **strstr** searches the string **s1** to see whether the string **s2** is contained in **s1**. If yes, the function returns the position of the first occurrence of the sub-string. Otherwise, it returns a NULL pointer. Example.

```
if (strstr (s1, s2) == NULL)
    printf("substring is not found");
else
    printf("s2 is a substring of s1");
```

We also have functions to determine the existence of a character in a string. The function call

```
strchr(s1, 'm');
```

will locate the first occurrence of the character 'm' and the call

```
strrchr(s1, 'm');
```

will locate the last occurrence of the character 'm' in the string s1.

Warnings

- When allocating space for a string during declaration, remember to count the terminating null character.
- When creating an array to hold a copy of a string variable of unknown size, we can compute the size required using the expression **strlen** (stringname) +1.
- When copying or concatenating one string to another, we must ensure that the target (destination) string has enough space to hold the incoming characters. Remember that no error message will be available even if this condition is not satisfied. The copying may overwrite the memory and the program may fail in an unpredictable way.
- When we use **strncpy** to copy a specific number of characters from a source string, we must ensure to append the null character to the target string, in case the number of characters is less than or equal to the source string.

9.9 Table of Strings

We often use lists of character strings, such as a list of the names of students in a class, list of the names of employees in an organization, list of places, etc. A list of names can be treated as a table of strings and a two-dimensional character array can be used to store the entire list. For example, a character array **student[30][15]** may be used to store a list of 30 names, each of length not more than 15 characters. Shown below is a table of five cities:

С	h	а	n	d	i	g	а	r	h
М	а	d	r	а	s				
Α	h	m	е	d	а	b	а	d	
Н	У	d	е	r	а	b	а	d	
В	0	m	b	а	у				

This table can be conveniently stored in a character array city by using the following declaration:

To access the name of the ith city in the list, we write city[i-1]

and therefore <code>city[0]</code> denotes "Chandigarh", <code>city[1]</code> denotes "Madras" and so on. This shows that once an array is declared as two-dimensional, it can be used like a one-dimensional array in further manipulations. That is, the table can be treated as a column of strings.

Example 9.11 Write a C program to sort elements in lexicographical order (Dictionary Order).

```
Program
     #include<stdio.h>
     #include <string.h>
     int main()
         int i, j;
         char str[10][50], temp[50];
     clrscr();
         printf("Enter 10 words:\n");
         for (i=0; i<10; ++i)
         gets(str[i]);
         for(i=0;i<9;++i)
         for (j=i+1; j<10; ++j)
     {
              if(strcmp(str[i],str[j])>0)
               /*strcmp(a,b) function is used to compare two strings*/
              strcpy(temp,str[i]); /*strcpy()function is used to copy a string*/
```

```
strcpy(str[i],str[j]);
                  strcpy(str[j],temp);
         printf("In lexicographical order: \n");
         for (i=0; i<10; ++i)
            puts(str[i]);
     getch();
     return 0;
Output
     Enter 10 words:
     fortran
     java
     perl
     python
     php
     javascript
     срр
     ruby
     csharp
     In lexicographical order:
     срр
     csharp
     fortran
     java
     javascript
     perl
     php
     python
     ruby
```

Fig. 9.12 Sorting elements in lexicographical order (Dictionary Order)

A program to sort the list of strings in alphabetical order is given in Fig. 9.13. It employs the method of bubble sorting described in Case Study 1 in the previous chapter.

```
Program
     #define ITEMS 5
     #define MAXCHAR 20
     main()
        char string[ITEMS][MAXCHAR], dummy[MAXCHAR];
        int i = 0, j = 0;
        /*Reading the list*/
        printf ("Enter names of %d items \n ",ITEMS);
        while (i < ITEMS)
           scanf ("%s", string[i++]);
        /*Sorting begins*/
        for (i=1; i < ITEMS; i++) /*Outer loop begins*/
           for (j=1; j <= ITEMS-i ; j++) /*Inner loop begins*/</pre>
               if (strcmp (string[j-1], string[j]) > 0)
               { /*Exchange of contents*/
                  strcpy (dummy, string[j-1]);
                  strcpy (string[j-1], string[j]);
                  strcpy (string[j], dummy );
            } /*Inner loop ends*/
        } /*Outer loop ends*/
     /*Sorting completed*/
     printf ("\nAlphabetical list \n\n");
     for (i=0; i < ITEMS; i++)
        printf ("%s", string[i]);
Output
     Enter names of 5 items
     London Manchester Delhi Paris Moscow
     Alphabetical list
     Delhi
     London
     Manchester
     Moscow
     Paris
```

Fig. 9.13 Sorting of strings in alphabetical order

Note that a two-dimensional array is used to store the list of strings. Each string is read using a **scanf** function with %s format. Remember, if any string contains a white space, then the part of the string after the white space will be treated as another item in the list by the **scanf**. In such cases, we should read the

entire line as a string using a suitable algorithm. For example, we can use **gets** function to read a line of text containing a series of words. We may also use **puts** function in place of **scanf** for output.

9.10 Other Features of Strings

Other aspects of strings we have not discussed in this chapter include:

- Manipulating strings using pointers.
- Using string as function parameters.
- Declaring and defining strings as members of structures.

These topics will be dealt with later when we discuss functions, structures and pointers.

Just Remember

- Character constants are enclosed in single quotes and string constants are enclosed in double quotes.
- Allocate sufficient space in a character array to hold the null character at the end.
- Avoid processing single characters as strings.
- Using the address operator & with a **string** variable in the **scanf** function call is an error.
- It is a compile time error to assign a string to a character variable.
- Using a string variable name on the left of the assignment operator is illegal.
- When accessing individual characters in a string variable, it is logical error to access outside the array bounds.
- Strings cannot be manipulated with operators. Use string functions.
- Do not use string functions on an array **char** type that is not terminated with the null character.
- Do not forget to append the null character to the target string when the number of characters copied is less than or equal to the source string.
- Be aware the return values when using the functions **strcmp** and **strncmp** for comparing strings.
- When using string functions for copying and concatenating strings, make sure that the target string has enough space to store the resulting string. Otherwise memory overwriting may occur.
- The header file <stdio.h> is required when using standard I/O functions.
- The header file <ctype.h> is required when using character handling functions.
- The header file <stdlib.h> is required when using general utility functions.
- The header file <string.h> is required when using string manipulation functions.

Review Questions



- 9.1 State whether the following statements are *true* or *false*.
 - (a) When initializing a string variable during its declaration, we must include the null character as part of the string constant, like "GOOD\0".
 - (b) The **gets** function automatically appends the null character at the end of the string read from the keyboard.

- (c) When reading a string with **scanf**, it automatically inserts the terminating null character.
- (d) String variables cannot be used with the assignment operator.
- (e) We cannot perform arithmetic operations on character variables.
- (f) We can assign a character constant or a character variable to an **int** type variable.
- (g) The function **scanf** cannot be used in any way to read a line of text with the white-spaces.
- (h) The ASCII character set consists of 128 distinct characters.
- (i) In the ASCII collating sequence, the uppercase letters precede lowercase letters.
- (j) In C, it is illegal to mix character data with numeric data in arithmetic operations.
- (k) The function **getchar** skips white-space during input.
- (1) In C, strings cannot be initialized at run time.
- (m) The input function **gets** has one string parameter.
- (n) The function call **strcpy(s2, s1)**; copies string s2 into string s1.
- (o) The function call strcmp("abc", "ABC"); returns a positive number.
- 9.2 Fill in the blanks in the following statements.
 - (a) We can use the conversion specification ______ in scanf to read a line of text.
 - (b) We can initialize a string using the string manipulation function ______.
 - (c) The function **strncat** has ______ parameters.
 - (d) To use the function **atoi** in a program, we must include the header file _____.
 - (e) The function _____ does not require any conversion specification to read a string from the keyboard.
 - (f) The function _____ is used to determine the length of a string.
 - (g) The _____ string manipulation function determines if a character is contained in a string.
 - (h) The function _____ is used to sort the strings in alphabetical order.
 - (i) The function call streat (s2, s1); appends ______ to _____.
 - (i) The **printf** may be replaced by ______ function for printing strings.
- 9.3 Describe the limitations of using **getchar** and **scanf** functions for reading strings.
- 9.4 Character strings in C are automatically terminated by the *null* character. Explain how this feature helps in string manipulations.
- 9.5 Strings can be assigned values as follows:
 - (a) During type declaration char string[] = {"......"};
 - (b) Using **strcpy** function strcpy(string, ".....");
 - (c) Reading using **scanf** function scanf("%s", string);
 - (d) Reading using **gets** function gets(string);

Compare them critically and describe situations where one is superior to the others.

- 9.6 Assuming the variable **string** contains the value "The sky is the limit.", determine what output of the following program segments will be.
 - (a) printf("%s", string);
 - (b) printf("%25.10s", string);
 - (c) printf("%s", string[0]);

```
(d) for (i=0; string[i] != "."; i++)
                printf("%c", string[i]);
      (e) for (i=0; string[i] != '\0'; i++;)
          printf("%d\n", string[i]);
      (f) for (i=0; i \leq strlen[string]; ;)
                string[i++] = i;
                printf("%s\n", string[i]);
     (g) printf("\%c\n", string[10] + 5);
     (h) printf("\%c\n", string[10] + 5')
 9.7 Which of the following statements will correctly store the concatenation of strings s1 and s2 in
     string s3?
      (a) s3 = streat(s1, s2);
     (b) streat (s1, s2, s3);
      (c) streat (s3, s2, s1);
     (d) strepy (s3, streat (s1, s2));
      (e) strcmp (s3, strcat (s1, s2));
      (f) strepy (streat (s1, s2), s3);
 9.8 What will be the output of the following statement?
                             printf ("%d", strcmp ("push", "pull"));
 9.9 Assume that s1, s2 and s3 are declared as follows:
                         char s1[10] = \text{``he''}, s2[20] = \text{``she''}, s3[30], s4[30];
      What will be the output of the following statements executed in sequence?
                            printf("%s", strcpy(s3, s1));
                            printf("%s", strcat(strcat(strcpy(s4, s1), "or"), s2));
                            printf("%d %d", strlen(s2)+strlen(s3), strlen(s4));
9.10 Find errors, if any, in the following code segments;
      (a) char str[10]
          strncpy(str, "GOD", 3);
          printf("%s", str);
     (b) char str[10];
          strcpy(str, "Balagurusamy");
      (c) if strstr("Balagurusamy", "guru") == 0);
          printf("Substring is found");
     (d) char s1[5], s2[10],
          gets(s1, s2);
9.11 What will be the output of the following segment?
```

char s1[] = "Kolkotta";

```
char s2[] = "Pune";
         strcpy (s1, s2);
         printf("%s", s1);
9.12 What will be the output of the following segment?
         char s1[] = "NEW DELHI";
         char s2[] = "BANGALORE";
         strncpy (s1, s2, 3);
         printf("%s", s1);
```

9.13 What will be the output of the following code?

```
char s1[] = "Jabalpur";
char s2[] = "Jaipur";
printf(strncmp(s1, s2, 2));
```

9.14 What will be the output of the following code?

```
char s1[] = "ANIL KUMAR GUPTA";
char s2[] = "KUMAR";
printf (strstr (s1, s2));
```

- 9.15 Compare the working of the following functions:
 - (a) strepy and strnepy;
 - (b) streat and strncat; and
 - (c) stremp and strnemp.

Programming Exercises



- 9.1 Write a program, which reads your name from the keyboard and outputs a list of ASCII codes, which represent your name.
- 9.2 Write a program to do the following:
 - (a) To output the question "Who is the inventor of C?"
 - (b) To accept an answer.
 - (c) To print out "Good" and then stop, if the answer is correct.
 - (d) To output the message 'try again', if the answer is wrong.
 - (e) To display the correct answer when the answer is wrong even at the third attempt and stop.
- 9.3 Write a program to extract a portion of a character string and print the extracted string. Assume that m characters are extracted, starting with the nth character.
- 9.4 Write a program which will read a text and count all occurrences of a particular word.
- 9.5 Write a program which will read a string and rewrite it in the alphabetical order. For example, the word STRING should be written as GINRST.
- 9.6 Write a program to replace a particular word by another word in a given string. For example, the word "PASCAL" should be replaced by "C" in the text "It is good to program in PASCAL language."
- 9.7 A Maruti car dealer maintains a record of sales of various vehicles in the following form:

Vehicle type	Month of sales	Price	
MARUTI-800	02/01	210000	
MARUTI-DX	07/01	265000	
GYPSY	04/02	315750	
MARUTI-VAN	08/02	240000	

Write a program to read this data into a table of strings and output the details of a particular vehicle sold during a specified period. The program should request the user to input the vehicle type and the period (starting month, ending month).

- 9.8 Write a program that reads a string from the keyboard and determines whether the string is a *palindrome* or not. (A string is a palindrome if it can be read from left and right with the same meaning. For example, Madam and Anna are palindrome strings. Ignore capitalization).
- 9.9 Write program that reads the cost of an item in the form RRRR.PP (Where RRRR denotes Rupees and PP denotes Paise) and converts the value to a string of words that expresses the numeric value in words. For example, if we input 125.75, the output should be "ONE HUNDRED TWENTY FIVE AND PAISE SEVENTY FIVE".
- 9.10 Develop a program that will read and store the details of a list of students in the format

Roll No.	Name	Marks obtained

and produce the following output lits:

- (a) Alphabetical list of names, roll numbers and marks obtained.
- (b) List sorted on roll numbers.
- (c) List sorted on marks (rank-wise list)
- 9.11 Write a program to read two strings and compare them using the function **strncmp()** and print a message that the first string is equal, less, or greater than the second one.
- 9.12 Write a program to read a line of text from the keyboard and print out the number of occurrences of a given substring using the function **strstr()**.
- 9.13 Write a program that will copy m consecutive characters from a string s1 beginning at position n into another string s2.
- 9.14 Write a program to create a directory of students with roll numbers. The program should display the roll number for a specified name and vice-versa.
- 9.15 Given a string

char str
$$[]$$
 = "123456789";

Write a program that displays the following:

2 3 2 3 4 5 4 3 4 5 6 7 6 5 4 5 6 7 8 9 8 7 6 5

Debugging Exercises

9.1 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
{
  char str[50];
  clrscr();
  printf("Enter a string:\n");
  gets(&str);
  puts("You just entered the string: ");
  puts(str);
}
```

9.2 Identify the error in the following program that determines whether a string is a palindrome or not:

```
/*Program to check whether a string is palindrome or not*/
#include <stdio.h>
#include <string.h>
void main()
 char chk='t', str[30];
 int len, left, right;
 printf("\nEnter a string: ");
 scanf("%s", &str); /*Reading the input string*/
 len=strlen(str);
 left=0;
 right=len;
 while (left < right && chk=='t')
 if(str[left]==str[right]) /*Comparing the respective characters on
the left and right side of the string*/
  ;
  else
  chk='f';
  left++;
 right--;
 /*Displaying the result*/
 if (chk=='t')
```

```
printf("\nThe sting %s is a palindrome", str);
else
printf("\nThe sting %s is not a palindrome", str);
}
```

9.3 Identify the error in the following program, if any:

```
#include <stdio.h>

void main()
{
    char str[50];
    printf("Enter a string:\n");
    gets(str);

printf("\nThe given string is: %s",str);
    printf("\n\nAfter converting all characters into uppercase, the string becomes: \n\n%s",toupr(str));
}
```

9.4 Identify the error in the following program that reverses the input string:

```
#include <string.h>
#include <string.h>
void main()
{
   char str[50],revstr[40];
   int i,len;
   printf("\nEnter a string: ");
   gets(str);
   /*Finding the reverse of the string*/
   len=strlen(str);
   for(i=0;i<len;i++)
    revstr[len-i-1]=str[i];
   printf("\n\nThe reverse of string %s is %s",str,revstr); /*Displaying the result*/
   getch();
   }</pre>
```

9.5 Identify the error in the following program that concatenates two strings:

```
#include <stdio.h>
#include <string.h>
void main()
{
   char str1[50], str2[30];
   printf("Enter string 1:\n");
   gets(str1);
   printf("Enter string2:\n");
   gets(str2);
    printf("The result of concatenating strings %s and %s is:
",str1,str2);
/*Using the strcat function to concatenate the two strings*/
   printf("%s",strcat(str1,str2));
   getch();
}
```

9.6 Identify the error in the following program that counts the number of vowels and consonants in a string:

```
#include <stdio.h>
#include <string.h>
void main()
char str[30];
 int vow=0, cons=0, i=0;
 printf("Enter a string: ");
 gets(str);
 while(str[i] != NULL)
 if(str[i] == 'a' || str[i] == 'A' || str[i] == 'e' || str[i] == 'E'
|| str[i] == 'i' || str[i] == 'I' || str[i] == '0' || str[i] == '0'
|| str[i] == 'u' || str[i] == 'U') /*Checking for vowels*/
  vow++;
  else
  cons++;
 i++;
 /*Displaying the result*/
 printf("\nNumber of Vowels = %d", vow);
 printf("\nNumber of Consonents = %d",cons);
}
```

Multiple Choice Questions

1. Which library function is used to compare two strings?

	(a) strcmp()	(b)	strlen()				
	(c) strstr()	(d)	strchr()				
2.	2. What does strcmp() return if two strings are identical?						
	(a) 1	(b)	-1				
	(c) 0	(d)	True				
3.	Identify the library function used to fir	nd the	e last occurrence	of a character in	a string.		
	(a) strcmp()	(b)	strlen()				
	(c) strstr()	(d)	strchr()				
4.	Identify the library function which is u	ised t	o locate a substr	ing in a string.			
	(a) strnset()	(b)	strchr()				
	(c) strstr()	(d)	strlen()				
5.	Identify the function which is more ap	propi	riate for reading	a multi word strir	ng.		
	(a) scanf()	(b)	<pre>printf()</pre>				
	(c) gets()	(d)	puts()				
6.	What will be the output for the following	ng pi	iece of code?				
	<pre>#include<stdio.h></stdio.h></pre>						
	<pre>void main()</pre>						
	{						
	<pre>printf(6+"Hello world ");</pre>						
	}						
		(1-)	Would				
	(a) W(c) Hello World	` /	World Hello				
7		` /					
/.	Which of the following data type does (a) Data file	-	String				
			String				
0	(c) Stdin What is mount by string concertantion	` ′	Sidell				
0.	What is meant by string concatenation (a) Dividing the string equally into tw		rta				
	(b) Taking a substring out of a string	o pai	its				
	(c) Combining two strings						
	(d) Adding two strings						
	(d) Adding two strings						
	III						
Answers							
1.	(a) 2. (c)	3. (0	1)	4. (c)	5. (c)		
		8. (0	*		• •		
		,					

User-Defined Functions and Recursion

10.1 Introduction

We have mentioned earlier that one of the strengths of C language is C functions. They are easy to define and use. We have used functions in every program that we have discussed so far. However, they have been primarily limited to the three functions, namely, **main**, **printf**, and **scanf**. In this chapter, we shall consider in detail the following:

- How a function is designed?
- How a function is integrated into a program?
- How two or more functions are put together? and
- · How they communicate with one another?

C functions can be classified into two categories, namely, *library* functions and *user-defined* functions. **main** is an example of user-defined functions. **printf** and **scanf** belong to the category of library functions. Other library functions are **sqrt**, **cos**, **strcat**, etc. The main distinction between these two categories is that library functions are not required to be written by us whereas a user-defined function has to be developed by the user at the time of writing a program. However, a user-defined function can later become a part of the C program library. In fact, this is one of the strengths of C language.

10.2 Need for User-defined Functions

As pointed out earlier, **main** is a specially recognized function in C. Every program must have a **main** function to indicate where the program has to begin its execution. While it is possible to code any program utilizing only **main** function, it leads to a number of problems. The program may become too large and complex and as a result the task of debugging, testing, and maintaining becomes difficult.

If a program is divided into functional parts, then each part may be independently coded and later combined into a single unit. These independently coded programs are called *subprograms* that are much easier to understand, debug, and test. In C, such subprograms are referred to as **'functions'**.

There are times when certain type of operations or calculations are repeated at many points throughout a program. For instance, we might use the factorial of a number at several points in the program. In such situations, we may repeat the program statements wherever they are needed. Another approach is to design a function that can be called and used whenever required. This saves both time and space.

This "division" approach clearly results in a number of advantages.

- 1. It facilitates top-down modular programming as shown in Fig. 10.1. In this programming style, the high level logic of the overall problem is solved first while the details of each lower-level function are addressed later.
- 2. The length of a source program can be reduced by using functions at appropriate places. This factor is particularly critical with microcomputers where memory space is limited.
- 3. It is easy to locate and isolate a faulty function for further investigations.
- 4. A function may be used by many other programs. This means that a C programmer can build on what others have already done, instead of starting all over again from scratch.




Fig. 10.1 Top-down modular programming using functions

10.3 A Multi-function Program

A function is a self-contained block of code that performs a particular task. Once a function has been designed and packed, it can be treated as a 'black box' that takes some data from the main program and returns a value. The inner details of operation are invisible to the rest of the program. All that the program knows about a function is: What goes in and what comes out. Every C program can be designed using a collection of these black boxes known as *functions*.

Consider a set of statements as shown below:

```
void printline(void)
   int i;
   for (i=1; i<40; i++)
        printf("-");
   printf("\n");
```

The above set of statements defines a function called **printline**, which could print a line of 39-character length. This function can be used in a program as follows:

```
void printline(void); /*declaration*/
 main()
 {
      printline();
      printf("This illustrates the use of C functions\n");
      printline();
   void printline (void)
 int i:
 for (i=1; i<40; i++)
 printf("-");
 printf("\n");
```

This program will print the following output:

```
This illustrates the use of C functions
```

The above program contains two user-defined functions:

main() function printline() function

As we know, the program execution always begins with the **main** function. During execution of the main, the first statement encountered is

printline();

which indicates that the function **printline** is to be executed. At this point, the program control is transferred to the function **printline**. After executing the **printline** function, which outputs a line of 39 character length, the control is transferred back to the main. Now, the execution continues at the point where the function call was executed. After executing the **printf** statement, the control is again transferred to the **printline** function for printing the line once more.

The main function calls the user-defined **printline** function two times and the library function **printf** once. We may notice that the **printline** function itself calls the library function **printf** 39 times repeatedly.

Any function can call any other function. In fact, it can call itself, A 'called function' can also call another function. A function can be called more than once. In fact, this is one of the main features of using functions. Figure 10.2 illustrates the flow of control in a multi-function program.

10.4 Computer Programming and Utilization

Except the starting point, there are no other predetermined relationships, rules of precedence, or hierarchies among the functions that make up a complete program. The functions can be placed in any order. A called function can be placed either before or after the calling function. However, it is the usual practice to put all the called functions at the end. See the box "Modular Programming"




Fig. 10.2 Flow of control in a multi-function program

Modular Programming

Modular programming is a strategy applied to the design and development of software systems. It is defined as organizing a large program into small, independent program segments called *modules* that

are separately named and individually callable program units. These modules are carefully integrated to become a software system that satisfies the system requirements. It is basically a "divide-and-conquer" approach to problem solving.

Modules are identified and designed such that they can be organized into a top-down hierarchical structure (similar to an organization chart). In C, each module refers to a function that is responsible for a single task.

Some characteristics of modular programming are:

- 1. Each module should do only one thing.
- 2. Communication between modules is allowed only by a calling module.
- 3. A module can be called by one and only one higher module.
- 4. No communication can take place directly between modules that do not have calling-called relationship.
- 5. All modules are designed as *single-entry*, *single-exit* systems using control structures.

10.4 **Elements of User-defined Functions**

We have discussed and used a variety of data types and variables in our programs so far. However, declaration and use of these variables were primarily done inside the main function. As we mentioned in Chapter 5, functions are classified as one of the derived data types in C. We can therefore define functions and use them like any other variables in C programs. It is therefore not a surprise to note that there exist some similarities between functions and variables in C.

- · Both function names and variable names are considered identifiers and therefore they must adhere to the rules for identifiers.
- Like variables, functions have types (such as int) associated with them.
- Like variables, function names and their types must be declared and defined before they are used in a program.

In order to make use of a user-defined function, we need to establish three elements that are related to functions.

- 1. Function definition.
- 2. Function call.
- 3. Function declaration.

The function definition is an independent program module that is specially written to implement the requirements of the function. In order to use this function we need to invoke it at a required place in the program. This is known as the function call. The program (or a function) that calls the function is referred to as the *calling program* or *calling function*. The calling program should declare any function (like declaration of a variable) that is to be used later in the program. This is known as the function declaration or function prototype.

10.5 **Definition of Functions**

A function definition, also known as function implementation shall include the following elements;

- 1. function name:
- 2. function type;

- 3. list of parameters;
- 4. local variable declarations;
- 5. function statements; and
- 6. a return statement.

All the six elements are grouped into two parts, namely,

- function header (First three elements); and
- function body (Second three elements).

A general format of a function definition to implement these two parts is given below:

```
function_type function_name(parameter list)
{
  local variable declaration;
  executable statement1;
  executable statement2;
    . . . .
    return statement;
}
```

The first line **function_type function_name(parameter list)** is known as the *function header* and the statements within the opening and closing braces constitute the *function body*, which is a compound statement.

10.5.1 Function Header

The function header consists of three parts: the function type (also known as *return* type), the function name and the *formal* parameter list. Note that a semicolon is not used at the end of the function header.

10.5.2 Name and Type

The function type specifies the type of value (like float or double) that the function is expected to return to the program calling the function. If the return type is not explicitly specified, C will assume that it is an integer type. If the function is not returning anything, then we need to specify the return type as **void**. Remember, **void** is one of the fundamental data types in C. It is a good programming practice to code explicitly the return type, even when it is an integer. The value returned is the output produced by the function.

The *function name* is any valid C identifier and therefore must follow the same rules of formation as other variable names in C. The name should be appropriate to the task performed by the function. However, care must be exercised to avoid duplicating library routine names or operating system commands.

10.5.3 Formal Parameter List

The *parameter list* declares the variables that will receive the data sent by the calling program. They serve as input data to the function to carry out the specified task. Since they represent actual input values, they are often referred to as *formal* parameters. These parameters can also be used to send values to the calling programs. This aspect will be covered later when we discuss more about functions. The parameters are also known as *arguments*.

The parameter list contains declaration of variables separated by commas and surrounded by parentheses. Examples:

```
float quadratic (int a, int b, int c) {....}
double power (double x, int n) \{\ldots \}
float mul (float x, float y) \{\ldots\}
int sum (int a, int b) \{\ldots\}
```

Remember, there is no semicolon after the closing parenthesis. Note that the declaration of parameter variables cannot be combined. That is, int sum (int a,b) is illegal.

A function need not always receive values from the calling program. In such cases, functions have no formal parameters. To indicate that the parameter list is empty, we use the keyword void between the parentheses as in

```
void printline (void)
          . . . .
```

This function neither receives any input values nor returns back any value. Many compilers accept an empty set of parentheses, without specifying anything as in

```
void printline ()
```

But, it is a good programming style to use **void** to indicate a nill parameter list.

10.5.4 Function Body

The function body contains the declarations and statements necessary for performing the required task. The body enclosed in braces, contains three parts, in the order given below:

- 1. Local declarations that specify the variables needed by the function.
- 2. Function statements that perform the task of the function.
- 3. A **return** statement that returns the value evaluated by the function.

If a function does not return any value (like the **printline** function), we can omit the **return** statement. However, note that its return type should be specified as void. Again, it is nice to have a return statement even for void functions.

Some examples of typical function definitions are:

```
float mul (float x, float y)
(a)
        float result;
                                    /*local variable*/
        result = x * y;
                                    /*computes the product*/
                                    /*returns the result*/
        return (result);
(b)
     void sum (int a, int b)
         printf ("sum = %s", a + b); /*no local variables*/
                                 /*optional*/
         return;
```

Note

- 1. When a function reaches its return statement, the control is transferred back to the calling program. In the absence of a return statement, the closing brace acts as a void return.
- 2. A local variable is a variable that is defined inside a function and used without having any role in the communication between functions.

10.6 Return Values and their Types

As pointed out earlier, a function may or may not send back any value to the calling function. If it does, it is done through the **return** statement. While it is possible to pass to the called function any number of values, the called function can only return *one value* per call, at the most.

The **return** statement can take one of the following forms:

```
return;
or
return(expression);
```

The first, the 'plain' **return** does not return any value; it acts much as the closing brace of the function. When a **return** is encountered, the control is immediately passed back to the calling function. An example of the use of a simple **return** is as follows:

```
if(error)
return;
```

Note In C99, if a function is specified as returning a value, the return must have value associated with it.

The second form of **return** with an expression returns the value of the expression. For example, the function

```
int mul (int x, int y)
{
  int p;
  p = x*y;
  return(p);
}
```

returns the value of \mathbf{p} which is the product of the values of \mathbf{x} and \mathbf{y} . The last two statements can be combined into one statement as follows:

```
return (x*y);
```

A function may have more than one **return** statements. This situation arises when the value returned is based on certain conditions. For example:

```
if( x <= 0 )
  return(0);</pre>
```

```
else
  return(1);
```

What type of data does a function return? All functions by default return **int** type data. But what happens if a function must return some other type? We can force a function to return a particular type of data by using a type specifier in the function header as discussed earlier.

When a value is returned, it is automatically cast to the function's type. In functions that do computations using doubles, yet return ints, the returned value will be truncated to an integer. For instance, the function

```
int product (void)
    return (2.5 * 3.0);
```

will return the value 7, only the integer part of the result.

Function Calls

A function can be called by simply using the function name followed by a list of actual parameters (or arguments), if any, enclosed in parentheses. Example:

```
main()
{
  int y;
                      /*Function call*/
  y = mul(10,5);
  printf("%d\n", y);
```

When the compiler encounters a function call, the control is transferred to the function mul(). This function is then executed line by line as described and a value is returned when a return statement is encountered. This value is assigned to v. This is illustrated below:

```
main ()
 int y;
 y = mul(10,5); /* call*/--
 int mul(int x, int y) \prec
                /* local variable*/
   p = x * y;
                /* x = 10, y = 5*/
   return (p);
```

The function call sends two integer values 10 and 5 to the function.

```
int mul(int x, int y)
```

which are assigned to x and y respectively. The function computes the product x and y, assigns the result to the local variable **p**, and then returns the value 25 to the **main** where it is assigned to **y** again.

There are many different ways to call a function. Listed below are some of the ways the function **mul** can be invoked.

```
mul (10, 5)

mul (m, 5)

mul (10, n)

mul (m, n)

mul (m + 5, 10)

mul (10, mul(m,n))

mul (expression1, expression2)
```

Note that the sixth call uses its own call as its one of the parameters. When we use expressions, they should be evaluated to single values that can be passed as actual parameters.

A function which returns a value can be used in expressions like any other variable. Each of the following statements is valid:

```
printf("%d\n", mul(p,q));
y = mul(p,q) / (p+q);
if (mul(m,n)>total) printf("large");
```

However, a function cannot be used on the right side of an assignment statement. For instance,

```
mul(a,b) = 15;
```

is invalid.

A function that does not return any value may not be used in expressions; but can be called in to perform certain tasks specified in the function. The function **printline()** discussed in Section 10.3 belongs to this category. Such functions may be called in by simply stating their names as independent statements.

Example:

```
main()
{
   printline();
}
```

Note the presence of a semicolon at the end.

Function Call

A function call is a postfix expression. The operator (..) is at a very high level of precedence. (See Table 4.8) Therefore, when a function call is used as a part of an expression, it will be evaluated first, unless parentheses are used to change the order of precedence.

In a function call, the function name is the operand and the parentheses set (. .) which contains the *actual parameters* is the operator. The actual parameters must match the function's formal parameters in type, order and number. Multiple actual parameters must be separated by commas.

Note

- 1. If the actual parameters are more than the formal parameters, the extra actual arguments will be discarded.
- 2. On the other hand, if the actuals are less than the formals, the unmatched formal arguments will be initialized to some garbage.
- 3. Any mismatch in data types may also result in some garbage values.

Function Declaration 10.8

Like variables, all functions in a C program must be declared, before they are invoked. A function declaration (also known as function prototype) consists of four parts.

- Function type (return type).
- Function name.
- Parameter list.
- Terminating semicolon.

They are coded in the following format:

```
Function-type function-name (parameter list);
```

This is very similar to the function header line except the terminating semicolon. For example, mul function defined in the previous section will be declared as:

```
int mul (int m, int n); /*Function prototype*/
```

Points to note:

- 1. The parameter list must be separated by commas.
- 2. The parameter names do not need to be the same in the prototype declaration and the function definition.
- 3. The types must match the types of parameters in the function definition, in number and order.
- 4. Use of parameter names in the declaration is optional.
- 5. If the function has no formal parameters, the list is written as (void).
- 6. The return type is optional, when the function returns **int** type data.
- 7. The retype must be **void** if no value is returned.
- 8. When the declared types do not match with the types in the function definition, compiler will produce an error.

Equally acceptable forms of declaration of **mul** function are:

```
int mul (int, int);
    mul (int a, int b);
    mul (int, int);
```

When a function does not take any parameters and does not return any value, its prototype is written as:

```
void display (void);
```

A prototype declaration may be placed in two places in a program.

- 1. Above all the functions (including **main**).
- 2. Inside a function definition.

When we place the declaration above all the functions (in the global declaration section), the prototype is referred to as a *global prototype*. Such declarations are available for all the functions in the program.

When we place it in a function definition (in the local declaration section), the prototype is called a local prototype. Such declarations are primarily used by the functions containing them.

The place of declaration of a function defines a region in a program in which the function may be used by other functions. This region is known as the scope of the function. (Scope is discussed later in this chapter.) It is a good programming style to declare prototypes in the global declaration section before **main**. It adds flexibility, provides an excellent quick reference to the functions used in the program, and enhances documentation.

Prototypes: Yes or No

Prototype declarations are not essential. If a function has not been declared before it is used, C will assume that its details available at the time of linking. Since the prototype is not available, C will assume that the return type is an integer and that the types of parameters match the formal definitions. If these assumptions are wrong, the linker will fail and we will have to change the program. The moral is that we must always include prototype declarations, preferably in global declaration section.

Parameters Everywhere!

Parameters (also known as arguments) are used in three places:

- 1. in declaration (prototypes),
- 2. in function call, and
- 3. in function definition.

The parameters used in prototypes and function definitions are called *formal parameters* and those used in function calls are called *actual parameters*. Actual parameters used in a calling statement may be simple constants, variables or expressions.

The formal and actual parameters must match exactly in type, order and number. Their names, however, do not need to match.

10.9 Category of Functions

A function, depending on whether arguments are present or not and whether a value is returned or not, may belong to one of the following categories:

Category 1: Functions with no arguments and no return values.

Category 2: Functions with arguments and no return values.

Category 3: Functions with arguments and one return value.

Category 4: Functions with no arguments but return a value.

Category 5: Functions that return multiple values.

In the sections to follow, we shall discuss these categories with examples. Note that, from now on, we shall use the term arguments (rather than parameters) more frequently:

10.10 No Arguments and No Return Values

When a function has no arguments, it does not receive any data from the calling function. Similarly, when it does not return a value, the calling function does not receive any data from the called function. In effect, there is no data transfer between the calling function and the called function. This is depicted in Fig. 10.3. The dotted lines indicate that there is only a transfer of control but not data.

As pointed out earlier, a function that does not return any value cannot be used in an expression. It can only be used as an independent statement.




Fig. 10.3 No data communication between functions

Example 10.1 Write a program with multiple functions that do not communicate any data between them.

A program with three user-defined functions is given in Fig. 10.4. main is the calling function that calls printline and value functions. Since both the called functions contain no arguments, there are no argument declarations. The **printline** function, when encountered, prints a line with a length of 35 characters as prescribed in the function. The value function calculates the value of principal amount after a certain period of years and prints the results. The following equation is evaluated repeatedly:

value = principal(1+interest-rate)

```
Program
        /*Function declaration*/
        void printline (void);
        void value (void);
    main()
        printline();
        value();
        printline();
        /* Function1: printline()*/
    void printline(void) /*contains no arguments*/
        int i;
        for (i=1; i \le 35; i++)
            printf("%c",'-');
        printf("\n");
        /*Function2: value()*/
    void value(void) /*contains no arguments*/
        int year, period;
        float inrate, sum, principal;
```

```
printf("Principal amount?");
           scanf("%f", &principal);
          printf("Interest rate? ");
          scanf("%f", &inrate);
          printf("Period? ");
           scanf("%d", &period);
       sum = principal;
          year = 1;
          while(year <= period)</pre>
             sum = sum * (1+inrate);
             year = year +1;
          printf("\n%8.2f %5.2f %5d %12.2f\n",
              principal, inrate, period, sum);
Output
    Principal amount? 5000
    Interest rate?
                         0.12
    Period?
                         5
     5000.00 0.12 5
                               8811.71
```

Fig. 10.4 Functions with no arguments and no return values

It is important to note that the function **value** receives its data directly from the terminal. The input data include principal amount, interest rate and the period for which the final value is to be calculated. The **while** loop calculates the final value and the results are printed by the library function **printf.** When the closing brace of **value()** is reached, the control is transferred back to the calling function **main.** Since everything is done by the value itself there is in fact nothing left to be sent back to the called function. Return types of both **printline** and **value** are declared as **void.**

Note that no **return** statement is employed. When there is nothing to be returned, the **return** statement is optional. The closing brace of the function signals the end of execution of the function, thus returning the control, back to the calling function.

10.11 Arguments but no Return Values

In Fig. 10.4 the **main** function has no control over the way the functions receive input data. For example, the function **printline** will print the same line each time it is called. Same is the case with the function **value.** We could make the calling function to read data from the terminal and pass it on to the called function. This approach seems to be wiser because the calling function can check for the validity of data, if necessary, before it is handed over to the called function.

The nature of data communication between the *calling function* and the *called function* with arguments but no return value is shown in Fig. 10.5.




Fig. 10.5 One-way data communication

We shall modify the definitions of both the called functions to include arguments as follows:

void printline(char ch) void value(float p, float r, int n)

The arguments ch, p, r, and n are called the *formal arguments*. The calling function can now send values to these arguments using function calls containing appropriate arguments. For example, the function call

value(500,0.12,5)

would send the values 500, 0.12 and 5 to the function

void value(float p, float r, int n)

and assign 500 to p, 0.12 to r and 5 to n. The values 500, 0.12 and 5 are the actual arguments, which become the values of the *formal arguments* inside the called function.

The actual and formal arguments should match in number, type, and order. The values of actual arguments are assigned to the formal arguments on a one to one basis, starting with the first argument as shown in Fig. 10.6.




Fig. 10.6 Arguments matching between the function call and the called function

10.16 Computer Programming and Utilization

We should ensure that the function call has matching arguments. In case, the actual arguments are more than the formal arguments (m > n), the extra actual arguments are discarded. On the other hand, if the actual arguments are less than the formal arguments, the unmatched formal arguments are initialized to some garbage values. Any mismatch in data type may also result in passing of garbage values. Remember, no error message will be generated.

While the formal arguments must be valid variable names, the actual arguments may be variable names, expressions, or constants. The variables used in actual arguments must be assigned values before the function call is made.

Remember that, when a function call is made, only a copy of the values of actual arguments is passed into the called function. What occurs inside the function will have no effect on the variables used in the actual argument list.

Example 10.2 Modify the program of Example 10.1 to include the arguments in the function calls.

The modified program with function arguments is presented in Fig. 10.7. Most of the program is identical to the program in Fig. 10.4. The input prompt and **scanf** assignment statement have been moved from **value** function to **main**. The variables **principal**, **inrate**, and **period** are declared in **main** because they are used in main to receive data. The function call

```
value(principal, inrate, period);
```

passes information it contains to the function value.

The function header of **value** has three formal arguments **p,r**, and **n** which correspond to the actual arguments in the function call, namely, **principal**, **inrate**, and **period**. On execution of the function call, the values of the actual arguments are assigned to the corresponding formal arguments. In fact, the following assignments are accomplished across the function boundaries:

```
p = principal;
r = inrate;
n = period;
```

```
Program
    /*prototypes*/
    void printline (char c);
    void value (float, float, int);
    main()
    {
        float principal, inrate;
            int period;

            printf("Enter principal amount, interest");
            printf(" rate, and period \n");
            scanf("%f %f %d",&principal, &inrate, &period);
            printline('Z');
            value (principal,inrate,period);
            printline('C');
    }
    void printline(char ch)
    {
```

```
int i ;
         for (i=1; i \le 52; i++)
            printf("%c",ch);
        printf("\n");
   void value(float p, float r, int n)
    {
        int year ;
        float sum ;
        sum = p ;
        year = 1;
        while(year <= n)</pre>
    {
           sum = sum * (1+r);
           year = year +1;
    }
           printf("%f\t%f\t%d\t%f\n",p,r,n,sum);
Output
    Enter principal amount, interest rate, and period
    5000 0.12 5
    5000.000000
                     0.120000 5
                                    8811.708984
```

Fig. 10.7 Functions with arguments but no return values

The variables declared inside a function are known as *local variables* and therefore their values are local to the function and cannot be accessed by any other function. We shall discuss more about this later in the chapter.

The function value calculates the final amount for a given period and prints the results as before. Control is transferred back on reaching the closing brace of the function. Note that the function does not return any value.

The function **printline** is called twice. The first call passes the character 'Z', while the second passes the character 'C' to the function. These are assigned to the formal argument ch for printing lines (see the output).

Variable Number of Arguments

Some functions have a variable number of arguments and data types which cannot be known at compile time. The **printf** and **scanf** functions are typical examples. The ANSI standard proposes new symbol called the *ellipsis* to handle such functions. The *ellipsis* consists of three periods (...) and used as shown below:

double area(float d,...)

Both the function declaration and definition should use ellipsis to indicate that the arguments are arbitrary both in number and type.

10.12 Arguments with Return Values

The function **value** in Fig. 10.7 receives data from the calling function through arguments, but does not send back any value. Rather, it displays the results of calculations at the terminal. However, we may not always wish to have the result of a function displayed. We may use it in the calling function for further processing. Moreover, to assure a high degree of portability between programs, a function should generally be coded without involving any I/O operations. For example, different programs may require different output formats for display of results. These shortcomings can be overcome by handing over the result of a function to its calling function where the returned value can be used as required by the program.

A self-contained and independent function should behave like a 'black box' that receives a predefined form of input and outputs a desired value. Such functions will have two-way data communication as shown in Fig. 10.8.




Fig. 10.8 Two-way data communication between functions.

We shall modify the program in Fig. 10.7 to illustrate the use of two-way data communication between the *calling* and the *called functions*.

Example 10.3 In the program presented in Fig. 10.7 modify the function **value**, to return the final amount calculated to the **main**, which will display the required output at the terminal. Also extend the versatility of the function **printline** by having it to take the length of the line as an argument.

The modified program with the proposed changes is presented in Fig. 10.9. One major change is the movement of the **printf** statement from **value** to **main**.

```
Program

void printline (char ch, int len);
value (float, float, int);

main()
{
    float principal, inrate, amount;
    int period;
    printf("Enter principal amount, interest");
    printf("rate, and period\n");
    scanf(%f %f %d", &principal, &inrate, &period);
```

```
printline ('*' , 52);
          amount = value (principal, inrate, period);
          printf("\n%f\t%f\t%d\t%f\n\n",principal,
             inrate, period, amount);
          printline ('=',52);
    void printline (char ch, int len)
          int i;
          for (i=1;i<=len;i++) printf("%c",ch);
          printf("\n");
    value(float p, float r, int n) /*default return type*/
       int year;
       float sum;
          sum = p; year = 1;
          while(year <=n)</pre>
             sum = sum * (l+r);
             year = year +1;
          return(sum); /*returns int part of sum*/
Output
    Enter principal amount, interest rate, and period
    5000 0.12
    ************
    5000.000000 0.1200000
                             5
                                     8811.000000
```

Fig. 10.9 Functions with arguments and return values

The calculated value is passed on to **main** through statement:

```
return (sum);
```

Since, by default, the return type of value function is int, the 'integer' value of sum at this point is returned to main and assigned to the variable amount by the functional call

```
amount = value (principal, inrate, period);
```

The following events occur, in order, when the above function call is executed:

- 1. The function call transfers the control along with copies of the values of the actual arguments to the function value where the formal arguments p, r, and n are assigned the actual values of **principal, inrate** and **period** respectively.
- 2. The called function value is executed line by line in a normal fashion until the return(sum); statement is encountered. At this point, the integer value of sum is passed back to the functioncall in the **main** and the following indirect assignment occurs:

```
value(principal, inrate, period) = sum;
```

- The calling statement is executed normally and the returned value is thus assigned to amount, a float variable.
- 4. Since **amount** is a **float** variable, the returned integer part of sum is converted to floating-point value. See the output.

Another important change is the inclusion of second argument to **printline** function to receive the value of length of the line from the calling function. Thus, the function call

```
printline('*', 52);
```

will transfer the control to the function **printline** and assign the following values to the formal arguments **ch**, and **len**;

```
ch = '*' ;
len = 52;
```

10.12.1 Returning Float Values

We mentioned earlier that a C function returns a value of the type **int** as the default case when no other type is specified explicitly. For example, the function **value** of Example 10.3 does all calculations using **floats** but the return statement

```
return(sum);
```

returns only the integer part of **sum.** This is due to the absence of the *type-specifier* in the function header. In this case, we can accept the integer value of **sum** because the truncated decimal part is insignificant compared to the integer part. However, there will be times when we may find it necessary to receive the **float** or **double** type of data. For example, a function that calculates the mean or standard deviation of a set of values should return the function value in either **float** or **double**.

In all such cases, we must explicitly specify the *return type* in both the function definition and the prototype declaration.

If we have a mismatch between the type of data that the called function returns and the type of data that the calling function expects, we will have unpredictable results. We must, therefore, be very careful to make sure that both types are compatible.

Example 10.4 Write a C program to find the area of a rectangle using user defined function.

```
Program
    #include <stdio.h>
    int findArea(int a, int b);
    /*user defined function declaration*/
    int main()
    {
        int n1,n2,area;
    clrscr();
        printf("Enters length and width: ");
        scanf("%d %d",&n1,&n2);
        area = findArea(n1, n2);
        /*user defined function calling*/
        printf("Area of rectangle = %d",area);
```

```
getch();
         return 0;
     int findArea(int a,int b)
     /*user defined function definition*/
         int result;
         result = a*b;
         return result;
     }
Output
     Enter length and width: 2 6
     Area of rectangle = 12
```

Fig. 10.10 Finding the area of a rectangle using **user defined function**

Example 10.5 Write a function **power** that computes x raised to the power y for integers x and y and returns double-type value.

Figure. 10.11 shows a power function that returns a double. The prototype declaration double power(int, int); appears in **main**, before **power** is called.

```
Program
    main()
        int x, y;
                                /*input data*/
        double power(int, int); /*prototype declaration*/
        printf("Enter x,y:");
        scanf("%d %d" , &x,&y);
        printf("%d to power %d is %f\n", x,y,power (x,y));
    double power (int x, int y);
        double p;
        p = 1.0;
                        /*x to power zero*/
        if(y >= 0)
                          /*computes positive powers*/
           while(y--)
           p *= x;
        else
           while (y++) /*computes negative powers*/
           p /= x;
                      /*returns double type*/
        return(p);
Output
     Enter x, y:16 2
    16 to power 2 is 256.000000
    Enter x, y:16-2
     16 to power -2 is 0.003906
```

Another way to guarantee that **power**'s type is declared before it is called in **main** is to define the **power** function before we define **main**. **Power**'s type is then known from its definition, so we no longer need its type declaration in **main**.

10.13 No Arguments but Returns a Value

There could be occasions where we may need to design functions that may not take any arguments but returns a value to the calling function. A typical example is the **getchar** function declared in the header file **<stdio.h>**. We have used this function earlier in a number of places. The **getchar** function has no parameters but it returns an integer type data that represents a character.

We can design similar functions and use in our programs. Example:

```
int get_number(void);
main
{
    int m = get_number();
    printf("%d",m);
}
int get_number(void)
{
    int number;
    scanf("%d", &number);
    return(number);
}
```

10.14 Functions that Return Multiple Values

Up till now, we have illustrated functions that return just one value using a return statement. That is because, a return statement can return only one value. Suppose, however, that we want to get more information from a function. We can achieve this in C using the arguments not only to receive information but also to send back information to the calling function. The arguments that are used to "send out" information are called *output parameters*.

The mechanism of sending back information through arguments is achieved using what are known as the *address operator* (&) and *indirection operator* (*). Let us consider an example to illustrate this.

```
void mathoperation (int x, int y, int *s, int *d);
main()

{
    int x = 20, y = 10, s, d;
    mathoperation(x,y, &s, &d);

    printf("s=%d\n d=%d\n", s,d);
}

void mathoperation (int a, int b, int *sum, int *diff)
{
    *sum = a+b;
    *diff = a-b;
}
```

The actual arguments x and y are input arguments, s and d are output arguments. In the function call, while we pass the actual values of x and y to the function, we pass the addresses of locations where the values of s and d are stored in the memory. (That is why, the operator & is called the address operator.) When the function is called the following assignments occur:

> value of x to a value of y to b address of s to sum address of d to diff

Note that indirection operator * in the declaration of sum and diff in the header indicates these variables are to store addresses, not actual values of variables. Now, the variables sum and diff point to the memory locations of s and d respectively.

(The operator * is known as indirection operator because it gives an indirect reference to a variable through its address.)

In the body of the function, we have two statements:

The first one adds the values a and b and the result is stored in the memory location pointed to by sum. Remember, this memory location is the same as the memory location of s. Therefore, the value stored in the location pointed to by sum is the value of s.

Similarly, the value of a-b is stored in the location pointed to by diff, which is the same as the location **d.** After the function call is implemented, the value of **s** is a+b and the value of **d** is a-b. Output will be:

$$s = 30$$
$$d = 10$$

The variables *sum and *diff are known as pointers and sum and diff as pointer variables. Since they are declared as **int**, they can point to locations of **int** type data.

The use of pointer variables as actual parameters for communicating data between functions is called "pass by pointers" or "call by address or reference".

Rules for Pass by Pointers

- 1. The types of the actual and formal arguments must be same.
- 2. The actual arguments (in the function call) must be the addresses of variables that are local to the calling function.
- The formal arguments in the function header must be prefixed by the indirection operatior *. 3.
- 4. In the prototype, the arguments must be prefixed by the symbol *.
- 5. To access the value of an actual argument in the called function, we must use the corresponding formal argument prefixed with the indirection operator *.

10.15 **Nesting of Functions**

C permits nesting of functions freely. main can call function1, which calls function2, which calls function3, and so on. There is in principle no limit as to how deeply functions can be nested.

Consider the following program:

```
float ratio (int x, int y, int z);
int difference (int x, int y);
main()
   int a, b, c;
   scanf("%d %d %d", &a, &b, &c);
   printf("%f \n", ratio(a,b,c));
float ratio (int x, int y, int z)
   if(difference(y, z))
      return (x/(y-z));
   else
      return(0.0);
int difference (int p, int q)
   if(p != q)
       return (1);
   else
    return(0);
```

The above program calculates the ratio

$$\frac{a}{b-c}$$

and prints the result. We have the following three functions:

main()
ratio()
difference()

main reads the values of a, b and c and calls the function **ratio** to calculate the value a/(b-c). This ratio cannot be evaluated if (b-c) = 0. Therefore, **ratio** calls another function **difference** to test whether the difference (b-c) is zero or not; **difference** returns 1, if b is not equal to c; otherwise returns zero to the function **ratio**. In turn, **ratio** calculates the value a/(b-c) if it receives 1 and returns the result in **float.** In case, **ratio** receives zero from **difference**, it sends back 0.0 to **main** indicating that (b-c) = 0.

Nesting of function calls is also possible. For example, a statement like

```
P = mul(mul(5,2),6);
```

is valid. This represents two sequential function calls. The inner function call is evaluated first and the returned value is again used as an actual argument in the outer function call. If **mul** returns the product of its arguments, then the value of **p** would be $60 (= 5 \times 2 \times 6)$.

Note that the nesting does not mean defining one function within another. Doing this is illegal.

10.16 **Recursion**

When a called function in turn calls another function a process of 'chaining' occurs. Recursion is a special case of this process, where a function calls itself. A very simple example of recursion is presented below:

```
main()
{
    printf("This is an example of recursion\n")
    main();
```

When executed, this program will produce an output something like this:

This is an example of recursion

This is an example of recursion

This is an example of recursion

This is an ex

Execution is terminated abruptly; otherwise the execution will continue indefinitely.

Another useful example of recursion is the evaluation of factorials of a given number. The factorial of a number n is expressed as a series of repetitive multiplications as shown below:

factorial of
$$n = n(n-1)(n-2).....1$$
.

For example,

factorial of
$$4 = 4 \times 3 \times 2 \times 1 = 24$$

A function to evaluate factorial of n is as follows:

```
factorial(int n)
      int fact;
      if (n==1)
         return(1);
         fact = n*factorial(n-1);
      return(fact);
```

Let us see how the recursion works. Assume n = 3. Since the value of n is not 1, the statement

```
fact = n * factorial(n-1);
```

will be executed with n = 3. That is,

```
fact = 3 * factorial(2);
```

will be evaluated. The expression on the right-hand side includes a call to **factorial** with n = 2. This call will return the following value:

```
2 * factorial(1)
```

Once again, **factorial** is called with n = 1. This time, the function returns 1. The sequence of operations can be summarized as follows:

```
fact = 3 * factorial(2)
```

```
= 3 * 2 * factorial(1)
= 3 * 2 * 1 = 6
```

Recursive functions can be effectively used to solve problems where solution is expressed in terms of successively applying the same solution to subsets of the problem. When we write recursive functions, we must have an **if** statement somewhere to force the function to return without the recursive call being executed. Otherwise, the function will never return.

Example 10.6 Write a C program to find the HCF of two positive numbers using recursion.

```
Program
     #include <stdio.h>
     int hcf(int n1, int n2);
     int main()
        int n1, n2;
     clrscr();
      printf("Enter two positive integers: ");
      scanf("%d%d", &n1, &n2);
      printf("H.C.F of %d and %d = %d", n1, n2, hcf(n1,n2));
     getch();
     return 0;
     int hcf(int n1, int n2)
         if (n2!=0)
         return hcf(n2, n1%n2);
     /*recursion is a function which calls itself until condition goes false*/
         else
            return n1;
Output
     Enter two positive integers: 8
     H.C.F of 8 and 4 = 4
```

Fig. 10.12 Finding HCF of two positive numbers using **recursion**

10.17 Passing Arrays to Functions

10.17.1 One-Dimensional Arrays

Like the values of simple variables, it is also possible to pass the values of an array to a function. To pass a one-dimensional an array to a called function, it is sufficient to list the name of the array, *without any subscripts*, and the size of the array as arguments. For example, the call

largest(a,n)

will pass the whole array **a** to the called function. The called function expecting this call must be appropriately defined. The **largest** function header might look like:

float largest(float array[], int size)

The function **largest** is defined to take two arguments, the array name and the size of the array to specify the number of elements in the array. The declaration of the formal argument array is made as follows:

```
float array[ ];
```

The pair of brackets informs the compiler that the argument **array** is an array of numbers. It is not necessary to specify the size of the array here.

Let us consider a problem of finding the largest value in an array of elements. The program is as follows:

```
main()
     float largest(float a[], int n);
     float value[4] = \{2.5, -4.75, 1.2, 3.67\};
     printf("%f\n", largest(value,4));
float largest(float a[], int n)
     int i:
    float max;
     max = a[0];
     for (i = 1; i < n; i++)
         if(max < a[i])
    max = a[i];
   return (max);
```

When the function call largest(value,4) is made, the values of all elements of array value become the corresponding elements of array a in the called function. The largest function finds the largest value in the array and returns the result to the main.

In C, the name of the array represents the address of its first element. By passing the array name, we are, in fact, passing the address of the array to the called function. The array in the called function now refers to the same array stored in the memory. Therefore, any changes in the array in the called function will be reflected in the original array.

Passing addresses of parameters to the functions is referred to as pass by address (or pass by pointers). Note that we cannot pass a whole array by value as we did in the case of ordinary variables.

Example 10.7 Write a program to calculate the standard deviation of an array of values. The array elements are read from the terminal. Use functions to calculate standard deviation and mean.

Standard deviation of a set of n values is given by

$$S.D = \sqrt{\frac{1}{n} \sum_{i=1}^{n} (\overline{x} - x_i)^2}$$

where $\bar{\mathbf{x}}$ is the mean of the values.

```
Program
     #include
                   <math.h>
     #define SIZE
     float std dev(float a[], int n);
     float mean (float a[], int n);
     main()
        float value[SIZE];
        int i;
        printf("Enter %d float values\n", SIZE);
        for (i=0; i < SIZE; i++)
            scanf("%f", &value[i]);
        printf("Std.deviation is %f\n", std dev(value,SIZE));
        float std dev(float a[], int n)
         int i;
         float x, sum = 0.0;
         x = mean (a, n);
         for (i=0; i < n; i++)
            sum += (x-a[i])*(x-a[i]);
         return(sqrt(sum/(float)n));
     float mean(float a[], int n)
        int i ;
        float sum = 0.0;
        for(i=0 ; i < n ; i++)
            sum = sum + a[i];
        return(sum/(float)n);
Output
     Enter 5 float values
     35.0 67.0 79.5 14.20 55.75
     Std.deviation is 23.231582
```

Fig. 10.13 Passing of arrays to a function

A multifunction program consisting of **main**, **std_dev**, and **mean** functions is shown in Fig. 10.11. **main** reads the elements of the array **value** from the terminal and calls the function **std_dev** to print the standard deviation of the array elements. **Std_dev**, in turn, calls another function **mean** to supply the average value of the array elements.

Both **std_dev** and **mean** are defined as **floats** and therefore they are declared as **floats** in the global section of the program.

Three Rules to Pass an Array to a Function

- 1. The function must be called by passing only the name of the array.
- 2. In the function definition, the formal parameter must be an array type; the size of the array does not need to be specified.
- 3. The function prototype must show that the argument is an array.

When dealing with array arguments, we should remember one major distinction. If a function changes the values of the elements of an array, then these changes will be made to the original array that passed to the function. When an entire array is passed as an argument, the contents of the array are not copied into the formal parameter array; instead, information about the addresses of array elements are passed on to the function. Therefore, any changes introduced to the array elements are truly reflected in the original array in the calling function. However, this does not apply when an individual element is passed on as argument. Example 10.8 highlights these concepts.

Example 10.8 Write a program that uses a function to sort an array of integers.

A program to sort an array of integers using the function **sort()** is given in Fig. 10.14. Its output clearly shows that a function can change the values in an array passed as an argument.

```
Program
     void sort(int m, int x[]);
     main()
            int i;
            int marks[5] = \{40, 90, 73, 81, 35\};
            printf("Marks before sorting\n");
            for(i = 0; i < 5; i++)
               printf("%d ", marks[i]);
            printf("\n\n");
            sort (5, marks);
            printf("Marks after sorting\n");
            for(i = 0; i < 5; i++)
               printf("%4d", marks[i]);
            printf("\n");
     void sort(int m, int x[ ])
            int i, j, t;
            for (i = 1; i \le m-1; i++)
               for (j = 1; j \le m-i; j++)
                if(x[j-1] >= x[j])
                   t = x[j-1];
```

```
x[j-1] = x[j];
x[j] = t;
}
Output
Marks before sorting
40 90 73 81 35

Marks after sorting
35 40 73 81 90
```

Fig. 10.14 Sorting of array elements using a function

10.17.2 Two-Dimensional Arrays

Like simple arrays, we can also pass multi-dimensional arrays to functions. The approach is similar to the one we did with one-dimensional arrays. The rules are simple.

- 1. The function must be called by passing only the array name.
- 2. In the function definition, we must indicate that the array has two-dimensions by including two sets of brackets.
- 3. The size of the second dimension must be specified.
- 4. The prototype declaration should be similar to the function header.

The function given below calculates the average of the values in a two-dimensional matrix.

```
double average(int x[][N], int M, int N)
{
    int i, j;
    double sum = 0.0;
    for (i=0; i<M; i++)
        for(j=1; j<N; j++)
        sum += x[i][j];
    return(sum/(M*N));
}</pre>
```

This function can be used in a main function as illustrated below:

```
mean = average(matrix, M, N);
}
```

10.18 **Passing Strings to Functions**

The strings are treated as character arrays in C and therfore the rules for passing strings to functions are very similar to those for passing arrays to functions.

Basic rules are:

1. The string to be passed must be declared as a formal argument of the function when it is defined. Example:

```
void display(char item name[])
```

2. The function prototype must show that the argument is a string. For the above function definition, the prototype can be written as

```
void display(char str[]);
```

3. A call to the function must have a string array name without subscripts as its actual argument. Example:

```
display (names);
```

where **names** is a properly declared string array in the calling function.

We must note here that, like arrays, strings in C cannot be passed by value to functions.

Pass by Value versus Pass by Pointers

The technique used to pass data from one function to another is known as *parameter passing*. Parameter passing can be done in two ways:

- Pass by value (also known as call by value).
- Pass by pointers (also known as call by pointers).

In pass by value, values of actual parameters are copied to the variables in the parameter list of the called function. The called function works on the copy and not on the original values of the actual parameters. This ensures that the original data in the calling function cannot be changed accidentally.

In pass by pointers (also known as pass by address), the memory addresses of the variables rather than the copies of values are sent to the called function. In this case, the called function directly works on the data in the calling function and the changed values are available in the calling function for its use.

Pass by pointers method is often used when manipulating arrays and strings. This method is also used when we require multiple values to be returned by the called function.

10.19 The Scope, Visibility and Lifetime of Variables

Variables in C differ in behaviour from those in most other languages. For example, in a BASIC program, a variable retains its value throughout the program. It is not always the case in C. It all depends on the 'storage' class a variable may assume.

In C not only do all variables have a data type, they also have a *storage class*. The following variable storage classes are most relevant to functions:

- 1. Automatic variables.
- 2. External variables.
- 3. Static variables.
- 4. Register variables.

We shall briefly discuss the *scope*, *visibility* and *longevity* of each of the above class of variables. The *scope* of variable determines over what region of the program a variable is actually available for use ('active'). *Longevity* refers to the period during which a variable retains a given value during execution of a program ('alive'). So longevity has a direct effect on the utility of a given variable. The *visibility* refers to the accessibility of a variable from the memory.

The variables may also be broadly categorized, depending on the place of their declaration, as *internal* (local) or *external* (global). Internal variables are those which are declared within a particular function, while external variables are declared outside of any function.

It is very important to understand the concept of storage classes and their utility in order to develop efficient multifunction programs.

10.19.1 Automatic Variables

Automatic variables are declared inside a function in which they are to be utilized. They are *created* when the function is called and *destroyed* automatically when the function is exited, hence the name automatic. Automatic variables are therefore private (or local) to the function in which they are declared. Because of this property, automatic variables are also referred to as *local* or *internal* variables.

A variable declared inside a function without storage class specification is, by default, an automatic variable. For instance, the storage class of the variable **number** in the example below is automatic.

```
main()
{
    int number;
    ----
}
```

We may also use the keyword **auto** to declare automatic variables explicitly.

```
main()
{
    auto int number;
    ----
}
```

One important feature of automatic variables is that their value cannot be changed accidentally by what happens in some other function in the program. This assures that we may declare and use the same variable name in different functions in the same program without causing any confusion to the compiler.

Example 10.9 Write a multifunction to illustrate how automatic variables work.

A program with two subprograms function1 and function2 is shown in Fig. 10.15. m is an automatic variable and it is declared at the beginning of each function. m is initialized to 10, 100, and 1000 in function1, function2, and main respectively.

When executed, main calls function2 which in turn calls function1. When main is active, m = 1000; but when **function2** is called, the **main**'s **m** is temporarily put on the shelf and the new local $\mathbf{m} = 100$ becomes active. Similarly, when **function1** is called, both the previous values of \mathbf{m} are put on the shelf and the latest value of m (=10) becomes active. As soon as function1 (m=10) is finished, function2 (m=100) takes over again. As soon it is done, main (m=1000) takes over. The output clearly shows that the value assigned to m in one function does not affect its value in the other functions; and the local value of **m** is destroyed when it leaves a function.

```
Program
     void function1 (void);
     void function2(void);
     main()
        int m = 1000;
        function2();
        printf("%d\n",m); /*Third output*/
     void function1 (void)
     int m = 10;
     printf("%d\n",m); /*First output*/
     void function2 (void)
        int m = 100;
        function1();
        printf("%d\n",m); /*Second output*/
Output
     10
     100
     1000
```

There are two consequences of the scope and longevity of **auto** variables worth remembering. First, any variable local to **main** will be normally *alive* throughout the whole program, although it is *active* only in **main**. Secondly, during recursion, the nested variables are unique **auto** variables, a situation similar to function-nested **auto** variables with identical names.

10.19.2 External Variables

Variables that are both *alive* and *active* throughout the entire program are known as *external* variables. They are also known as *global* variables. Unlike local variables, global variables can be accessed by any function in the program. External variables are declared outside a function. For example, the external declaration of integer **number** and float **length** might appear as:

The variables **number** and **length** are available for use in all the three functions. In case a local variable and a global variable have the same name, the local variable will have precedence over the global one in the function where it is declared. Consider the following example:

```
int count;
main()
{
    count = 10;
    ----
}
function()
{
    int count = 0;
    -----
    count = count+1;
}
```

When the **function** references the variable **count**, it will be referencing only its local variable, not the global one. The value of **count** in **main** will not be affected.

Example 10.10 Write a C program to display the value of an external variable increment by 2.

```
Program
     #include <stdio.h>
     void display();
     int n = 5;
     int main()
     clrscr();
         ++n;
           /*++ operator is used to increment the value by 1*/
         display();
     getch();
     return 0;
     void display()
         ++n;
        printf("Value of external variable after incrementing by 2 is = %d", n);
Output
     Value of external variable after incrementing by 2 is: 7
```

Fig. 10.16 Displaying the value of an external variable increment by 2

Example 10.11 Write a multifunction program to illustrate the properties of global variables.

A program to illustrate the properties of global variables is presented in Fig. 10.17. Note that variable x is used in all functions but none except fun2, has a definition for x. Because x has been declared 'above' all the functions, it is available to each function without having to pass x as a function argument. Further, since the value of x is directly available, we need not use return(x) statements in fun1 and fun3. However, since fun2 has a definition of x, it returns its local value of x and therefore uses a return statement. In **fun2**, the global x is not visible. The local x hides its visibility here.

```
Program
     int fun1 (void);
     int fun2 (void);
     int fun3 (void);
     int x;
              /*qlobal*/
     main()
           x = 10 ;
                           /*global x*/
           printf("x = %d\n", x);
           printf("x = %d\n", fun1());
           printf("x = %d\n", fun2());
```

Fig. 10.17 Illustration of properties of global variables

Once a variable has been declared as global, any function can use it and change its value. Then, subsequent functions can reference only that new value.

Global Variables as Parameters

Since all functions in a program source file can access global variables, they can be used for passing values between the functions. However, using global variables as parameters for passing values poses certain problems.

- The values of global variables which are sent to the called function may be changed inadvertently by the called function.
- Functions are supposed to be independent and isolated modules. This character is lost, if they use global variables.
- It is not immediately apparent to the reader which values are being sent to the called function.
- A function that uses global variables suffers from reusability.

One other aspect of a global variable is that it is available only from the point of declaration to the end of the program. Consider a program segment as shown below:

```
main()
{
    y = 5;
    · · ·
    · · ·
}
int y;    /*global declaration*/
funcl()
```

```
{
     y = y+1;
```

We have a problem here. As far as **main** is concerned, y is not defined. So, the compiler will issue an error message. Unlike local variables, global variables are initialized to zero by default. The statement

$$y = y+1;$$

in **fun1** will, therefore, assign 1 to y.

10.19.3 External Declaration

In the program segment above, the main cannot access the variable y as it has been declared after the main function. This problem can be solved by declaring the variable with the storage class extern.

For example:

```
main()
   extern int v; /*external declaration*/
   . . . . .
func1()
{
   extern int y; /*external declaration*/
   . . . . .
                 /*definition*/
int v;
```

Although the variable v has been defined after both the functions, the external declaration of v inside the functions informs the compiler that y is an integer type defined somewhere else in the program. Note that **extern** declaration does not allocate storage space for variables. In case of arrays, the definition should include their size as well.

Example:

```
main()
{ int i;
   void print out(void);
   extern float height [ ];
   . . . . .
   . . . . .
   print out();
void print out (void)
   extern float height [ ];
   int i;
```

An **extern** within a function provides the type information to just that one function. We can provide type information to all functions within a file by placing external declarations before any of them.

Example:

The distinction between definition and declaration also applies to functions. A function is defined when its parameters and function body are specified. This tells the compiler to allocate space for the function code and provides type information for the parameters. Since functions are external by default, we declare them (in the calling functions) without the qualifier **extern.** Therefore, the declaration

```
void print_out(void);
```

is equivalent to

```
extern void print_out(void);
```

Function declarations outside of any function behave the same way as variable declarations.

10.19.4 Static Variables

As the name suggests, the value of static variables persists until the end of the program. A variable can be declared *static* using the keyword **static** like

```
static int x;
static float y;
```

A static variable may be either an internal type or an external type depending on the place of declaration.

Internal static variables are those which are declared inside a function. The scope of internal static variables extend up to the end of the function in which they are defined. Therefore, internal **static** variables are similar to **auto** variables, except that they remain in existence (alive) throughout the remainder of the program. Therefore, internal **static** variables can be used to retain values between function calls. For example, it can be used to count the number of calls made to a function.

Example 10.12 Write a program to illustrate the properties of a static variable.

The program in Fig. 10.18 explains the behavior of a static variable.

```
Program
     void stat(void);
     main ()
        int i;
        for (i=1; i \le 3; i++)
        stat();
     void stat (void)
        static int x = 0;
        x = x+1;
        printf("x = %d\n", x);
Output
     x = 1
     x = 2
     x = 3
```

Fig. 10.18 Illustration of static variable

A static variable is initialized only once, when the program is compiled. It is never initialized again. During the first call to **stat**, **x** is incremented to 1. Because **x** is static, this value persists and therefore, the next call adds another 1 to x giving it a value of 2. The value of x becomes three when the third call is made.

Had we declared **x** as an **auto** variable, the output would have been:

x = 1x = 1x = 1

This is because each time **stat** is called, the auto variable x is initialized to zero. When the function terminates, its value of 1 is lost.

An external static variable is declared outside of all functions and is available to all the functions in that program. The difference between a **static** external variable and a simple external variable is that the **static** external variable is available only within the file where it is defined while the simple external variable can be accessed by other files.

It is also possible to control the scope of a function. For example, we would like a particular function accessible only to the functions in the file in which it is defined, and not to any function in other files. This can be accomplished by defining 'that' function with the storage class **static**.

10.19.5 Register Variables

We can tell the compiler that a variable should be kept in one of the machine's registers, instead of keeping in the memory (where normal variables are stored). Since a register access is much faster than a memory access, keeping the frequently accessed variables (e.g. loop control variables) in the register will lead to faster execution of programs. This is done as follows:

register int count;

Although, ANSI standard does not restrict its application to any particular data type, most compilers allow only **int** or **char** variables to be placed in the register.

Since only a few variables can be placed in the register, it is important to carefully select the variables for this purpose. However, C will automatically convert **register** variables into non-register variables once the limit is reached.

Table 10.1 summarizes the information on the visibility and lifetime of variables in functions and files.

	Table 10.1	Scope and Lifetime of Variables
--	------------	---------------------------------

Storage Class	Where declared	Visibility (Active)	Lifetime (Alive)
None	Before all functions in a file	Entire file plus other files	Entire
	(may be initialized)	where variable is declared with extern	program (Global)
extern	Before all functions	Entire file plus other files	Global
	in a file (cannot be initialized)	where variable is declared	
	extern and the file where		
	originally declared as global.		
static	Before all functions in a file	Only in that file	Global
None or	Inside a function (or a block)	Only in that function or block	Until end of function or block
auto			
register	Inside a function or block	Only in that function or block	Until end of function or block
static	Inside a function	Only in that function	Global

10.19.6 Nested Blocks

A set of statements enclosed in a set of braces is known a *block* or a *compound* statement. Note that all functions including the **main** use compound *statement*. A block can have its own declarations and other statements. It is also possible to have a block of such statements inside the body of a function or another block, thus creating what is known as *nested blocks* as shown below:

```
main()
{
    int a = 20;
    int b = 10;
    .....
    {
        int a = 0;
        int c = a + b;
        b = a;
}
Outer
block
```

When this program is executed, the value c will be 10, not 30. The statement b = a; assigns a value of 20 to b and not zero. Although the scope of a extends up to the end of main it is not "visible" inside the inner block where the variable a has been declared again. The inner a hides the visibility of the outer a in the inner block. However, when we leave the inner block, the inner a is no longer in scope and the outer a becomes visible again.

Remember, the variable b is not re-declared in the inner block and therefore it is visible in both the blocks. That is why when the statement

$$int c = a + b;$$

is evaluated, a assumes a values of 0 and b assumes a value of 10.

Although main's variables are visible inside the nested block, the reverse is not true.

Scope Rules

Scope

The region of a program in which a variable is available for use.

The program's ability to access a variable from the memory.

Lifetime

The lifetime of a variable is the duration of time in which a variable exists in the memory during execution.

Rules of use

- 1. The scope of a global variable is the entire program file.
- 2. The scope of a local variable begins at point of declaration and ends at the end of the block or function in which it is declared.
- 3. The scope of a formal function argument is its own function.
- 4. The lifetime (or longevity) of an **auto** variable declared in **main** is the entire program execution time, although its scope is only the **main** function.
- 5. The life of an auto variable declared in a function ends when the function is exited.
- 6. A **static** local variable, although its scope is limited to its function, its lifetime extends till the end of program execution.
- 7. All variables have visibility in their scope, provided they are not declared again.
- 8. If a variable is redeclared within its scope again, it loses its visibility in the scope of the redeclared variable.

Just Remember

- It is a syntax error if the types in the declaration and function definition do not match.
- It is a syntax error if the number of actual parameters in the function call do not match the number in the declaration statement.
- It is a logic error if the parameters in the function call are placed in the wrong order.
- It is illegal to use the name of a formal argument as the name of a local variable.
- Using **void** as return type when the function is expected to return a value is an error.
- Trying to return a value when the function type is marked **void** is an error.

- Variables in the parameter list must be individually declared for their types. We cannot use multiple declarations (like we do with local or global variables).
- A **return** statement is required if the return type is anything other than **void**.
- If a function does not return any value, the return type must be declared **void.**
- If a function has no parameters, the parameter list must be declared void.
- Placing a semicolon at the end of header line is illegal.
- Forgetting the semicolon at the end of a prototype declaration is an error.
- Defining a function within the body of another function is not allowed.
- It is an error if the type of data returned does not match the return type of the function.
- It will most likely result in logic error if there is a mismatch in data types between the actual and formal arguments.
- Functions return integer value by default.
- A function without a return statement cannot return a value, when the parameters are passed by value.
- A function that returns a value can be used in expressions like any other C variable.
- When the value returned is assigned to a variable, the value will be converted to the type of the variable receiving it.
- Function cannot be the target of an assignment.
- A function with void return type cannot be used in the right-hand side of an assignment statement. It can be used only as a stand-alone statement.
- A function that returns a value cannot be used as a stand-alone statement.
- A **return** statement can occur anywhere within the body of a function.
- A function can have more than one return statement.
- A function definition may be placed either after or before the **main** function.
- Where more functions are used, they may be placed in any order.
- A global variable used in a function will retain its value for future use.
- A local variable defined inside a function is known only to that function. It is destroyed when the function is exited.
- A global variable is visible only from the point of its declaration to the end of the program.
- When a variable is redeclared within its scope either in a function or in a block, the original variable is not visible within the scope of the redeclared variable.
- A local variable declared **static** retains its value even after the function is exited.
- Static variables are initialized at compile time and therefore they are initialized only once.
- Use parameter passing by values as far as possible to avoid inadvertent changes to variables of calling function in the called function.
- Although not essential, include parameter names in the prototype declarations for documentation purposes.
- Avoid the use of names that hide names in outer scope.

Review Questions



- 10.1 State whether the following statements are true or false.
 - (a) C functions can return only one value under their function name.

- (b) A function in C should have at least one argument.
- (c) A function can be defined and placed before the **main** function.
- (d) A function can be defined within the **main** function.
- (e) An user-defined function must be called at least once; otherwise a warning message will be issued.
- (f) Any name can be used as a function name.
- (g) Only a **void** type function can have **void** as its argument.
- (h) When variable values are passed to functions, a copy of them are created in the memory.
- (i) Program execution always begins in the main function irrespective of its location in the program.
- (i) Global variables are visible in all blocks and functions in the program.
- (k) A function can call itself.
- (1) A function without a **return** statement is illegal.
- (m) Global variables cannot be declared as **auto** variables.
- (n) A function prototype must always be placed outside the calling function.
- (o) The return type of a function is **int** by default.
- (p) The variable names used in prototype should match those used in the function definition.
- (q) In parameter passing by pointers, the formal parameters must be prefixed with the symbol * in their declarations.
- (r) In parameter passing by pointers, the actual parameters in the function call may be variables or constants.
- (s) In passing arrays to functions, the function call must have the name of the array to be passed without brackets.
- (t) In passing strings to functions, the actual parameter must be name of the string post-fixed with size in brackets.

10.2	Fill	in the blanks in the following statements.
	(a)	The parameters used in a function call are called
	(b)	A variable declared inside a function is called
	(c)	By default, is the return type of a C function.
	(d)	In passing by pointers, the variables of the formal parameters must be prefixed with
		in their declaration.
	(e)	In prototype declaration, specifying is optional.
	(f)	refers to the region where a variable is actually available for use.
	(g)	A function that calls itself is known as a function.
	(h)	If a local variable has to retain its value between calls to the function, it must be declared as
		,
	(i)	A aids the compiler to check the matching between the actual arguments and
		the formal ones.
	(j)	A variable declared inside a function by default assumes storage class.
400		1 0 10 1 77 1 1 100 0 1 1 1 0 10 1

- 10.3 The **main** is a user-defined function. How does it differ from other user-defined functions?
- 10.4 Describe the two ways of passing parameters to functions. When do you prefer to use each of them?

- 10.5 What is prototyping? Why is it necessary?
- 10.6 Distinguish between the following:
 - (a) Actual and formal arguments
 - (b) Global and local variables
 - (c) Automatic and static variables
 - (d) Scope and visibility of variables
 - (e) & operator and * operator
- 10.7 Explain what is likely to happen when the following situations are encountered in a program.
 - (a) Actual arguments are less than the formal arguments in a function.
 - (b) Data type of one of the actual arguments does not match with the type of the corresponding formal argument.
 - (c) Data type of one of the arguments in a prototype does not match with the type of the corresponding formal parameter in the header line.
 - (d) The order of actual parameters in the function call is different from the order of formal parameters in a function where all the parameters are of the same type.
 - (e) The type of expression used in **return** statement does not match with the type of the function.
- 10.8 Which of the following prototype declarations are invalid? Why?

```
(a) int (fun) void;
```

- (b) double fun (void)
- (c) float fun (x, y, n);
- (d) void fun (void, void);
- (e) int fun (int a, b);
- (f) fun (int, float, char);
- (g) void fun (int a, int &b);
- 10.9 Which of the following header lines are invalid? Why?

```
(a) float average (float x, float y, float z);
```

- (b) double power (double a, int n 1)
- (c) int product (int m, 10)
- (d) double minimum (double x; double y;)
- (e) int mul (int x, y)
- (f) exchange (int *a, int *b)
- (g) void sum (int a, int b, int &c)
- 10.10 Find errors, if any, in the following function definitions:

```
(a) void abc (int a, int b)
    {
        int c;
            return (c);
    }
(b) int abc (int a, int b)
    {
```

```
(c) int abc (int a, int b)
       double c = a + b;
       return (c);
(d) void abc (void)
   {
        return;
(e) int abc(void)
   {
       return;
```

10.10 Find errors in the following function calls:

```
(a) void xyz ();
(b) xyx ( void );
(c) xyx ( int x, int y);
(d) xyzz ( );
(e) xyz ( ) + xyz ( );
```

10.12 A function to divide two floating point numbers is as follows:

```
divide (float x, float y)
     return (x / y);
```

What will be the value of the following function calls:

```
(a) divide (10, 2)
(b) divide (9, 2)
(c) divide ( 4.5, 1.5 )
(d) divide ( 2.0, 3.0 )
```

- 10.13 What will be the effect on the above function calls if we change the header line as follows:
 - (a) int divide (int x, int y)
 - (b) double divide (float x, float y)
- 10.14 Determine the output of the following program?

```
int prod( int m, int n);
main ()
{
```

```
int x = 10;
int y = 20;
int p, q;
p = prod (x,y);
q = prod (p, prod (x,z));
printf ("%d %d\n", p,q);
}
int prod( int a, int b)
{
    return (a * b);
}
```

10.15 What will be the output of the following program?

```
void test (int *a);
main ( )
{
     int x = 50;
     test ( &x);
     printf("%d\n", x);
}
void test (int *a);
{
     *a = *a + 50;
}
```

10.16 The function **test** is coded as follows:

What will be the values of x and y when the following statements are executed?

```
int x = test (135);
int y = test (246);
```

- 10.17 Enumerate the rules that apply to a function call.
- 10.18 Summarize the rules for passing parameters to functions by pointers.
- 10.19 What are the rules that govern the passing of arrays to function?
- 10.20 State the problems we are likely to encounter when we pass global variables as parameters to functions.

Programming Exercises

- 10.1 Write a function **exchange** to interchange the values of two variables, say x and y. Illustrate the use of this function, in a calling function. Assume that x and y are defined as global variables.
- 10.2 Write a function space(x) that can be used to provide a space of x positions between two output numbers. Demonstrate its application.
- 10.3 Use recursive function calls to evaluate

$$f(x) = x - \frac{x^3}{3!} + \frac{x^5}{5!} + \frac{x^7}{7!} + \cdots$$

10.4 An n order polynomial can be evaluated as follows:

$$P = (....(((a_0x+a_1)x+a_2)x+a_3)x+\cdots+a_n)$$

Write a function to evaluate the polynomial, using an array variable. Test it using a main program.

10.5 The Fibonacci numbers are defined recursively as follows:

$$F_1 = 1$$

 $F_2 = 1$
 $F_n = F_{n-1} + F_{n-2}, n > 2$

Write a function that will generate and print the first n Fibonacci numbers. Test the function for n = 5, 10, and 15.

- 10.6 Write a function that will round a floating-point number to an indicated decimal place. For example the number 17.457 would yield the value 17.46 when it is rounded off to two decimal places.
- 10.7 Write a function prime that returns 1 if its argument is a prime number and returns zero otherwise.
- 10.8 Write a function that will scan a character string passed as an argument and convert all lowercase characters into their uppercase equivalents.
- 10.9 Develop a top down modular program to implement a calculator. The program should request the user to input two numbers and display one of the following as per the desire of the user:
 - (a) Sum of the numbers
 - (b) Difference of the numbers
 - (c) Product of the numbers
 - (d) Division of the numbers

Provide separate functions for performing various tasks such as reading, calculating and displaying. Calculating module should call second level modules to perform the individual mathematical operations. The main function should have only function calls.

10.10 Develop a modular interactive program using functions that reads the values of three sides of a triangle and displays either its area or its perimeter as per the request of the user. Given the three sides a, b and c.

Perimeter =
$$a + b + c$$

Area = $\sqrt{(s-a)(s-b)(s-c)}$
where $s = (a+b+c)/2$

10.11 Write a function that can be called to find the largest element of an m by n matrix.

- 10.12 Write a function that can be called to compute the product of two matrices of size m by n and n by m. The main function provides the values for m and n and two matrices.
- 10.13 Design and code an interactive modular program that will use functions to a matrix of m by n size, compute column averages and row averages, and then print the entire matrix with averages shown in respective rows and columns.
- 10.14 Develop a top-down modular program that will perform the following tasks:
 - (a) Read two integer arrays with unsorted elements.
 - (b) Sort them in ascending order
 - (c) Merge the sorted arrays
 - (d) Print the sorted list

Use functions for carrying out each of the above tasks. The main function should have only function calls.

- 10.15 Develop your own functions for performing following operations on strings:
 - (a) Copying one string to another
 - (b) Comparing two strings
 - (c) Adding a string to the end of another string

Write a driver program to test your functions.

- 10.16 Write a program that invokes a function called **find()** to perform the following tasks:
 - (a) Receives a character array and a single character.
 - (b) Returns 1 if the specified character is found in the array, 0 otherwise.
- 10.17 Design a function **locate ()** that takes two character arrays **s1** and **s2** and one integer value **m** as parameters and inserts the string **s2** into **s1** immediately after the index **m**.
 - Write a program to test the function using a real-life situation. (**Hint:** s2 may be a missing word in s1 that represents a line of text.)
- 10.18 Write a function that takes an integer parameter **m** representing the month number of the year and returns the corresponding name of the month. For instance, if m = 3, the month is March. Test your program.
- 10.19 In preparing the calendar for a year we need to know whether that particular year is leap year or not. Design a function **leap()** that receives the year as a parameter and returns an appropriate message.
 - What modifications are required if we want to use the function in preparing the actual calendar?
- 10.20 Write a function that receives a floating point value **x** and returns it as a value rounded to two nearest decimal places. For example, the value 123.4567 will be rounded to 123.46. (**Hint:** Seek help of one of the math functions available in math library.)

Debugging Exercises

10.1 Identify the error in the following code that multiplies two 3 X 3 matrices:

```
void multiply(int x[3][],int y[3][])
{
  int c[3][3],i,j,k;
```

```
/*Multiplying the two matrices*/
 for (i=0; i<3; i++)
  for (j=0; j<3; j++)
   c[i][j]=0;
   for (k=0; k<3; k++)
    c[i][j]=c[i][j]+x[i][k]*y[k][j];
 printf("\n\nThe product of the two matrices is shown below: \n");
 for (i=0; i<3; i++)
 printf("\n\t\t");
 for (j=0; j<3; j++)
  printf("%d\t",c[i][j]); /*Displaying the result*/
 }
}
```

10.2 Identify the error in the following program that finds the area of a rectangle:

```
#include <stdio.h>
void main()
 area(); /*Calling the area function*/
void area()
float length, breadth;
 printf("Enter the length and breadth of the rectangle:\n");
 scanf("%f %f", &length, &breadth) ;
 /*Computing and displaying the area of the rectangle*/
printf("The area of the rectangle with length %.2f and breadth %.2f
is = %.2f", length, breadth, (length*breadth));
```

10.3 Identify the error in the following program, if any:

```
#include <stdio.h>
void Func A(void);
void Func B (void);
void Func_C(void);
```

```
void main()
printf("In main function; Calling Func A()..\n");
Func A();/*Calling Function A*/
printf("Back in main()..\n");
}
void Func A(void)
printf("Inside Func A(); Calling Func B()..\n");
Func B(); /*Function A calls Function B*/
printf("Back in Func A()..\n");
void Func B (void)
printf("Inside Func B(); Calling Func C()..\n");
Func C(); /*Function B in turn calls Function C*/
printf("Back in Func B()..\n");
}
void Func C(void)
 printf("Inside Func C()..\n"); /*print statement inside Function
C*/
```

10.4 Identify the error in the following program that draws a circle on the console:

```
#include<stdio.h>
#include<conio.h>
#include<graphics.h>

void main()
{
  int gd = DETECT, gm;
  initgraph(gd, gm, "..\\bgi"); /*Initializing the graphics system*/
  circle(320, 225, 50); /*Calling the built in function circle()*/
  getch();
  closegraph(); /*Shutting the graphics system*/
}
Program
```

10.5 Identify the error in the following program, if any:

```
#include <stdio.h>
void main()
```

```
{
 char ch;
 void ASCII(char);
 printf("Enter any character:\n");
 scanf("%c", &ch);
 ASCII (ch);
}
void ASCII(int c)
 printf("The ASCII value of %c is %d",c,c);/*Displaying the ASCII
value*/
```

Multiple Choice Questions

1. What is a self contained block of code that performs a particular task known as?

(a) Pointer

(b) Function

(c) Loop

(d) Array

2. What will the output for the following piece of code be?

```
main()
{
     printf("%p", main)
```

(a) Garbage value

- (b) Infinite loop
- (c) Some address will get printed
- (d) Runtime error
- 3. Which of the following is the default parameter passing mechanism?
 - (a) Call by value

- (b) Call by reference
- (c) Call by value result
- (d) There is no default parameter passing mechanism
- 4. Which of the following rules does not hold true for a function declaration?
 - (a) The parameter list must be separated using commas.
 - (b) The parameter names do not need to be the same in the prototype declaration and the function definition.
 - (c) It is mandatory to use parameter names in the declaration.
 - (d) The return type must be void if no value is returned.
- 5. A function declaration consists of four parts. Which of them is wrongly mentioned?
 - (a) Function type

(b) Function name

(c) Parameter list

- (d) Terminating comma
- 6. What will the output of the following piece of code be?

```
main()
                static int x=3;
                printf("%d", x--);
                if (x)
            main();
            }
    (a) 3 3 3
                                         (b) 321
    (c) Compilation error
                                         (d) Infinite loop
 7. Identify the complete function among the following.
    (a) int func();
    (b) int func(intx) {return x=x+1;}
    (c) void func(int) {printf("Welcome");}
   (d) void func(x)
 8. What does the function scanf() return?
    (a) The actual values read for each argument
    (b) ASCII value of the input read
    (c) 1
    (d) 0
9. What kind of scope do functions have?
    (a) Local scope
                                         (b) Block scope
    (c) Function scope
                                         (d) File scope
10. Which of the following is created automatically when the function is called and then
    destroyed automatically once the function is exited?
    (a) Register Variables
                                         (b) Static variables
                                         (d) External variables
    (c) Automatic variables
11. Which of the following are also known as global variables?
    (a) External variables
                                         (b) Register variables
    (c) Static variables
                                         (d) Automatic variables
12. In what form are automatic variables stored when a function is recursively called?
    (a) Stack
                                         (b) Queue
    (c) Array
                                         (d) Linked list
13. What type of value do functions return by default?
    (a) char
                                         (b) string
    (c) integer
                                         (d) float
```

Answers					
1. (b)	2. (c)	3. (a)	4. (c)	5. (d)	
6. (b)	7. (b)	8. (b)	9. (d)	10. (c)	
11. (a)	12. (a)	13. (c)			



11.1 Introduction

A pointer is a derived data type in C. It is built from one of the fundamental data types available in C. Pointers contain memory addresses as their values. Since these memory addresses are the locations in the computer memory where program instructions and data are stored, pointers can be used to access and manipulate data stored in the memory.

Pointers are undoubtedly one of the most distinct and exciting features of C language. It has added power and flexibility to the language. Although they appear little confusing and difficult to understand for a beginner, they are a powerful tool and handy to use once they are mastered.

Pointers are used frequently in C, as they offer a number of benefits to the programmers. They include:

- 1. Pointers are more efficient in handling arrays and data tables.
- 2. Pointers can be used to return multiple values from a function via function arguments.
- 3. Pointers permit references to functions and thereby facilitating passing of functions as arguments to other functions.
- 4. The use of pointer arrays to character strings results in saving of data storage space in memory.
- 5. Pointers allow C to support dynamic memory management.
- 6. Pointers provide an efficient tool for manipulating dynamic data structures such as structures, linked lists, queues, stacks and trees.
- 7. Pointers reduce length and complexity of programs.
- 8. They increase the execution speed and thus reduce the program execution time.

Of course, the real power of C lies in the proper use of pointers. In this chapter, we will examine the pointers in detail and illustrate how to use them in program development.

11.2 Understanding Pointers

The computer's memory is a sequential collection of *storage cells* as shown in Fig. 11.1. Each cell, commonly known as a *byte*, has a number called *address* associated with it. Typically, the addresses are numbered consecutively, starting from zero. The last address depends on the memory size. A computer system having 64 K memory will have its last address as 65,535.




Fig. 11.1 Memory organisation

Whenever we declare a variable, the system allocates, somewhere in the memory, an appropriate location to hold the value of the variable. Since, every byte has a unique address number, this location will have its own address number. Consider the following statement

This statement instructs the system to find a location for the integer variable **quantity** and puts the value 179 in that location. Let us assume that the system has chosen the address location 5000 for **quantity.** We may represent this as shown in Fig. 11.2. (Note that the address of a variable is the address of the first byte occupied by that variable.)



Fig. 11.2 Representation of a variable

During execution of the program, the system always associates the name **quantity** with the address 5000. (This is something similar to having a house number as well as a house name.) We may have access to the value 179 by using either the name **quantity** or the address 5000. Since memory addresses are simply numbers, they can be assigned to some variables, that can be stored in memory, like any other variable. Such variables that hold memory addresses are called *pointer variables*. A pointer variable is, therefore, nothing but a variable that contains an address, which is a location of another variable in memory.

Remember, since a pointer is a variable, its value is also stored in the memory in another location. Suppose, we assign the address of **quantity** to a variable **p**. The link between the variables **p** and **quantity** can be visualized as shown in Fig.11.3. The address of **p** is 5048.





Fig. 11.3 Pointer variable

Since the value of the variable \mathbf{p} is the address of the variable **quantity**, we may access the value of **quantity** by using the value of \mathbf{p} and therefore, we say that the variable \mathbf{p} 'points' to the variable **quantity**. Thus, \mathbf{p} gets the name 'pointer'. (We are not really concerned about the actual values of pointer variables. They may be different everytime we run the program. What we are concerned about is the relationship between the variables \mathbf{p} and **quantity**.)



11.4 Computer Programming and Utilization

Memory addresses within a computer are referred to as *pointer constants*. We cannot change them; we can only use them to store data values. They are like house numbers.

We cannot save the value of a memory address directly. We can only obtain the value through the variable stored there using the address operator (&). The value thus obtained is known as *pointer value*. The pointer value (i.e. the address of a variable) may change from one run of the program to another. Once we have a pointer value, it can be stored into another variable. The variable that contains a pointer value is called a *pointer variable*.

11.3 Accessing the Address of a Variable

The actual location of a variable in the memory is system dependent and therefore, the address of a variable is not known to us immediately. How can we then determine the address of a variable? This can be done with the help of the operator & available in C. We have already seen the use of this *address operator* in the **scanf** function. The operator & immediately preceding a variable returns the address of the variable associated with it. For example, the statement

```
p = &quantity;
```

would assign the address 5000 (the location of **quantity**) to the variable **p**. The & operator can be remembered as 'address of'.

The & operator can be used only with a simple variable or an array element. The following are illegal uses of address operator:

- 1. **&125** (pointing at constants).
- 2. int x[10];
 - &x (pointing at array names).
- 3. &(x+y) (pointing at expressions).

If \mathbf{x} is an array, then expressions such as

&x[0] and &x[i+3]

are valid and represent the addresses of 0th and (i+3)th elements of x.

Example 11.1 Write a program to print the address of a variable along with its value.

The program shown in Fig. 11.4, declares and initializes four variables and then prints out these values with their respective storage locations. Note that we have used %u format for printing address values. Memory addresses are unsigned integers.

```
Program
  main()
{
    char a;
    int x;
    float p, q;
    a = 'A';
    x = 125;
    p = 10.25, q = 18.76;
    printf("%c is stored at addr %u.\n", a, &a);
    printf("%d is stored at addr %u.\n", x, &x);
    printf("%f is stored at addr %u.\n", p, &p);
    printf("%f is stored at addr %u.\n", q, &q);
}
```

```
Output

A is stored at addr 4436.

125 is stored at addr 4434.

10.250000 is stored at addr 4442.

18.760000 is stored at addr 4438.
```

Fig. 11.4 Accessing the address of a variable

Example 11.2 Write a C program to demonstrate working of pointers.

```
Program
     #include <stdio.h>
     int main()
        int* pc;
        /*'*variable' is syntax to declare a pointer*/
        c=22;
     clrscr();
        printf("Address of c:%d\n",&c);
        printf("Value of c:%d\n\n",c);
        pc=&c;
        printf("Address of pointer pc:%d\n",pc);
        printf("Content of pointer pc:%d\n\n", *pc);
        c=11;
        printf("Address of pointer pc:%d\n",pc);
        printf("Content of pointer pc:%d\n\n",*pc);
        printf("Address of c:%d\n",&c);
        printf("Value of c:%d\n\n",c);
     getch();
     return 0;
Output
     Address of c:-699793244
     Value of c:22
     Address of pointer pc:-699793244
     Content of pointer pc:22
     Address of pointer pc:-699793244
     Content of pointer pc:11
     Address of c:-699793244
     Value of c:2
```

Fig. 11.5 Demonstrating the working of pointers

11.4 Declaring Pointer Variables

In C, every variable must be declared for its type. Since pointer variables contain addresses that belong to a separate data type, they must be declared as pointers before we use them. The declaration of a pointer variable takes the following form:

```
data type *pt name;
```

This tells the compiler three things about the variable **pt name**.

- 1. The asterisk (*) tells that the variable **pt name** is a pointer variable.
- 2. **pt name** needs a memory location.
- 3. **pt name** points to a variable of type *data type*.

For example,

```
int *p; /* integer pointer */
```

declares the variable p as a pointer variable that points to an integer data type. Remember that the type int refers to the data type of the variable being pointed to by p and not the type of the value of the pointer. Similarly, the statement

declares **x** as a pointer to a floating-point variable.

The declarations cause the compiler to allocate memory locations for the pointer variables **p** and x. Since the memory locations have not been assigned any values, these locations may contain some unknown values in them and therefore they point to unknown locations as shown:

Pointer Declaration Style

Pointer variables are declared similarly as normal variables except for the addition of the unary * operator. This symbol can appear anywhere between the type name and the printer variable name. Programmers use the following styles:

```
p; /* style 1 */
int*
       p; /* style 2 */
int*
       p; /* style 3 */
```

However, the style2 is becoming increasingly popular due to the following reasons:

1. This style is convenient to have multiple declarations in the same statement. Example:

```
int *p, x, *q;
```

2. This style matches with the format used for accessing the target values. Example:

```
int x, *p, y;
x = 10;
p = \& x;
               /* accessing x through p */
y = *p;
*p = 20;
              /* assigning 20 to x */
```

We use in this book the style 2, namely,

```
int *p;
```

Initialization of Pointer Variables 11.5

The process of assigning the address of a variable to a pointer variable is known as *initialization*. As pointed out earlier, all uninitialized pointers will have some unknown values that will be interpreted as memory addresses. They may not be valid addresses or they may point to some values that are wrong. Since the compilers do not detect these errors, the programs with uninitialized pointers will produce erroneous results. It is therefore important to initialize pointer variables carefully before they are used in the program.

Once a pointer variable has been declared we can use the assignment operator to initialize the variable. Example:

We can also combine the initialization with the declaration. That is,

```
int *p = &quantity;
```

is allowed. The only requirement here is that the variable **quantity** must be declared before the initialization takes place. Remember, this is an initialization of \mathbf{p} and not \mathbf{p} .

We must ensure that the pointer variables always point to the corresponding type of data. For example,

```
float a, b;
int x, *p;
p = &a; /* wrong */
b = *p;
```

will result in erroneous output because we are trying to assign the address of a **float** variable to an **integer pointer**. When we declare a pointer to be of **int** type, the system assumes that any address that the pointer will hold will point to an integer variable. Since the compiler will not detect such errors, care should be taken to avoid wrong pointer assignments.

It is also possible to combine the declaration of data variable, the declaration of pointer variable and the initialization of the pointer variable in one step. For example,

```
int x, *p = &x;    /* three in one */
```

is perfectly valid. It declares \mathbf{x} as an integer variable and \mathbf{p} as a pointer variable and then initializes \mathbf{p} to the address of \mathbf{x} . And also remember that the target variable \mathbf{x} is declared first. The statement

int *p =
$$&x, x;$$


is not valid.

We could also define a pointer variable with an initial value of NULL or 0 (zero). That is, the following statements are valued

Pointer Flexibility

Pointers are flexible. We can make the same pointer to point to different data variables in different statements. Example;

```
int x, y, z, *p;
. . . . .
p = &x;
. . . . .
p = &y;
. . . . .
p = &z;
```



We can also use different pointers to point to the same data variable. Example.

With the exception of NULL and 0, no other constant value can be assigned to a pointer variable. For example, the following is wrong:

```
int *p = 5360; / *absolute address */
```

11.6 Accessing a Variable through its Pointer

Once a pointer has been assigned the address of a variable, the question remains as to how to access the value of the variable using the pointer? This is done by using another unary operator * (asterisk), usually known as the *indirection operator*. Another name for the indirection operator is the *dereferencing operator*. Consider the following statements:

```
int quantity, *p, n;
quantity = 179;
p = &quantity;
n = *p;
```

The first line declares **quantity** and **n** as integer variables and **p** as a pointer variable pointing to an integer. The second line assigns the value 179 to **quantity** and the third line assigns the address of **quantity** to the pointer variable **p**. The fourth line contains the indirection operator *. When the operator * is placed before a pointer variable in an expression (on the right-hand side of the equal sign), the pointer returns the value of the variable of which the pointer value is the address. In this case, ***p** returns the value of the variable **quantity**, because **p** is the address of **quantity**. The * can be remembered as 'value at address'. Thus the value of **n** would be 179. The two statements

```
p = &quantity; \\ n = *p; \\ are equivalent to n = *&quantity; \\ which in turn is equivalent to n = quantity;
```

In C, the assignment of pointers and addresses is always done symbolically, by means of symbolic names. You cannot access the value stored at the address 5368 by writing *5368. It will not work. Example 11.3 illustrates the distinction between pointer value and the value it points to.

Example 11.3 Write a program to illustrate the use of indirection operator '*' to access the value pointed to by a printer.

The program and output are shown in Fig. 11.6. The program clearly shows how we can access the value of a variable using a pointer. You may notice that the value of the pointer **ptr** is 4104 and the value it points to is 10. Further, you may also note the following equivalences:

$$x = *(&x) = *ptr = y$$

 $&x = &*ptr$

```
Program
     main()
        int x, y;
        int *ptr;
        x = 10;
        ptr = &x;
        y = *ptr;
        printf("Value of x is %d\n\n",x);
        printf("%d is stored at addr %u\n", x, &x);
        printf("%d is stored at addr %u\n", *&x, &x);
        printf("%d is stored at addr %u\n", *ptr, ptr);
        printf("%d is stored at addr %u\n", ptr, &ptr);
        printf("%d is stored at addr %u\n", y, &y);
        *ptr = 25;
        printf("\nNow x = %d\n", x);
Output
     Value of x is 10
              is stored at addr 4104
     10
              is stored at addr 4104
     10
              is stored at addr 4104
     4104
              is stored at addr 4106
              is stored at addr 4108
     Now x = 25
```

Fig. 11.6 Accessing a variable through its pointer




Fig. 11.7 Illustration of pointer assignments

The actions performed by the program are illustrated in Fig. 11.7. The statement $\mathbf{ptr} = \&\mathbf{x}$ assigns the address of \mathbf{x} to \mathbf{ptr} and $\mathbf{v} = *\mathbf{ptr}$ assigns the value pointed to by the pointer \mathbf{ptr} to \mathbf{v} .

Note the use of the assignment statement

$$*ptr = 25;$$

This statement puts the value of 25 at the memory location whose address is the value of **ptr**. We know that the value of **ptr** is the address of \mathbf{x} and therefore, the old value of \mathbf{x} is replaced by 25. This, in effect, is equivalent to assigning 25 to \mathbf{x} . This shows how we can change the value of a variable *indirectly* using a pointer and the *indirection operator*.

11.7 Chain of Pointers (Pointer to Pointer)

It is possible to make a pointer to point to another pointer, thus creating a chain of pointers as shown.



Here, the pointer variable **p2** contains the address of the pointer variable **p1**, which points to the location that contains the desired value. This is known as *multiple indirections*.

A variable that is a pointer to a pointer must be declared using additional indirection operator symbols in front of the name. Example:

This declaration tells the compiler that **p2** is a pointer to a pointer of **int** type. Remember, the pointer **p2** is not a pointer to an integer, but rather a pointer to an integer pointer.

We can access the target value indirectly pointed to by pointer to a pointer by applying the indirection operator twice. Consider the following code:

This code will display the value 100. Here, **p1** is declared as a pointer to an integer and **p2** as a pointer to an integer.

11.8 Pointer Expressions

Like other variables, pointer variables can be used in expressions. For example, if **p1** and **p2** are properly declared and initialized pointers, then the following statements are valid.

```
y = *p1 * *p2; same as (*p1) * (*p2)

sum = sum + *p1;

z = 5* - *p2 / *p1; same as (5 * (- (*p2))) / (*p1)

*p2 = *p2 + 10;
```

Note that there is a blank space between / and * in the item3 above. The following is wrong.

$$z = 5* - *p2 /*p1;$$

The symbol /* is considered as the beginning of a comment and therefore the statement fails.

C allows us to add integers to or subtract integers from pointers, as well as to subtract one pointer from another. p1 + 4, p2-2 and p1 - p2 are all allowed. If p1 and p2 are both pointers to the same array, then p2 - p1 gives the number of elements between p1 and p2.

We may also use short-hand operators with the pointers.

In addition to arithmetic operations discussed above, pointers can also be compared using the relational operators. The expressions such as p1 > p2, p1 == p2, and p1 != p2 are allowed. However, any comparison of pointers that refer to separate and unrelated variables makes no sense. Comparisons can be used meaningfully in handling arrays and strings.

We may not use pointers in division or multiplication. For example, expressions such as

are not allowed. Similarly, two pointers cannot be added. That is, p1 + p2 is illegal.

Example 11.4 Write a program to illustrate the use of pointers in arithmetic operations.

The program in Fig.11.8 shows how the pointer variables can be directly used in expressions. It also illustrates the order of evaluation of expressions. For example, the expression

$$4* - *p2 / *p1 + 10$$

is evaluated as follows:

$$((4 * (-(*p2))) / (*p1)) + 10$$

When p1 = 12 and p2 = 4, this expression evaluates to 9. Remember, since all the variables are of type int, the entire evaluation is carried out using the integer arithmetic.

```
Program
    main()
        int a, b, *p1, *p2, x, y, z;
        a = 12;
        b = 4;
        p1 = &a;
        p2 = &b;
        x = *p1 * *p2 - 6;
        y = 4* - *p2 / *p1 + 10;
        printf("Address of a = u\n", p1);
        printf("Address of b = u\n", p2);
        printf("\n");
        printf("a = %d, b = %d\n", a, b);
        printf("x = %d, y = %d\n", x, y);
        *p2 = *p2 + 3;
        *p1 = *p2 - 5;
        z = *p1 * *p2 - 6;
        printf("\na = %d, b = %d,", a, b);
```

```
printf(" z = %d\n", z);
}
Output
Address of a = 4020
Address of b = 4016
a = 12, b = 4
x = 42, y = 9
a = 2, b = 7, z = 8
```

Fig. 11.8 Evaluation of pointer expressions

11.9 Pointer Increments and Scale Factor

We have seen that the pointers can be incremented like

$$p1 = p2 + 2;$$

 $p1 = p1 + 1;$

and so on. Remember, however, an expression like

```
p1++;
```

will cause the pointer p1 to point to the next value of its type. For example, if p1 is an integer pointer with an initial value, say 2800, then after the operation p1 = p1 + 1, the value of p1 will be 2802, and not 2801. That is, when we increment a pointer, its value is increased by the 'length' of the data type that it points to. This length called the *scale factor*.

For an IBM PC, the length of various data types are as follows:

characters 1 byte integers 2 bytes floats 4 bytes long integers 4 bytes doubles 8 bytes

The number of bytes used to store various data types depends on the system and can be found by making use of the **sizeof** operator. For example, if \mathbf{x} is a variable, then $\mathbf{sizeof}(\mathbf{x})$ returns the number of bytes needed for the variable. (Systems like Pentium use 4 bytes for storing integers and 2 bytes for short integers.)

Rules of Pointer Operations

The following rules apply when performing operations on pointer variables.

- 1. A pointer variable can be assigned the address of another variable.
- 2. A pointer variable can be assigned the values of another pointer variable.
- 3. A pointer variable can be initialized with NULL or zero value.
- 4. A pointer variable can be pre-fixed or post-fixed with increment or decrement operators.
- 5. An integer value may be added or subtracted from a pointer variable.
- 6. When two pointers point to the same array, one pointer variable can be subtracted from another.
- 7. When two pointers point to the objects of the same data types, they can be compared using relational operators.
- 8. A pointer variable cannot be multiplied by a constant.
- 9. Two pointer variables cannot be added.
- 10. A value cannot be assigned to an arbitrary address (i.e &x = 10; is illegal).

11.10 Pointers and Arrays

When an array is declared, the compiler allocates a base address and sufficient amount of storage to contain all the elements of the array in contiguous memory locations. The base address is the location of the first element (index 0) of the array. The compiler also defines the array name as a constant pointer to the first element. Suppose we declare an array \mathbf{x} as follows:

int
$$x[5] = \{1, 2, 3, 4, 5\};$$

Suppose the base address of x is 1000 and assuming that each integer requires two bytes, the five elements will be stored as follows:

Elements
$$\longrightarrow$$
 $x[0]$ $x[1]$ $x[2]$ $x[3]$ $x[4]$

Value \longrightarrow 1 2 3 4 5

Address \longrightarrow 1000 1002 1004 1006 1008

Base address

The name \mathbf{x} is defined as a constant pointer pointing to the first element, $\mathbf{x}[0]$ and therefore the value of \mathbf{x} is 1000, the location where $\mathbf{x}[0]$ is stored. That is,

$$x = &x[0] = 1000$$

If we declare \mathbf{p} as an integer pointer, then we can make the pointer \mathbf{p} to point to the array \mathbf{x} by the following assignment:

$$p = x;$$

This is equivalent to

$$;[0]x3=q$$

Now, we can access every value of \mathbf{x} using \mathbf{p} ++ to move from one element to another. The relationship between \mathbf{p} and \mathbf{x} is shown as:

$$p = &x[0] (= 1000)$$

 $p+1 = &x[1] (= 1002)$
 $p+2 = &x[2] (= 1004)$
 $p+3 = &x[3] (= 1006)$
 $p+4 = &x[4] (= 1008)$

You may notice that the address of an element is calculated using its index and the scale factor of the data type. For instance,

address of
$$x[3]$$
 = base address + (3 x scale factor of int)
= $1000 + (3 \times 2) = 1006$

When handling arrays, instead of using array indexing, we can use pointers to access array elements. Note that *(p+3) gives the value of x[3]. The pointer accessing method is much faster than array indexing.

Example 11.5 illustrates the use of pointer accessing method.

Example 11.5 Write a program using pointers to compute the sum of all elements stored in an array.

The program shown in Fig. 11.9 illustrates how a pointer can be used to traverse an array element. Since incrementing an array pointer causes it to point to the next element, we need only to add one to \mathbf{p} each time we go through the loop.

```
Program
    main()
       int *p, sum, i;
       int x[5] = \{5, 9, 6, 3, 7\};
       p = x;
              /* initializing with base address of x */
       printf("Element Value Address\n\n");
       while (i < 5)
          printf(" x[%d] %d %u\n", i, *p, p);
          sum = sum + *p; /* accessing array element
                                                        * /
          i++, p++; /* incrementing pointer */
       printf("\n Sum = %d\n", sum);
       printf("\n &x[0] = %u\n", &x[0]);
       printf("\n p = %u\n", p);
Output
    Element
              Value
                         Address
    x[0]
                          166
    x[1]
               9
                         168
    x[2]
                6
                          170
    x[3]
                3
                         172
    x[4]
                          174
    Sum = 55
    &x[0] = 166
          = 176
```

Fig. 11.9 Accessing one-dimensional array elements using the pointer

It is possible to avoid the loop control variable i as shown:

```
p = x;
while(p <= &x[4])
{
sum += *p;
p++;
}</pre>
```

Here, we compare the pointer **p** with the address of the last element to determine when the array has been traversed.

Pointers can be used to manipulate two-dimensional arrays as well. We know that in a one-dimensional array \mathbf{x} , the expression

```
*(x+i) or *(p+i)
```

represents the element x[i]. Similarly, an element in a two-dimensional array can be represented by the pointer expression as follows:





Fig. 11.10 Pointers to two-dimensional arrays

Figure 11.10 illustrates how this expression represents the element $\mathbf{a[i][j]}$. The base address of the array \mathbf{a} is &a[0][0] and starting at this address, the compiler allocates contiguous space for all the elements *row-wise*. That is, the first element of the second row is placed immediately after the last element of the first row, and so on. Suppose we declare an array \mathbf{a} as follows:

The elements of a will be stored as:



If we declare ${\bf p}$ as an ${\bf int}$ pointer with the initial address of &a[0][0], then

$$a[i][j]$$
 is equivalent to $*(p+4 \times i+j)$

You may notice that, if we increment i by 1, the p is incremented by 4, the size of each row. Then the element a[2][3] is given by $*(p+2 \times 4+3) = *(p+11)$.

This is the reason why, when a two-dimensional array is declared, we must specify the size of each row so that the compiler can determine the correct storage mapping.


Pointers and Character Strings

We have seen in chapter of that strings are treated like character arrays and therefore, they are declared and initialized as follows:

The compiler automatically inserts the null character '\0' at the end of the string. C supports an alternative method to create strings using pointer variables of type **char.** Example:

This creates a string for the literal and then stores its address in the pointer variable str.

The pointer **str** now points to the first character of the string "good" as:



We can also use the run-time assignment for giving values to a string pointer. Example

```
char * string1;
string1 = "good";
```

Note that the assignment

is not a string copy, because the variable **string1** is a pointer, not a string.

We can print the content of the string **string1** using either **printf** or **puts** functions as follows:

```
printf("%s", string1);
puts (string1);
```

Remember, although string1 is a pointer to the string, it is also the name of the string. Therefore, we do not need to use indirection operator * here.

Like in one-dimensional arrays, we can use a pointer to access the individual characters in a string. This is illustrated by Example 11.6.

Example 11.6 Write a program using pointers to determine the length of a character string.

A program to count the length of a string is shown in Fig.11.11. The statement

```
char *cptr = name;
```

declares cptr as a pointer to a character and assigns the address of the first character of name as the initial value. Since a string is always terminated by the null character, the statement

is true until the end of the string is reached.

When the while loop is terminated, the pointer cptr holds the address of the null character. Therefore, the statement

```
length = cptr - name;
```

gives the length of the string name.



The output also shows the address location of each character. Note that each character occupies one memory cell (byte).

```
Program
     main()
     {
        char *name;
        int length;
        char *cptr = name;
        name = "DELHI";
        printf ("%s\n", name);
        while (*cptr != '\0')
           printf("%c is stored at address %u\n", *cptr, cptr);
           cptr++;
        length = cptr - name;
        printf("\nLength of the string = %d\n", length);
 Output
      DELHI
      D is stored at address 54
      E is stored at address 55
      L is stored at address 56
      H is stored at address 57
      I is stored at address 58
      Length of the string = 5
```

Fig. 11.11 String handling by pointers

In C, a constant character string always represents a pointer to that string. And therefore the following statements are valid:

```
char *name;
name = "Delhi";
```

These statements will declare **name** as a pointer to character and assign to **name** the constant character string "Delhi". You might remember that this type of assignment does not apply to character arrays. The statements like

```
char name[20];
name = "Delhi";
```

do not work.

Array of Pointers 11.12

One important use of pointers is in handling of a table of strings. Consider the following array of strings:

```
char name [3][25];
```

This says that the **name** is a table containing three names, each with a maximum length of 25 characters (including null character). The total storage requirements for the **name** table are 75 bytes.



We know that rarely the individual strings will be of equal lengths. Therefore, instead of making each row a fixed number of characters, we can make it a pointer to a string of varying length. For example,

```
char *name[3] = {
                    "New Zealand",
                    "Australia",
                    "India"
                 };
```

declares **name** to be an array of three pointers to characters, each pointer pointing to a particular name as:

```
name [0] → New Zealand name [1] → Australia
name [2] ------ India
```

This declaration allocates only 28 bytes, sufficient to hold all the characters as shown

N	е	w		Z	е	а	ı	а	n	d	\0
А	u	s	t	r	а	Ι	i	а	\0	Г	
1	n	d	i	а	\0						

The following statement would print out all the three names:

```
for(i = 0; i \le 2; i++)
  printf("%s\n", name[i]);
```

To access the jth character in the ith name, we may write as

```
*(name[i]+j)
```

The character arrays with the rows of varying length are called 'ragged arrays' and are better handled by pointers.

Remember the difference between the notations *p[3] and (*p)[3]. Since * has a lower precedence than [], *p[3] declares p as an array of 3 pointers while (*p)[3] declares p as a pointer to an array of three elements.

Example 11.7 Write a C program which demonstrates the working of array of pointers.

```
Program
     #include <stdio.h>
     const int MAX = 3;
     int main ()
     int var[] = \{10, 100, 200\};
      int i, *ptr[3];
      /*'*variable[value]' is syntax to declare a pointer*/
     clrscr();
        for ( i = 0; i < MAX; i++)
     {
           ptr[i] = &var[i];
           /*assign the address of integer.*/
        for ( i = 0; i < MAX; i++)
           printf("Value of var[%d] = %d\n", i, *ptr[i]);
     getch();
        return 0;
Output
     Value of var[0] = 10
     Value of var[1] = 100
     Value of var[2] = 200
```

Fig. 11.12 *Demonstrating the working of array of pointers*

11.13 Pointers as Function Arguments

We have seen earlier that when an array is passed to a function as an argument, only the address of the first element of the array is passed, but not the actual values of the array elements. If \mathbf{x} is an array, when we call $\mathbf{sort}(\mathbf{x})$, the address of $\mathbf{x}[0]$ is passed to the function \mathbf{sort} . The function uses this address for manipulating the array elements. Similarly, we can pass the address of a variable as an argument to a function in the normal fashion. We used this method when discussing functions that return multiple values.

When we pass addresses to a function, the parameters receiving the addresses should be pointers. The process of calling a function using pointers to pass the addresses of variables is known as 'call by reference'. (You know, the process of passing the actual value of variables is known as "call by value".) The function which is called by 'reference' can change the value of the variable used in the call.

Consider the following code:

```
main()
{
    int x;
    x = 20;
    change(&x); /* call by reference or address */
```

```
printf("%d\n",x);
}
change(int *p)
{
    *p = *p + 10;
}
```

When the function **change()** is called, the address of the variable \mathbf{x} , not its value, is passed into the function **change()**. Inside **change()**, the variable \mathbf{p} is declared as a pointer and therefore \mathbf{p} is the address of the variable \mathbf{x} . The statement,

$$*p = *p + 10;$$

means 'add 10 to the value stored at the address \mathbf{p} '. Since \mathbf{p} represents the address of \mathbf{x} , the value of \mathbf{x} is changed from 20 to 30. Therefore, the output of the program will be 30, not 20.

Thus, call by reference provides a mechanism by which the function can change the stored values in the calling function. Note that this mechanism is also known as "call by address" or "pass by pointers"

Note

C99 adds a new qualifier **restrict** to the pointers passed as function parameters.

Example 11.8 Write a function using pointers to exchange the values stored in two locations in the memory.

The program in Fig. 11.13 shows how the contents of two locations can be exchanged using their address locations. The function **exchange()** receives the addresses of the variables \mathbf{x} and \mathbf{y} and exchanges their contents.

```
Program
    void exchange (int *, int *);  /* prototype */
    main()
     {
         int x, y;
         x = 100;
         y = 200;
         printf("Before exchange : x = %d y = %d\n\n", x, y);
         exchange(&x,&y); /* call */
         printf("After exchange: x = %d y = %d n n", x, y);
    exchange (int *a, int *b)
         int t:
         t = *a;
                   /* Assign the value at address a to t */
         *a = *b;
                   /* put b into a */
                   /* put t into b */
         *b = t;
     }
Output
     Before exchange: x = 100 y = 200
     After exchange
                    x = 200 y = 100
```

You may note the following points:

- 1. The function parameters are declared as pointers.
- 2. The dereferenced pointers are used in the function body.
- 3. When the function is called, the addresses are passed as actual arguments.

The use of pointers to access array elements is very common in C. We have used a pointer to traverse array elements in Example 11.4. We can also use this technique in designing user-defined functions discussed in Chapter 10. Let us consider the problem sorting an array of integers discussed in Example 10.6.

The function **sort** may be written using pointers (instead of array indexing) as shown:

```
void sort (int m, int *x)
{    int i j, temp;
    for (i=1; i<= m-1; i++)
        for (j=1; j<= m-1; j++)
        if (*(x+j-1) >= *(x+j))
        {
            temp = *(x+j- 1);
            *(x+j-1) = *(x+j);
            *(x+j) = temp;
        }
}
```

Note that we have used the pointer x (instead of array x[]) to receive the address of array passed and therefore the pointer x can be used to access the array elements (as pointed out in Section 11.10). This function can be used to sort an array of integers as follows:

The calling function must use the following prototype declaration.

```
void sort (int, int *);
```

This tells the compiler that the formal argument that receives the array is a pointer, not array variable.

Pointer parameters are commonly employed in string functions. Consider the function copy which copies one string to another.

```
copy(char *s1, char *s2)
{
    while( (*s1++ = *s2++) != '\0')
    ;
}
```

This copies the contents of s2 into the string s1. Parameters s1 and s2 are the pointers to character strings, whose initial values are passed from the calling function. For example, the calling statement

```
copy(name1, name2);
```

will assign the address of the first element of name1 to s1 and the address of the first element of name2 to s2.

Note that the value of *s2++ is the character that s2 pointed to before s2 was incremented. Due to the postfix ++, s2 is incremented only after the current value has been fetched. Similarly, s1 is incremented only after the assignment has been completed.

Each character, after it has been copied, is compared with '\0' and therefore copying is terminated as soon as the '\0' is copied.

11.14 Functions Returning Pointers

We have seen so far that a function can return a single value by its name or return multiple values through pointer parameters. Since pointers are a data type in C, we can also force a function to return a pointer to the calling function. Consider the following code:

The function **larger** receives the addresses of the variables \mathbf{a} and \mathbf{b} , decides which one is larger using the pointers \mathbf{x} and \mathbf{y} and then returns the address of its location. The returned value is then assigned to the pointer variable \mathbf{p} in the calling function. In this case, the address of \mathbf{b} is returned and assigned to \mathbf{p} and therefore the output will be the value of \mathbf{b} , namely, 20.

Note that the address returned must be the address of a variable in the calling function. It is an error to return a pointer to a local variable in the called function.

11.15 Pointers to Functions

A function, like a variable, has a type and an address location in the memory. It is therefore, possible to declare a pointer to a function, which can then be used as an argument in another function. A pointer to a function is declared as follows:

```
type (*fptr) ();
```

This tells the compiler that **fptr** is a pointer to a function, which returns *type* value. The parentheses around ***fptr** are necessary. Remember that a statement like

```
type *gptr();
```

would declare **gptr** as a function returning a pointer to *type*.

We can make a function pointer to point to a specific function by simply assigning the name of the function to the pointer. For example, the statements

```
double mul(int, int);
double (*p1)();
p1 = mul;
```

declare **p1** as a pointer to a function and **mul** as a function and then make **p1** to point to the function **mul**. To call the function **mul**, we may now use the pointer **p1** with the list of parameters. That is,

```
(*p1)(x,y) /* Function call */
```

is equivalent to

mul(x,y)

Note the parentheses around *p1.

Example 11.9 Write a program that uses a function pointer as a function argument.

A program to print the function values over a given range of values is shown in Fig. 11.14. The printing is done by the function **table** by evaluating the function passed to it by the **main**.

With **table**, we declare the parameter **f** as a pointer to a function as follows:

```
double (*f)();
```

The value returned by the function is of type **double**. When **table** is called in the statement

```
table (y, 0.0, 2, 0.5);
```

we pass a pointer to the function y as the first parameter of table. Note that y is not followed by a parameter list.

During the execution of **table**, the statement

```
value = (*f)(a);
```

calls the function y which is pointed to by f, passing it the parameter a. Thus the function y is evaluated over the range 0.0 to 2.0 at the intervals of 0.5.

Similarly, the call

```
table (cos, 0.0, PI, 0.5);
```

passes a pointer to **cos** as its first parameter and therefore, the function **table** evaluates the value of **cos** over the range 0.0 to PI at the intervals of 0.5.

```
Program
    #include <math.h>
    #define PI 3.1415926
    double y(double);
    double cos(double);
    double table (double(*f)(), double, double, double);
main()
    {       printf("Table of y(x) = 2*x*x-x+1\n\n");
            table(y, 0.0, 2.0, 0.5);
            printf("\nTable of cos(x)\n\n");
            table(cos, 0.0, PI, 0.5);
}
```

```
double table(double(*f)(), double min, double max, double step)
        { double a, value;
           for (a = min; a \le max; a += step)
              value = (*f)(a);
              printf("%5.2f %10.4f\n", a, value);
        double y(double x)
           return (2*x*x-x+1);
Output
     Table of y(x) = 2*x*x-x+1
        0.00 1.0000
        0.50
                 1.0000
        1.00
                 2.0000
        1.50
                 4.0000
        2.00
                 7.0000
     Table of cos(x)
        0.00
                1.0000
        0.50
                0.8776
        1.00
                 0.5403
        1.50
                0.0707
        2.00
                -0.4161
        2.50
                -0.8011
        3.00
                -0.9900
```

Fig. 11.14 Use of pointers to functions

Compatibility and Casting

A variable declared as a pointer is not just a *pointer type* variable. It is also a pointer to a *specific* fundamental data type, such as a character. A pointer therefore always has a type associated with it. We cannot assign a pointer of one type to a pointer of another type, although both of them have memory addresses as their values. This is known as *incompatibility* of pointers.

All the pointer variables store memory addresses, which are compatible, but what is not compatible is the underlying data type to which they point to. We cannot use the assignment operator with the pointers of different types. We can however make explicit assignment between incompatible pointer types by using **cast** operator, as we do with the fundamental types. Example:

```
int x;
char *p;
p = (char *) & x;
```

In such cases, we must ensure that all operations that use the pointer **p** must apply casting properly.

We have an exception. The exception is the void pointer (void *). The void pointer is a *generic pointer* that can represent any pointer type. All pointer types can be assigned to a void pointer and a void pointer can be assigned to any pointer without casting. A void pointer is created as follows:

```
void *vp;
```

Remember that since a void pointer has no object type, it cannot be de-referenced.

11.16 Pointers and Structures

We know that the name of an array stands for the address of its zeroth element. The same thing is true of the names of arrays of structure variables. Suppose **product** is an array variable of **struct** type. The name **product** represents the address of its zeroth element. Consider the following declaration:

```
struct inventory
{
    char name[30];
    intnumber;
    float price;
} product[2], *ptr;
```

This statement declares **product** as an array of two elements, each of the type **struct inventory** and **ptr** as a pointer to data objects of the type **struct inventory**. The assignment

```
ptr = product;
```

would assign the address of the zeroth element of **product** to **ptr**. That is, the pointer **ptr** will now point to **product[0]**. Its members can be accessed using the following notation.

```
ptr -> name
ptr -> number
ptr -> price
```

The symbol -> is called the *arrow operator* (also known as *member selection operator*) and is made up of a minus sign and a greater than sign. Note that **ptr**-> is simply another way of writing **product[0]**.

When the pointer **ptr** is incremented by one, it is made to point to the next record, i.e., product[1]. The following **for** statement will print the values of members of all the elements of **product** array.

to access the member **number.** The parentheses around ***ptr** are necessary because the member operator '.' has a higher precedence than the operator *.

Example 11.10 Write a program to illustrate the use of structure pointers.

A program to illustrate the use of a structure pointer to manipulate the elements of an array of structures is shown in Fig. 11.15. The program highlights all the features discussed above. Note that the pointer **ptr** (of type **struct invent**) is also used as the loop control index in **for** loops.

```
Program
     struct invent
        char *name[20];
        int number;
       float price;
     };
    main()
        struct invent product[3], *ptr;
        printf("INPUT\n\n");
        for(ptr = product; ptr < product+3; ptr++)</pre>
           scanf("%s %d %f", ptr->name, &ptr->number, &ptr->price);
        printf("\nOUTPUT\n\n");
        ptr = product;
         while (ptr < product + 3)
           printf("%-20s %5d %10.2f\n",
                   ptr->name,
                    ptr->number,
                    ptr->price);
           ptr++;
Output
     INPUT
    Washing machine 5 7500
    Electric iron 12
                            350
    Two in one
                       7
                             1250
    OUTPUT
    Washing machine
                       5
                              7500.00
    Electric iron
                       12
                              350.00
                        7
                              1250.00
    Two in one
```

Fig. 11.15 Pointer to structure variables

While using structure pointers, we should take care of the precedence of operators.

The operators '-->' and '.', and () and [] enjoy the highest priority among the operators. They bind very tightly with their operands. For example, given the definition

++ptr->count;

then the statement

increments count, not ptr. However,

```
(++ptr)->count;
```

increments ptr first, and then links count. The statement

is legal and increments ptr after accessing count.

The following statements also behave in the similar fashion.

*ptr–>p	Fetches whatever p points to.
*ptr->p++	Increments p after accessing whatever it points to.
(*ptr->p)++	Increments whatever p points to.
*ptr++_>p	Increments ptr after accessing whatever it points to.

In the previous chapter, we discussed about passing of a structure as an argument to a function. We also saw an example where a function receives a copy of an entire structure and returns it after working on it. As we mentioned earlier, this method is inefficient in terms of both, the execution speed and memory. We can overcome this drawback by passing a pointer to the structure and then using this pointer to work on the structure members. Consider the following function:

```
print_invent(struct invent *item)
{
    printf("Name: %s\n", item->name);
    printf("Price: %f\n", item->price);
}
```

This function can be called by

```
print invent(&product);
```

The formal argument **item** receives the address of the structure **product** and therefore it must be declared as a pointer of type **struct invent**, which represents the structure of **product**.

11.17 Troubles with Pointers

Pointers give us tremendous power and flexibility. However, they could become a nightmare when they are not used correctly. The major problem with wrong use of pointers is that the complier may not detect the error in most cases and therefore the program is likely to produce unexpected results. The output may not given us any clue regarding the use of a bad pointer. Debugging therefore becomes a difficult task.

We list here some pointer errors that are more commonly committed by the programmers.

Assigning values to uninitialized pointers

• Assigning value to a pointer variable

• Not dereferencing a pointer when required

```
int *p, x = 100;
p = &x;
```

Assigning the address of an uninitialized variable

• Comparing pointers that point to different objects


```
char name1 [20], name2 [30];
    char *p1 = name1;
    char *p2 = name2;
    if 9p1 > p20 ..... /* Error */
```

We must be careful in declaring and assigning values to pointers correctly before using them. We must also make sure that we apply the address operator & and referencing operator * correctly to the pointers. That will save us from sleepless nights.

Just Remember

- Only an address of a variable can be stored in a pointer variable.
- Do not store the address of a variable of one type into a pointer variable of another type.
- The value of a variable cannot be assigned to a pointer variable.
- A pointer variable contains garbage until it is initialized. Therefore we must not use a pointer variable before it is assigned, the address of a variable.
- Remember that the definition for a pointer variable allocates memory only for the pointer variable, not for the variable to which it is pointing.
- If we want a called function to change the value of a variable in the calling function, we must pass the address of that variable to the called function.
- When we pass a parameter by address, the corresponding formal parameter must be a pointer variable.
- It is an error to assign a numeric constant to a pointer variable.
- It is an error to assign the address of a variable to a variable of any basic data types.
- It is an error to assign a pointer of one type to a pointer of another type without a cast (with an exception of void pointer).
- A proper understanding of a precedence and associativity rules is very important in pointer applications. For example, expressions like *p++, *p[], (*p)[], (p).member should be carefully used.
- When an array is passed as an argument to a function, a pointer is actually passed. In the header function, we must declare such arrays with proper size, except the first, which is optional.
- A very common error is to use (or not to use) the address operator (&) and the indirection operator (*) in certain places. Be careful. The compiler may not warn such mistakes.

Review Questions



- (a) Pointer constants are the addresses of memory locations.
- (b) Pointer variables are declared using the address operator.
- (c) The underlying type of a pointer variable is void.

- (d) Pointers to pointers is a term used to describe pointers whose contents are the address of another pointer.
- (e) It is possible to cast a pointer to float as a pointer to integer.
- (f) An integer can be added to a pointer.
- (g) A pointer can never be subtracted from another pointer.
- (h) When an array is passed as an argument to a function, a pointer is passed.
- (i) Pointers cannot be used as formal parameters in headers to function definitions.
- (i) Value of a local variable in a function can be changed by another function.
- 11.2 Fill in the blanks in the following statements:
 - (a) A pointer variable contains as its value the ______ of another variable.
 - (b) The ______ operator is used with a pointer to de-reference the address contained in the pointer.
 - (c) The ______ operator returns the value of the variable to which its operand points.
 - (d) The only integer that can be assigned to a pointer variable is ______.
 - (e) The pointer that is declared as _____ cannot be de-referenced.
- 11.3 What is a pointer?
- 11.4 How is a pointer initialized?
- 11.5 Explain the effects of the following statements:

```
(a) int a, *b = &a;
```

- (b) int p, *p;
- (c) char *s;
- (d) a = (float *) &x);
- (e) double(*f)();
- 11.6 If **m** and **n** have been declared as integers and **p1** and **p2** as pointers to integers, then state errors, if any, in the following statements.

```
(a) p1 = &m;
```

- (b) p2 = n;
- (c) *p1 = &n;
- (d) p2 = &*&m;
- (e) m = p2-p1;
- (f) p1 = &p2;
- (g) m = *p1 + *p2++;
- 11.7 Distinguish between (*m)[5] and *m[5].
- 11.8 Find the error, if any, in each of the following statements:

```
(a) int x = 10;
```

- (b) int *y = 10;
- (c) int a, *b = &a;
- (d) int m;
 - int **x = &m;
- 11.9 Given the following declarations:

```
int x = 10, y = 10;
int *p1 = &x, *p2 = &y;
```

What is the value of each of the following expressions?

```
(a) (*p1) ++
```

- (b) -- (*p2)
- (c) *p1 + (*p2) --
- (d) ++(*p2)-*p1
- 11.10 Describe typical applications of pointers in developing programs.
- 11.11 What are the arithmetic operators that are permitted on pointers?
- 11.12 What is printed by the following program?

```
int m = 100';
int * p1 = &m;
int **p2 = &p1;
printf("%d", **p2);
```

11.13 What is wrong with the following code?

```
int **p1, *p2;
p2 = &p1;
```

- 11.14 Assuming **name** as an array of 15 character length, what is the difference between the following two expressions?
 - (a) name + 10; and
 - (b) *(name + 10).
- 11.15 What is the output of the following segment?

```
int m[2];
```

```
*(m+1) = 100;

*m = *(m+1);

printf("%d", m [0]);
```

11.16 What is the output of the following code?

```
int m [2];
int *p = m;
m [0] = 100;
m [1] = 200;
printf("%d %d", ++*p, *p);
```

11.17 What is the output of the following program?

```
int f(char *p);
main ()
{
          char str[] = "ANSI";
          printf("%d", f(str));
}
int f(char *p)
{
          char *q = p;
          while (*++p)
          ;
          return (p-q);
```

}

11.18 Given below are two different definitions of the function search()

```
(a) void search (int* m[], int x)
{
}
(b) void search (int ** m, int x)
{
}
Are they equivalent? Explain.
```

11.19 Do the declarations

```
char s [ 5 ];
char *s;
represent the same? Explain.
```

- 11.20 Which one of the following is the correct way of declaring a pointer to a function? Why?
 - (a) int (*p) (void);
 - (b) int *p (void);

Programming Exercises



- 11.1 Write a program using pointers to read in an array of integers and print its elements in reverse order.
- 11.2 We know that the roots of a quadratic equation of the form

$$ax^2 + bx + c = 0$$

are given by the following equations:

$$x_1 = \frac{-b + square - root(b^2 - 4ac)}{2a}$$

$$x_2 = \frac{-b - square - root(b^2 - 4ac)}{2a}$$

Write a function to calculate the roots. The function must use two pointer parameters, one to receive the coefficients a, b, and c, and the other to send the roots to the calling function.

- 11.3 Write a function that receives a sorted array of integers and an integer value, and inserts the value in its correct place.
- 11.4 Write a function using pointers to add two matrices and to return the resultant matrix to the calling function.
- 11.5 Using pointers, write a function that receives a character string and a character as argument and deletes all occurrences of this character in the string. The function should return the corrected string with no holes.
- 11.6 Write a function **day_name** that receives a number n and returns a pointer to a character string containing the name of the corresponding day. The day names should be kept in a **static** table of character strings local to the function.
- 11.7 Write a program to read in an array of names and to sort them in alphabetical order. Use **sort** function that receives pointers to the functions **stremp** and **swap.sort** in turn should call these functions via the pointers.

- 11.8 Given an array of sorted list of integer numbers, write a function to search for a particular item, using the method of *binary search*. And also show how this function may be used in a program. Use pointers and pointer arithmetic.
 - (**Hint:** In binary search, the target value is compared with the array's middle element. Since the table is sorted, if the required value is smaller, we know that all values greater than the middle element can be ignored. That is, in one attempt, we eliminate one half the list. This search can be applied recursively till the target value is found.)
- 11.9 Write a function (using a pointer parameter) that reverses the elements of a given array.
- 11.10 Write a function (using pointer parameters) that compares two integer arrays to see whether they are identical. The function returns 1 if they are identical, 0 otherwise.

Debugging Exercises

11.1 Identify the error in the following structure declaration:

```
struct employee
{
  int emp_id;
  struct name
  {
    char First[20];
    char Middle[20];
    char Last[20];
  }emp_name;
  char doj[20];
  struct G_Sal
  {
    float basic;
    float hra;
    float spl_allow;
  }emp_sal;
  };
  struct employee emp1;
```

11.2 Identify the error in the following program, if any:

```
#include <stdio.h>

void main ()
{
   struct s
   {
    int a;
    char b;
    float c;
    long d;
   }s1;
printf("\nSize of structure s = %d", sizeof(s));
}
```

11.3 Identify the error in the following code, if any:

```
struct A
{
  int member;
}*Aptr;
Aptr.member=5;
.
```

11.4 Identify the error in the following structure declaration, if any:

```
struct node
{
  int node_value;
  struct node *ptr;
};
```

Multiple Choice Questions

1. Which of the following statements does not hold true for pointers?

- (a) Pointers help in dynamic memory management.
- (b) Pointers are more efficient in handling arrays and data tables.
- (c) Pointers can return only single value from a function.
- (d) The use of pointers helps save data storage space in memory.
- 2. Which of the following operators is used to access the value of the variable using the pointer?

(b) &

(d) *

- (a) % (c) ^
- 3. What will the output of the following piece of code be?

```
int main()
{
   int x=100;
   *p=&x;
   printf("%d",(int)*p);
   return 0;
}
```

(a) 100

- (b) Compile time error
- (c) Undefined behavior (d)
- (d) Run time error
- 4. What does the following statement represent?

(void*)0

(a) A void pointer

(b) A null pointer

(c) Error

- (d) Invalid statement
- 5. Which of the following operators is used to access data members of the structure through the pointer variable in a case where the variable is a pointer to the structure?
 - (a) &

(b) *

(c) %

 $(d) \rightarrow$

Answers

11. (c)

1. (c) 2. (d) 6. (b) 7. (c)

(c) Function

3. (b)

4. (b)

5. (d)


7. (c) 8.

8. (b)

(d) Pointer arrays

9. (c)

10. (b)



12.1 Introduction

We have seen that arrays can be used to represent a group of data items that belong to the same type, such as **int** or **float**. However, we cannot use an array if we want to represent a collection of data items of different types using a single name. Fortunately, C supports a constructed data type known as *structures*, a mechanism for packing data of different types. A structure is a convenient tool for handling a group of logically related data items. For example, it can be used to represent a set of attributes, such as student_name, roll_number and marks. The concept of a structure is analogous to that of a 'record' in many other languages. More examples of such structures are:

time : seconds, minutes, hours

date : day, month, year

book : author, title, price, year city : name, country, population address : name, door-number, street, city

inventory : item, stock, value

customer : name, telephone, city, category

Structures help to organize complex data in a more meaningful way. It is a powerful concept that we may often need to use in our program design. This chapter is devoted to the study of structures and their applications in program development. Another related concept known as *unions* is also discussed.

12.2 Defining a Structure


Unlike arrays, structures must be defined first for their format that may be used later to declare structure variables. Let us use an example to illustrate the process of structure definition and the creation of

structure variables. Consider a book database consisting of book name, author, number of pages, and price. We can define a structure to hold this information as follows:

```
struct book_bank
{
    char title[20];
    char author[15];
    int pages;
    float price;
};
```

The keyword **struct** declares a structure to hold the details of four data fields, namely **title**, **author**, **pages**, and **price**. These fields are called *structure elements* or *members*. Each member may belong to a different type of data. **book_bank** is the name of the structure and is called the *structure tag*. The tag name may be used subsequently to declare variables that have the tag's structure.

Note that the above definition has not declared any variables. It simply describes a format called *template* to represent information as shown below:



The general format of a structure definition is as follows:

In defining a structure you may note the following syntax:

- 1. The template is terminated with a semicolon.
- 2. While the entire definition is considered as a statement, each member is declared independently for its name and type in a separate statement inside the template.
- 3. The tag name such as **book_bank** can be used to declare structure variables of its type, later in the program.

Arrays Vs Structures

Both the arrays and structures are classified as structured data types as they provide a mechanism that enable us to access and manipulate data in a relatively easy manner. But they differ in a number of ways.

- 1. An array is a collection of related data elements of same type. Structure can have elements of different types.
- 2. An array is derived data type whereas a structure is a programmer-defined one.
- 3. Any array behaves like a built-in data type. All we have to do is to declare an array variable and use it. But in the case of a structure, first we have to design and declare a data structure before the variables of that type are declared and used.

Declaring Structure Variables 12.3

After defining a structure format we can declare variables of that type. A structure variable declaration is similar to the declaration of variables of any other data types. It includes the following elements:

- 1. The keyword **struct.**
- 2. The structure tag name.
- 3. List of variable names separated by commas.
- 4. A terminating semicolon.

For example, the statement

```
struct book bank, book1, book2, book3;
```

declares book1, book2, and book3 as variables of type struct book bank.

Each one of these variables has four members as specified by the template. The complete declaration might look like this:

```
struct book bank
  char
        title[20];
  char author[15];
  int
        pages;
  float
        price;
};
struct book bank book1, book2, book3;
```

Remember that the members of a structure themselves are not variables. They do not occupy any memory until they are associated with the structure variables such as **book1**. When the compiler comes across a declaration statement, it reserves memory space for the structure variables. It is also allowed to combine both the structure definition and variables declaration in one statement.

The declaration

```
struct book bank
    char title[20];
    char author[15];
    int pages;
   flat price;
} book1, book2, book3;
```

is valid. The use of tag name is optional here. For example:

```
struct
{
    ......
} book1, book2, book3;
```

declares **book1**, **book2**, and **book3** as structure variables representing three books, but does not include a tag name. However, this approach is not recommended for two reasons.

- 1. Without a tag name, we cannot use it for future declarations:
- 2. Normally, structure definitions appear at the beginning of the program file, before any variables or functions are defined. They may also appear before the main, along with macro definitions, such as #define. In such cases, the definition is global and can be used by other functions as well.

Type-Defined Structures

We can use the keyword **typedef** to define a structure as follows:

```
typedef struct
{ . . . .
    type member1;
    type member2;
    . . . .
} type name;
```

The type_name represents structure definition associated with it and therefore can be used to declare structure variables as shown below:

```
type name variable1, variable2, . . . . . ;
```

Remember that (1) the name *type_name* is the type definition name, not a variable and (2) we cannot define a variable with *typedef* declaration.

12.4 Accessing Structure Members

We can access and assign values to the members of a structure in a number of ways. As mentioned earlier, the members themselves are not variables. They should be linked to the structure variables in order to make them meaningful members. For example, the word **title**, has no meaning whereas the phrase 'title of book3' has a meaning. The link between a member and a variable is established using the *member operator* '.' which is also known as 'dot operator' or 'period operator'. For example,

```
book1.price
```

is the variable representing the price of **book1** and can be treated like any other ordinary variable. Here is how we would assign values to the members of **book1**:

```
strcpy(book1.title, "BASIC");
strcpy(book1.author, "Balagurusamy");
book1.pages = 250;
book1.price = 120.50;
```

We can also use **scanf** to give the values through the keyboard.

```
scanf("%s\n", book1.title);
scanf("%d\n", &book1.pages);
```

are valid input statements.

Example 12.1 Defisne a **structure type**, struct personal that would contain person name, date of joining and salary. Using this structure, write a program to read this information for one person from the keyboard and print the same on the screen.

Structure definition along with the program is shown in Fig. 12.1. The scanf and printf functions illustrate how the member operator '.' is used to link the structure members to the structure variables. The variable name with a period and the member name is used like an ordinary variable.

```
Program
     struct personal
           char name[20];
           int day;
           char month[10];
           int year;
           float salary;
     };
     main()
     {
             struct personal person;
           printf("Input Values\n");
           scanf("%s %d %s %d %f",
                            person.name,
                            &person.day,
                             person.month,
                            &person.year,
                            &person.salary);
        printf("%s %d %s %d %f\n",
                            person.name,
                            person.day,
                            person.month,
                            person.year,
                            person.salary);
     }
Output
     Input Values
     M.L.Goel 10 January 1945 4500
     M.L.Goel 10 January 1945 4500.00
```

12.5 Structure Initialization

Like any other data type, a structure variable can be initialized at compile time.

```
main()
{
    struct
    {
        int weight;
        float height;
    }
    student = {60, 180.75};
    .....
}
```

This assigns the value 60 to **student. weight** and 180.75 to **student. height.** There is a one-to-one correspondence between the members and their initializing values.

A lot of variation is possible in initializing a structure. The following statements initialize two structure variables. Here, it is essential to use a tag name.

```
main()
{
    struct st_record
{
        int weight;
        float height;
};
struct st_record student1 = { 60, 180.75 };
struct st_record student2 = { 53, 170.60 };
.....
}
```

Another method is to initialize a structure variable outside the function as shown below:

```
struct st_record
{
    int weight;
    float height;
} student1 = {60, 180.75};
main()
{
    struct st_record student2 = {53, 170.60};
    .....
}
```

C language does not permit the initialization of individual structure members within the template. The initialization must be done only in the declaration of the actual variables.

Note that the compile-time initialization of a structure variable must have the following elements:

- 1. The keyword **struct**.
- 2. The structure tag name.
- 3. The name of the variable to be declared.
- 4. The assignment operator =.
- 5. A set of values for the members of the structure variable, separated by commas and enclosed in braces.
- 6. A terminating semicolon.

Rules for Initializing Structures

There are a few rules to keep in mind while initializing structure variables at compile-time.

- 1. We cannot initialize individual members inside the structure template.
- 2. The order of values enclosed in braces must match the order of members in the structure definition.
- 3. It is permitted to have a partial initialization. We can initialize only the first few members and leave the remaining blank. The uninitialized members should be only at the end of the list.
- 4. The uninitialized members will be assigned default values as follows:
 - Zero for integer and floating point numbers.
 - '\0' for characters and strings.

Example 12.2 Write a C program to add two distances entered by user. Measurement of distance should be in inch and feet. (Note: 12 inches = 1 foot)

```
Program
     #include <stdio.h>
     /* definition to declare a structure */
     struct Distance
         int feet;
         float inch;
     d1, d2, sum;
     int main()
     {
     clrscr();
         printf("1st distance\n");
         printf("Enter feet: ");
         scanf("%d", &d1.feet);
         printf("Enter inch: ");
         scanf("%f", &dl.inch);
         printf("2nd distance\n");
         printf("Enter feet: ");
         scanf("%d", &d2.feet);
         printf("Enter inch: ");
         scanf("%f", &d2.inch);
         sum.feet=d1.feet+d2.feet;
         sum.inch=d1.inch+d2.inch;
```

```
if (sum.inch>12)
{
          ++sum.feet;
          sum.inch=sum.inch-12;
}
          printf("Sum of distances=%d\'-%.1f\\"",sum.feet,sum.inch);
getch();
return 0;
}
Output

1st distance
Enter feet: 12
Enter inch: 7.9
2nd distance
Enter feet: 2
Enter feet: 2
Enter inch: 9.8
Sum of distances= 15'-5.7"
```

Fig. 12.2 Adding two distances

12.6 Copying and Comparing Structure Variables

Two variables of the same structure type can be copied the same way as ordinary variables. If **person1** and **person2** belong to the same structure, then the following statements are valid:

```
person1 = person2;

person2 = person1;

However, the statements such as

person1 == person2

person1 != person2
```

are not permitted. C does not permit any logical operations on structure variables. In case, we need to compare them, we may do so by comparing members individually.

Example 12.3 Write a program to illustrate the comparison of structure variables.

The program shown in Fig. 12.3 illustrates how a structure variable can be copied into another of the same type. It also performs member-wise comparison to decide whether two structure variables are identical.

```
Program
    struct class
{
        int number;
        char name[20];
        float marks;
};


main()
{
        int x;
        struct class student1 = {111, "Rao", 72.50};
```

```
struct class student2 = {222, "Reddy", 67.00};
           struct class student3;
           student3 = student2;
           x = ((student3.number == student2.number) &&
                (student3.marks == student2.marks)) ? 1 : 0;
           if(x == 1)
              printf("\nstudent2 and student3 are same\n\n");
              printf("%d %s %f\n", student3.number,
                                     student3.name,
                                     student3.marks);
           else
               printf("\nstudent2 and student3 are different\n\n");
Output
     student2 and student3 are same
     222 Reddy 67.000000
```

Fig. 12.3 Comparing and copying structure variables

Word Boundaries and Slack Bytes

Computer stores structures using the concept of "word boundary". The size of a word boundary is machine dependent. In a computer with two bytes word boundary, the members of a structure are stored left aligned on the word boundary, as shown below. A character data takes one byte and an integer takes two bytes. One byte between them is left unoccupied. This unoccupied byte is known as the *slack byte*.



When we declare structure variables, each one of them may contain slack bytes and the values stored in such slack bytes are undefined. Due to this, even if the members of two variables are equal, their structures do not necessarily compare equal. C, therefore, does not permit comparison of structures. However, we can design our own function that could compare individual members to decide whether the structures are equal or not.

12.7 Operations on Individual Members

As pointed out earlier, the individual members are identified using the member operator, the *dot*. A member with the *dot operator* along with its structure variable can be treated like any other variable name and therefore can be manipulated using expressions and operators. Consider the program in Fig. 12.3. We can perform the following operations:

```
if (student1.number == 111)
    student1.marks += 10.00;
float sum = student1.marks + student2.marks;
student2.marks * = 0.5;
```

We can also apply increment and decrement operators to numeric type members. For example, the following statements are valid:

```
student1.number ++;
++ student1.number;
```

The precedence of the *member* operator is higher than all *arithmetic* and *relational* operators and therefore no parentheses are required.

Three Ways to Access Members

We have used the dot operator to access the members of structure variables. In fact, there are two other ways. Consider the following structure:

```
typedef struct
{
    int x;
    int y;
} VECTOR;
VECTOR v, *ptr;
ptr = & V;
```

The identifier **ptr** is known as **pointer** that has been assigned the address of the structure variable n. Now, the members can be accessed in three ways:

using dot notation : v.x
 using indirection notation : (*ptr).x
 using selection notation : ptr -> x

The second and third methods are considered in Chapter 11.

12.8 Arrays of Structures

We use structures to describe the format of a number of related variables. For example, in analyzing the marks obtained by a class of students, we may use a template to describe student name and marks obtained in various subjects and then declare all the students as structure variables. In such cases, we may declare an array of structures, each element of the array representing a structure variable.

For example:

```
struct class student[100];
```

defines an array called **student**, that consists of 100 elements. Each element is defined to be of the type **struct class.** Consider the following declaration:

```
struct marks
   int subject1;
   int subject2;
   int subject3;
};
main()
{
   struct marks student[3] =
      {{45,68,81}, {75,53,69}, {57,36,71}};
```

This declares the **student** as an array of three elements **student[0]**, **student[1]**, and **student[2]** and initializes their members as follows:

```
student[0].subject1 = 45;
student[0].subject2 = 65;
student[2].subject3 = 71;
```

Note that the array is declared just as it would have been with any other array. Since **student** is an array, we use the usual array-accessing methods to access individual elements and then the member operator to access members. Remember, each element of student array is a structure variable with three members.

An array of structures is stored inside the memory in the same way as a multi-dimensional array. The array **student** actually looks as shown in Fig. 12.4.

student [0].subject 1	45
.subject 2	68
.subject 3	81
student [1].subject 1	75
.subject 2	53
.subject 3	69
student [2].subject 1	57
.subject 2	36
.subject 3	71

Fig. 12.4 The array student inside memory

Example 12.4 For the **student** array discussed above, write a program to calculate the subject-wise and student-wise totals and store them as a part of the structure.

The program is shown in Fig. 12.5. We have declared a four-member structure, the fourth one for keeping the student-totals. We have also declared an **array** total to keep the subject-totals and the grand-total. The grand-total is given by **total.total**. Note that a member name can be any valid C name and can be the same as an existing structure variable name. The linked name **total.total** represents the **total** member of the structure variable **total**.

```
Program
     struct marks
              int sub1;
              int sub2;
              int sub3;
              int total;
        };
        main()
        {
              int i;
              struct marks student[3] = \{\{45, 67, 81, 0\},
                                           {75,53,69,0},
                                            {57,36,71,0}};
              struct marks total;
              for (i = 0; i \le 2; i++)
                   student[i].total = student[i].sub1 +
                                      student[i].sub2 +
                                      student[i].sub3;
                  total.sub1 = total.sub1 + student[i].sub1;
                  total.sub2 = total.sub2 + student[i].sub2;
                  total.sub3 = total.sub3 + student[i].sub3;
                  total.total = total.total + student[i].total;
           printf(" STUDENT
                                      TOTAL\n\n");
           for(i = 0; i \le 2; i++)
            printf("Student[%d]
                                      %d\n", i+1, student[i].total);
           printf("\n SUBJECT
                                        TOTAL\n\n");
           printf("%s
                         %d\n%s
                                          %d\n%s
                                                       %d\n",
                "Subject 1
                             ", total.sub1,
                "Subject 2
                            ", total.sub2,
                "Subject 3
                             ", total.sub3);
         printf("\nGrand Total = %d\n", total.total);
Output
     STUDENT
                       TOTAL
     Student[1]
                        193
```

```
Student[2]
                   197
Student[3]
                   164
SUBJECT
                  TOTAL
Subject 1
                  177
Subject 2
                   156
Subject 3
                   221
Grand Total = 554
```

Fig. 12.5 Arrays of structures: Illustration of subscripted structure variables

Example 12.5 Write a C program to use structure's member through pointer using malloc() function.

```
Program
     #include <stdio.h>
     #include<stdlib.h>
     struct name
        int a;
        float b;
        char c[30];
     };
     int main()
        struct name *ptr;
        int i,n;
     clrscr();
        printf("Enter n: ");
        scanf("%d",&n);
        ptr=(struct name*)malloc(n*sizeof(struct name));
        /*method to use structures*/
        for (i=0; i < n; ++i)
            printf("Enter string, integer and floating number respectively:\n");
            scanf("%s%d%f",&(ptr+i)->c,&(ptr+i)->a,&(ptr+i)->b);
        printf("Displaying Infromation:\n");
        for (i=0; i< n; ++i)
            printf("%s\t%d\t%.2f\n", (ptr+i)->c, (ptr+i)->a, (ptr+i)->b);
     getch();
     return 0;
Output
     Enter n: 2
     Enter string, integer and floating number respectively:
     Programming
```

```
3.2
Enter string, integer and floating number respectively:
Structure
6
2.3
Displaying Information
Programming 2 3.20
Structure 6 2.30
```

Fig. 12.6 Usage of structure's member through pointer using malloc() function

12.9 Arrays within Structures

C permits the use of arrays as structure members. We have already used arrays of characters inside a structure. Similarly, we can use single-dimensional or multi-dimensional arrays of type **int** or **float.** For example, the following structure declaration is valid:

```
struct marks
{
  int number;
  float subject[3];
} student[2];
```

Here, the member **subject** contains three elements, **subject[0]**, **subject[1]** and **subject[2]**. These elements can be accessed using appropriate subscripts. For example, the name

```
student[1].subject[2];
```

would refer to the marks obtained in the third subject by the second student.

Example 12.6 Rewrite the program of Example 12.4 using an array member to represent the three subjects.

The modified program is shown in Fig. 12.7. You may notice that the use of array name for subjects has simplified in code.

```
Program
    main()
{
        struct marks
        {
            int sub[3];
            int total;
        };
        struct marks student[3] =
        {45,67,81,0,75,53,69,0,57,36,71,0};

        struct marks total;
        int i,j;
```

```
for(i = 0; i \le 2; i++)
         for (j = 0; j \le 2; j++)
            student[i].total += student[i].sub[j];
            total.sub[j] += student[i].sub[j];
         total.total += student[i].total;
      }
      printf("STUDENT
                             TOTAL\n\n");
      for(i = 0; i <= 2; i++)
         printf("Student[%d]
                                 %d\n", i+1, student[i].total);
      printf("\nSUBJECT
                              TOTAL\n\n");
      for (j = 0; j \le 2; j++)
         printf("Subject-%d
                                 %d\n", j+1, total.sub[j]);
      printf("\nGrand Total = %d\n", total.total);
Output
    STUDENT
                   TOTAL
    Student[1]
                    193
    Student[2]
                     197
    Student[3]
                    164
    STUDENT
                    TOTAL
    Student-1
                    177
    Student-2
                     156
    Student-3
                     221
    Grand Total = 554
```

Fig. 12.7 Use of subscripted members arrays in structures

Structures within Structures (Nested Structures) 12.10

Structures within a structure means nesting of structures. Nesting of structures is permitted in C. Let us consider the following structure defined to store information about the salary of employees.

```
struct salary
{
   char name;
   char department;
   int basic pay;
   int dearness allowance;
   int house rent allowance;
   int city allowance;
```

employee;

This structure defines name, department, basic pay and three kinds of allowances. We can group all the items related to allowance together and declare them under a substructure as shown below:

```
struct salary
{
    char name;
    char department;
    struct
    {
        int dearness;
        int house_rent;
        int city;
    }
    allowance;
}
employee;
```

The salary structure contains a member named **allowance**, which itself is a structure with three members. The members contained in the inner structure namely **dearness**, **house_rent**, and **city** can be referred to as:

```
employee.allowance.dearness
employee.allowance.house_rent
employee.allowance.city
```

An inner-most member in a nested structure can be accessed by chaining all the concerned structure variables (from outer-most to inner-most) with the member using dot operator. The following are invalid:

```
employee.allowance (actual member is missing)
employee.house_rent (inner structure variable is missing)
```

An inner structure can have more than one variable. The following form of declaration is legal:

```
struct salary
{
    ....
    struct
    {
        int dearness;
        ....
    }
    allowance,
    arrears;
}
employee[100];
```

The inner structure has two variables, **allowance** and **arrears**. This implies that both of them have the same structure template. Note the comma after the name **allowance**. A base member can be accessed as follows:

```
employee[1].allowance.dearness employee[1].arrears.dearness
```

We can also use tag names to define inner structures. Example:

```
struct pay
   {
      int dearness;
      int house rent;
      int city;
   };
   struct salary
      char name;
      char department;
      struct pay allowance;
      struct pay arrears;
   };
   struct salary employee[100];
```

pay template is defined outside the salary template and is used to define the structure of allowance and arrears inside the salary structure.

It is also permissible to nest more than one type of structures.

```
struct personal record
   struct name part name;
   struct addr part address;
   struct date date of birth;
   . . . . .
};
struct personal record person1;
```

The first member of this structure is **name**, which is of the type **struct name** part. Similarly, other members have their structure types.

 $Note \mid$ C permits nesting up to 15 levels. However, C99 allows 63 levels of nesting.

Structures and Functions

We know that the main philosophy of C language is the use of functions. And therefore, it is natural that C supports the passing of structure values as arguments to functions. There are three methods by which the values of a structure can be transferred from one function to another.

- 1. The first method is to pass each member of the structure as an actual argument of the function call. The actual arguments are then treated independently like ordinary variables. This is the most elementary method and becomes unmanageable and inefficient when the structure size is large.
- 2. The second method involves passing of a copy of the entire structure to the called function. Since the function is working on a copy of the structure, any changes to structure members within the function are not reflected in the original structure (in the calling function). It is, therefore, necessary for the function to return the entire structure back to the calling function. All compilers may not support this method of passing the entire structure as a parameter.

3. The third approach employs a concept called *pointers* to pass the structure as an argument. In this case, the address location of the structure is passed to the called function. The function can access indirectly the entire structure and work on it. This is similar to the way arrays are passed to function. This method is more efficient as compared to the second one.

In this section, we discuss in detail the second method, while the third approach using pointers is discussed in the next chapter, where pointers are dealt in detail.

The general format of sending a copy of a structure to the called function is:

```
function name (structure variable name);
```

The called function takes the following form:

```
data_type function_name(struct_type st_name)
{
    .....
    return(expression);
}
```

The following points are important to note:

- 1. The called function must be declared for its type, appropriate to the data type it is expected to return. For example, if it is returning a copy of the entire structure, then it must be declared as **struct** with an appropriate tag name.
- 2. The structure variable used as the actual argument and the corresponding formal argument in the called function must be of the same **struct** type.
- 3. The **return** statement is necessary only when the function is returning some data back to the calling function. The *expression* may be any simple variable or structure variable or an expression using simple variables.
- 4. When a function returns a structure, it must be assigned to a structure of identical type in the calling function.
- 5. The called functions must be declared in the calling function appropriately.

Example 12.7 Write a simple program to illustrate the method of sending an entire structure as a parameter to a function.

A program to update an item is shown in Fig. 12.8. The function **update** receives a copy of the structure variable **item** as one of its parameters. Note that both the function **update** and the formal parameter **product** are declared as type **struct stores**. It is done so because the function uses the parameter **product** to receive the structure variable **item** and also to return the updated values of **item**.

The function **mul** is of type **float** because it returns the product of **price** and **quantity.** However, the parameter **stock**, which receives the structure variable **item** is declared as type **struct stores**.

The entire structure returned by **update** can be copied into a structure of identical type. The statement

```
item = update(item,p_increment,q_increment);
```

replaces the old values of item by the new ones.

```
Program
      /* Passing a copy of the entire structure */
        struct stores
           char name[20];
           float price;
           int quantity;
        };
        struct stores update (struct stores product, float p, int q);
        float mul (struct stores stock);
        main()
           float p increment, value;
           int q increment;
            struct stores item = {"XYZ", 25.75, 12};
            printf("\nInput increment values:");
            printf(" price increment and quantity increment\n");
           scanf("%f %d", &p increment, &q increment);
           item = update(item, p increment, q increment);
        /* - - - - - - - - - - */
            printf("Updated values of item\n\n");
           printf("Name : %s\n",item.name);
printf("Price : %f\n",item.price);
           printf("Quantity : %d\n",item.quantity);
            value = mul(item);
            printf("\nValue of the item = %f\n", value);
        struct stores update(struct stores product, float p, int q)
           product.price += p;
           product.quantity += q;
           return (product);
        float mul (struct stores stock)
           return(stock.price * stock.quantity);
        }
Output
     Input increment values: price increment and quantity increment
```

```
10 12
Updated values of item
Name : XYZ
Price : 35.750000
Quantity : 24
Value of the item = 858.000000
```

Fig. 12.8 Using structure as a function parameter

You may notice that the template of **stores** is defined before **main()**. This has made the data type **struct stores** as *global* and has enabled the functions **update** and **mul** to make use of this definition.

12.12 Pointers and Structures

We know that the name of an array stands for the address of its zeroth element. The same thing is true of the names of arrays of structure variables. Suppose **product** is an array variable of **struct** type. The name **product** represents the address of its zeroth element. Consider the following declaration:

```
struct inventory
{
    char name[30];
    int number;
    float price;
} product[2], *ptr;
```

This statement declares **product** as an array of two elements, each of the type **struct inventory** and **ptr** as a pointer to data objects of the type **struct inventory**. The assignment

```
ptr = product;
```

would assign the address of the zeroth element of **product** to **ptr**. That is, the pointer **ptr** will now point to **product[0]**. Its members can be accessed using the following notation.

```
ptr -> name
ptr -> number
ptr -> price
```

The symbol -> is called the *arrow operator* (also known as *member selection operator*) and is made up of a minus sign and a greater than sign. Note that **ptr**-> is simply another way of writing **product[0]**.

When the pointer **ptr** is incremented by one, it is made to point to the next record, i.e., product[1]. The following **for** statement will print the values of members of all the elements of **product** array.

to access the member **number.** The parentheses around ***ptr** are necessary because the member operator '.' has a higher precedence than the operator *.

Example 12.8 Write a program to illustrate the use of structure pointers.

A program to illustrate the use of a structure pointer to manipulate the elements of an array of structures is shown in Fig. 12.9. The program highlights all the features discussed above. Note that the pointer ptr (of type **struct invent**) is also used as the loop control index in **for** loops.

```
Program
     struct invent
         char *name[20];
         int number;
         float price;
     };
     main()
        struct invent product[3], *ptr;
        printf("INPUT\n\n");
        for(ptr = product; ptr < product+3; ptr++)</pre>
          scanf("%s %d %f", ptr->name, &ptr->number, &ptr->price);
        printf("\nOUTPUT\n\n");
         ptr = product;
         while (ptr < product + 3)
             printf("%-20s %5d %10.2f\n",
                      ptr->name,
                      ptr->number,
                      ptr->price);
             ptr++;
Output
     INPUT
     Washing machine 5
                            7500
     Electric iron 12
                            350
     Two in one
                      7
                            1250
     OUTPUT
     Washing machine
                           5 7500.00
     Electric iron
                           12 350.00
     Two in one
                           7
                               1250.00
```

Fig. 12.9 Pointer to structure variables

While using structure pointers, we should take care of the precedence of operators.

The operators '->' and '.', and () and [] enjoy the highest priority among the operators. They bind very tightly with their operands. For example, given the definition

```
struct
{
```

is legal and increments ptr after accessing count.

The following statements also behave in the similar fashion.

```
*ptr->p Fetches whatever p points to.

*ptr->p++ Increments p after accessing whatever it points to.

(*ptr->p)++ Increments whatever p points to.

*ptr++->p Increments ptr after accessing whatever it points to.
```

In the previous chapter, we discussed about passing of a structure as an argument to a function. We also saw an example where a function receives a copy of an entire structure and returns it after working on it. As we mentioned earlier, this method is inefficient in terms of both, the execution speed and memory. We can overcome this drawback by passing a pointer to the structure and then using this pointer to work on the structure members. Consider the following function:

```
print_invent(struct invent *item)
{
          printf("Name: %s\n", item->name);
          printf("Price: %f\n", item->price);
}
```

This function can be called by

```
print invent(&product);
```

The formal argument **item** receives the address of the structure **product** and therefore it must be declared as a pointer of type **struct invent**, which represents the structure of **product**.

12.13 | Unions

Unions are a concept borrowed from structures and therefore follow the same syntax as structures. However, there is major distinction between them in terms of storage. In structures, each member has its own storage location, whereas all the members of a union use the same location. This implies that, although a union may contain many members of different types, it can handle only one member at a time. Like structures, a union can be declared using the keyword union as follows:

```
union item
{
    int m;
    float x;
    char c;
} code;
```

This declares a variable **code** of type **union item.** The union contains three members, each with a different data type. However, we can use only one of them at a time. This is due to the fact that only one location is allocated for a union variable, irrespective of its size.




Fig. 12.10 Sharing of a storage locating by union members

The compiler allocates a piece of storage that is large enough to hold the largest variable type in the union. In the declaration above, the member x requires 4 bytes which is the largest among the members. Figure 12.10 shows how all the three variables share the same address. This assumes that a float variable requires 4 bytes of storage.

To access a union member, we can use the same syntax that we use for structure members. That is,

code.m code.x code.c

are all valid member variables. During accessing, we should make sure that we are accessing the member whose value is currently stored. For example, the statements such as

```
code.m = 379;
code.x = 7859.36;
printf("%d", code.m);
```

would produce erroneous output (which is machine dependent).

In effect, a union creates a storage location that can be used by any one of its members at a time. When a different member is assigned a new value, the new value supersedes the previous member's value.

Unions may be used in all places where a structure is allowed. The notation for accessing a union member which is nested inside a structure remains the same as for the nested structures.

Unions may be initialized when the variable is declared. But, unlike structures, it can be initialized only with a value of the same type as the first union member. For example, with the preceding, the declaration

```
union item abc = {100};
```

is valid but the declaration

```
union item abc = \{10.75\};
```

is invalid. This is because the type of the first member is int. Other members can be initialized by either assigning values or reading from the keyboard.

Example 12.9 Write a C program to store the name and salary of an employee using unions.

```
Program
     #include <stdio.h>
     /* definition to declare a union */
     union job
        char name[32];
        float salary;
        int worker no;
     }
     u;
     int main()
     clrscr();
        printf("Enter name:\n");
        scanf("%s", &u.name);
        printf("Enter salary: \n");
        scanf("%f", &u.salary);
        printf("Displaying\nName:%s\n",u.name);
        printf("Salary: %.1f", u.salary);
     getch();
     return 0;
Output
     Enter name:
     Sam
     Enter salary:
     24000
     Displaying
     Name:
     Salary: 24000
```

Fig. 12.11 Storing the name and salary of an employee using unions

12.14 || Size of Structures

We normally use structures, unions, and arrays to create variables of large sizes. The actual size of these variables in terms of bytes may change from machine to machine. We may use the unary operator **sizeof** to tell us the size of a structure (or any variable). The expression

```
sizeof(struct x)
```

will evaluate the number of bytes required to hold all the members of the structure \mathbf{x} . If \mathbf{y} is a simple structure variable of type **struct** \mathbf{x} , then the expression

```
sizeof(y)
```

would also give the same answer. However, if y is an array variable of type struct x, then

```
sizeof(y)
```

would give the total number of bytes the array y requires.

This kind of information would be useful to determine the number of records in a database. For example, the expression

```
sizeof(y)/sizeof(x)
```

would give the number of elements in the array y.

The size of structure/union is calculated by observation and by making use of size of operator.

1. By Observation

Consider the following declaration of structure.

```
Struct book
   Int page;
   Char nameofBook[15];
   Char authorofBook[15];
   Float price;
} book1;
```

The size of the above structure can be calculated as shown:

Size of the structure = size of the variables page + nameofBook + authorofBook + price i.e., 2+15+15+4=36.

The individual size of each structure member is added to find out the size of the structure.

2. By Making Use of Size of Operator

The operator Size of is used for calculating the size of any data type, result of an expression or a variable. The syntax of a Sizeof operator is like a function. The simple example shows the use of Sizeof operator in C.

```
#include<stdio.h>
   typedef struct b1 {
      char bname[30];
      int ssn;
      int pages;
   book b1 = {"Let Us C", "1000", 90};
   int main()
      printf("\nSize of Structure : %d", sizeof(b1));
      return(0);
```

Bit Fields 12.15


So far, we have been using integer fields of size 16 bits to store data. There are occasions where data items require much less than 16 bits space. In such cases, we waste memory space. Fortunately, C permits us to use small bit fields to hold data items and thereby to pack several data items in a word of memory. Bit fields allow direct manipulation of string of a string of preselected bits as if it represented an integral quantity.

A *bit field* is a set of adjacent bits whose size can be from 1 to 16 bits in length. A word can therefore be divided into a number of bit fields. The name and size of bit fields are defined using a structure. The general form of bit field definition is:

```
struct tag-name
{
    data-type name1: bit-length;
    data-type name2: bit-length;
    . . . . .
    data-type nameN: bit-length;
}
```

The *data-type* is either **int** or **unsigned int** or **signed int** and the *bit-length* is the number of bits used for the specified name. Remember that a **signed** bit field should have at least 2 bits (one bit for sign). Note that the field name is followed by a colon. The *bit-length* is decided by the range of value to be stored. The largest value that can be stored is 2^{n-1} , where **n** is bit-length.

The internal representation of bit fields is machine dependent. That is, it depends on the size of **int** and the ordering of bits. Some machines store bits from left to right and others from right to left. The sketch below illustrates the layout of bit fields, assuming a 16-bit word that is ordered from right to left.



There are several specific points to observe:

- 1. The first field always starts with the first bit of the word.
- 2. A bit field cannot overlap integer boundaries. That is, the sum of lengths of all the fields in a structure should not be more than the size of a word. In case, it is more, the overlapping field is automatically forced to the beginning of the next word.
- 3. There can be unnamed fields declared with size. Example:

Unsigned : bit-length

Such fields provide padding within the word.

- 4. There can be unused bits in a word.
- 5. We cannot take the address of a bit field variable. This means we cannot use **scanf** to read values into bit fields. We can neither use pointer to access the bit fields.
- 6. Bit fields cannot be arrayed.
- 7. Bit fields should be assigned values that are within the range of their size. If we try to assign larger values, behavior would be unpredicted.

Suppose, we want to store and use personal information of employees in compressed form, this can be done as follows:

```
struct personal
unsigned sex
                                   1
unsigned age
                                    7
unsigned m status
                                   1
unsigned children
                                   3
unsigned
                                   4
} emp;
```

This defines a variable name **emp** with four bit fields. The range of values each field could have is follows:

Bit field	Bit length	Range of value
sex	1	0 or 1
age	7	0 or $127(2^7-1)$
m_status	1	0 or 1
children	3	0 to $7(2^3-1)$

Once bit fields are defined, they can be referenced just as any other structure-type data item would be referenced. The following assignment statements are valid.

```
emp.sex = 1;
emp.age = 50;
```

Remember, we cannot use scanf to read values into a bit field. We may have to read into a temporary variable and then assign its value to the bit field. For example:

```
scanf(%d %d", &AGE,&CHILDREN);
emp.age = AGE;
emp.children = CHILDREN;
```

One restriction in accessing bit fields is that a pointer cannot be used. However, they can be used in normal expressions like any other variable. For example:

```
sum = sum + emp.age;
if(emp.m status). . . .;
printf("%d\n", emp.age);
```

are valid statements.

It is possible to combine normal structure elements with bit field elements. For example:

```
struct personal
                  name[20]; /* normal variable */
      char
      struct addr address; /* structure variable */
                  sex : 1;
      unsigned
      unsigned
                  age : 7;
      . . . . .
}
emp[100];
```

This declares **emp** as a 100 element array of type **struct personal.** This combines normal variable name and structure type variable **address** with bit fields.

Bit fields are packed into words as they appear in the definition. Consider the following definition.

```
struct pack
{
    unsigned a:2;
    int count;
    unsigned b : 3;
};
```

Here, the bit field **a** will be in one word, the variable **count** will be in the second word and the bit field **b** will be in the third word. The fields **a** and **b** would not get packed into the same word.

Just Remember

- Remember to place a semicolon at the end of definition of structures and unions.
- We can declare a structure variable at the time of definition of a structure by placing it after the closing brace but before the semicolon.
- Do not place the structure tag name after the closing brace in the definition. That will be treated as a structure variable. The tag name must be placed before the opening brace but after the keyword **struct.**
- When we use **typedef** definition, the *type_name* comes after the closing brace but before the semicolon.
- We cannot declare a variable at the time of creating a **typedef** definition. We must use the *type name* to declare a variable in an independent statement.
- It is an error to use a structure variable as a member of its own **struct** type structure.
- Assigning a structure of one type to a structure of another type is an error.
- Declaring a variable using the tag name only (without the keyword struct) is an error.
- It is an error to compare two structure variables.
- It is illegal to refer to a structure member using only the member name.
- When structures are nested, a member must be qualified with all levels of structures nesting it.
- When accessing a member with a pointer and dot notation, parentheses are required around the pointer, like (*ptr).number.
- The selection operator (->) is a single token. Any space between the symbols and > is an error.
- When using **scanf** for reading values for members, we must use address operator & with non-string members.
- Forgetting to include the array subscript when referring to individual structures of an array of structures is an error.
- A union can store only one of its members at a time. We must exercise care in accessing the correct member. Accessing a wrong data is a logic error.

- It is an error to initialize a union with data that does not match the type of the first member.
- Always provide a structure tag name when creating a structure. It is convenient to use tag name to declare new structure variables later in the program.
- Use short and meaningful structure tag names.
- Avoid using same names for members of different structures (although it is not illegal).
- Passing structures to functions by pointers is more efficient than passing by value. (Passing by pointers are discussed in Chapter 11.)
- We cannot take the address of a bit field. Therefore, we cannot use scanf to read values in bit fields. We can neither use pointer to access the bit fields.
- Bit fields cannot be arrayed.

Review Questions



- 12.1 State whether the following statements are *true* or *false*.
 - (a) A **struct** type in C is a built-in data type.
 - (b) The tag name of a structure is optional.
 - (c) Structures may contain members of only one data type.
 - (d) A structure variable is used to declare a data type containing multiple fields.
 - (e) It is legal to copy a content of a structure variable to another structure variable of the same type.
 - (f) Structures are always passed to functions by printers.
 - (g) Pointers can be used to access the members of structure variables.
 - (h) We can perform mathematical operations on structure variables that contain only numeric type members.
 - (i) The keyword **typedef** is used to define a new data type.
 - (i) In accessing a member of a structure using a pointer p, the following two are equivalent: (*p).member name and $p \rightarrow$ member name
 - (k) A union may be initialized in the same way a structure is initialized.
 - (1) A union can have another union as one of the members.
 - (m) A structure cannot have a union as one of its members.
 - (n) An array cannot be used as a member of a structure.
 - (o) A member in a structure can itself be a structure.
- 12.2 Fill in the blanks in the following statements:
 - (a) The _____ can be used to create a synonym for a previously defined data type.
 - (b) A ______ is a collection of data items under one name in which the items share the same storage.
 - (c) The name of a structure is referred to as _____.
 - (d) The selection operator -> requires the use of a ______ to access the members of a structure.
 - (e) The variables declared in a structure definition are called its _____

- 12.3 A structure tag name **abc** is used to declare and initialize the structure variables of type **struct abc** in the following statements. Which of them are incorrect? Why? Assume that the structure **abc** has three members, **int**, **float** and **char** in that order.
 - (a) struct a,b,c;
 - (b) struct abc a,b,c
 - (c) abc x, y, z;
 - (d) struct abc a[];
 - (e) struct abc a = { };
 - (f) struct abc = b, { 1+2, 3.0, "xyz"}
 - (g) struct abc $c = \{4, 5, 6\};$
 - (h) struct abc a = 4, 5.0, "xyz";
- 12.4 Given the declaration

```
struct abc a,b,c;
```

which of the following statements are legal?

- (a) scanf ("%d, &a);
- (b) printf ("%d", b);
- (c) a = b;
- (d) a = b + c;
- (e) if (a>b)

.

12.5 Given the declaration

```
struct item_bank
{
    int number;
    double cost;
};
```

which of the following are correct statements for declaring one dimensional array of structures of type **struct item_bank?**

- (a) int item bank items[10];
- (b) struct items[10] item bank;
- (c) struct item bank items (10);
- (d) struct item bank items [10];
- (e) struct items item bank [10];
- 12.6 Given the following declaration

```
typedef struct abc
{
      char x;
      int y;
      float z[10];
} ABC;
```

State which of the following declarations are invalid? Why?

- (a) struct abc v1;
- (b) struct abc v2[10];
- (c) struct ABC v3;
- (d) ABC a,b,c;
- (e) ABC a[10];
- 12.7 How does a structure differ from an array?
- 12.8 Explain the meaning and purpose of the following:
 - (a) Template
 - (b) **struct** keyword
 - (c) typedef keyword
 - (d) sizeof operator
 - (e) Tag name
- 12.9 Explain what is wrong in the following structure declaration:

```
struct
{
       int number;
      float price;
}
main()
}
```

- 12.10 When do we use the following?
 - (a) Unions
 - (b) Bit fields
 - (c) The **sizeof** operator
- 12.11 What is meant by the following terms?
 - (a) Nested structures
 - (b) Array of structures

Give a typical example of use of each of them.

12.12 Given the structure definitions and declarations

```
struct abc
{
       int a;
       float b;
};
struct xyz
{
       int x;
       float y;
```

```
};
abc a1, a2;
xyz x1, x2;
```

find errors, if any, in the following statements:

```
(a) a1 = x1;
(b) abc.a1 = 10.75;
(c) int m = a + x;
(d) int n = x1.x + 10;
(e) a1 = a2;
(f) if (a.a1 > x.x1) . . .
(g) if (a1.a < x1.x) . . .</li>
(h) if (x1 != x2) . . .
```


- 12.13 Describe with examples, the different ways of assigning values to structure members.
- 12.14 State the rules for initializing structures.
- 12.15 What is a 'slack byte'? How does it affect the implementation of structures?
- 12.16 Describe three different approaches that can be used to pass structures as function arguments.
- 12.17 What are the important points to be considered when implementing bit-fields in structures?
- 12.18 Define a structure called **complex** consisting of two floating-point numbers **x** and **y** and declare a variable **p** of type **complex**. Assign initial values 0.0 and 1.1 to the members.
- 12.19 What is the error in the following program?

```
typedef struct product
{
    char name [ 10 ];
    float price ;
} PRODUCT products [ 10 ];
```

12.20 What will be the output of the following program?

```
main ( )
{
    union x
    {
        int a;
        float b;
        double c;
    };
    printf("%d\n", sizeof(x));
        a.x = 10;
    printf("%d%f%f\n", a.x, b.x, c.x);
        c.x = 1.23;
    printf("%d%f%f\n", a.x, b.x, c.x);
}
```

Programming Exercises



- 12.2 Modify the above program such that a function is used to input values to the members and another function to display the time.
- 12.3 Design a function update that would accept the data structure designed in Exercise 12.1 and increments time by one second and returns the new time. (If the increment results in 60 seconds, then the second member is set to zero and the minute member is incremented by one. Then, if the result is 60 minutes, the minute member is set to zero and the hour member is incremented by one. Finally when the hour becomes 24, it is set to zero.)
- 12.4 Define a structure data type named date containing three integer members day, month and year. Develop an interactive modular program to perform the following tasks;
 - To read data into structure members by a function
 - To validate the date entered by another function
 - To print the date in the format

April 29, 2002

by a third function.

The input data should be three integers like 29, 4, and 2002 corresponding to day, month and year. Examples of invalid data:

31, 4, 2002 – April has only 30 days

29, 2, 2002 - 2002 is not a leap year

- 12.5 Design a function **update** that accepts the **date** structure designed in Exercise 12.4 to increment the date by one day and return the new date. The following rules are applicable:
 - If the date is the last day in a month, month should be incremented
 - If it is the last day in December, the year should be incremented
 - There are 29 days in February of a leap year
- 12.6 Modify the input function used in Exercise 12.4 such that it reads a value that represents the date in the form of a long integer, like 19450815 for the date 15-8-1945 (August 15, 1945) and assigns suitable values to the members day, month and year.

Use suitable algorithm to convert the long integer 19450815 into year, month and day.

- 12.7 Add a function called **nextdate** to the program designed in Exercise 12.4 to perform the following task:
 - Accepts two arguments, one of the structure data containing the present date and the second an integer that represents the number of days to be added to the present date.
 - Adds the days to the present date and returns the structure containing the next date correctly. Note that the next date may be in the next month or even the next year.
- 12.8 Use the **date** structure defined in Exercise 12.4 to store two dates. Develop a function that will take these two dates as input and compares them.
 - It returns 1, if the date1 is earlier than date2
 - It returns 0, if **date1** is later date

- 12.9 Define a structure to represent a vector (a series of integer values) and write a modular program to perform the following tasks:
 - To create a vector
 - To modify the value of a given element
 - To multiply by a scalar value
 - To display the vector in the form (10, 20, 30,)
- 12.10 Add a function to the program of Exercise 12.9 that accepts two vectors as input parameters and return the addition of two vectors.
- 12.11 Create two structures named **metric** and **British** which store the values of distances. The **metric** structure stores the values in meters and centimeters and the British structure stores the values in feet and inches. Write a program that reads values for the structure variables and adds values contained in one variable of **metric** to the contents of another variable of **British**. The program should display the result in the format of feet and inches or metres and centimetres as required.
- 12.12 Define a structure named **census** with the following three members:
 - A character array city [] to store names
 - A long integer to store population of the city
 - A float member to store the literacy level

Write a program to do the following:

- To read details for 5 cities randomly using an array variable
- To sort the list alphabetically
- To sort the list based on literacy level
- To sort the list based on population
- To display sorted lists
- 12.13 Define a structure that can describe a hotel. It should have members that include the name, address, grade, average room charge, and number of rooms.

Write functions to perform the following operations:

- To print out hotels of a given grade in order of charges
- To print out hotels with room charges less than a given value
- 12.14 Define a structure called **cricket** that will describe the following information:

player name

team name

batting average

Using **cricket**, declare an array **player** with 50 elements and write a program to read the information about all the 50 players and print a team-wise list containing names of players with their batting average.

12.15 Design a structure **student_record** to contain name, date of birth and total marks obtained. Use the **date** structure designed in Exercise 12.4 to represent the date of birth.

Develop a program to read data for 10 students in a class and list them rank-wise.

12.1 Identify the error in the following code, if any:

```
#include<stdio.h>
void main()
int a;
int *ptr;
 a = 50;
 ptr=&a;
 printf("address of a = %u\tvalue of a = %d\n",ptr,**&ptr);
 printf("address of ptr = %u\tvalue of ptr = %u", &ptr,ptr);
```

12.2 Identify the error in the following code, if any:

```
#include<stdio.h>
void main()
 int i;
 char *name[3] =
         "New Zealand",
         "Australia",
         "India"
     };
 for (i=0; i<3; i++)
  printf("Address of name [%d] = %u, which points to the string
\"%s\"\n",i,name[i],*name[i]);
}
```

12.3 Identify the error in the following code, if any:

```
#include<stdio.h>
void main()
{
int i;
int num[3] = \{22, 34, 88\};
void print(int *num);
 print (num);
}
void print(int *num1)
```

```
{
  int i;
  printf("The values stored in the array are: ");
  for(i=0;i<3;i++)
  printf("%d\t",*num1[i]);
}</pre>
```

Multiple Choice Questions

- 1. What amongst the following determines the size of a union?
 - (a) Sum of the sizes of all its members
 - (b) First member of the union
 - (c) Last member of the union
 - (d) Biggest member of the union
- 2. Which of the following is a wrong element for compile time initialization of a structure variable?
 - (a) The keyword structure
 - (b) Structure tag name
 - (c) Logical operator &&
 - (d) The name of the variable to be declared
- 3. Which of the following statements is false?
 - (a) The members of a union share the same memory area.
 - (b) At a particular instant of time, only one of the members of a union can be assigned a value.
 - (c) The compiler keeps a track of the kind of information currently stored.
 - (d) The size allocated to a union corresponds to the size of its member that needs the maximum storage.
- 4. Which of the following makes the statement "A->B" syntactically correct?
 - (a) Both A and B are structures
 - (b) A is a pointer to the structure in which B is a field.
 - (c) A is a structure whereas B is a pointer to the structure.
 - (d) A is a pointer to the structure B.
- 5. Determine the size of the following union declaration.

(Assume that size of double: 8; size of int=4; size of char=1)

(a) 8

(b) 4

(c) 20

(d) 29

6. What will the output for the following piece of code be?

```
void main()
{
struct classroom
   int no;
   char name[20];
struct classroom s;
s.no = 8;
printf("%d", s.no);
}
```

(a) Garbage value

(b) Runtime error

(c) Nothing

(d) 8

Answers

- 1. (d) 6. (d)
- 2. (c)
- 3. (c)
- 4. (b)
- 5. (c)

13.1 Introduction

Most often we face situations in programming where the data is dynamic in nature. That is, the number of data items keep changing during execution of the program. For example, consider a program for processing the list of customers of a corporation. The list grows when names are added and shrinks when names are deleted. When list grows we need to allocate more memory space to the list to accommodate additional data items. Such situations can be handled more easily and effectively by using what is known as *dynamic data structures* in conjunction with *dynamic memory management* techniques.

Dynamic data structures provide flexibility in adding, deleting or rearranging data items at run time. Dynamic memory management techniques permit us to allocate additional memory space or to release unwanted space at run time, thus, optimizing the use of storage space. This chapter discusses the concept of *linked lists*, one of the basic types of dynamic data structures. Before we take up linked lists, we shall briefly introduce the dynamic storage management functions that are available in C. These functions would be extensively used in processing linked lists.

Whenever a data is deleted, that particular memory space will become reusable. This memory space can be used for future. One method to do this is to immediately insert the free space into the list of available space. But this method will take some time for the operating system. Hence, the other method which is commonly used is 'Garbage Collection'. In this method, the operating system will collect the space that is deleted from time-to-time into the list of available space. This process takes place in two steps. In the first step, the OS will go through all the lists and will tag the space which is currently being used. In the second step, the OS will go through all the lists again to collects the untagged space. This space is then added to the availability list. Garbage collection takes place whenever there is a small amount of free space which is left in the system or when there is no free space in the system or when the CPU is idle and has time to perform garbage collection.

13.2 Dynamic Memory Allocation

C language requires the number of elements in an array to be specified at compile time. But we may not be able to do so always. Our initial judgement of size, if it is wrong, may cause failure of the program or wastage of memory space.

Many languages permit a programmer to specify an array's size at run time. Such languages have the ability to calculate and assign, during execution, the memory space required by the variables in a program. The process of allocating memory at run time is known as *dynamic memory allocation*. Although C does not inherently have this facility, there are four library routines known as "memory management functions" that can be used for allocating and freeing memory during program execution. They are listed in Table 13.1. These functions help us build complex application programs that use the available memory intelligently.

Function	Task		
malloc	Allocates request size of bytes and returns a pointer to the first byte of the allocated space.		
calloc	Allocates space for an array of elements, initializes them to zero and then returns a pointer to the memory.		
free	Frees previously allocated space.		
realloc	Modifies the size of previously allocated space.		

13.2.1 Memory Allocation Process

Before we discuss these functions, let us look at the memory allocation process associated with a C program. Figure 13.1 shows the conceptual view of storage of a C program in memory.




Fig. 13.1 Storage of a C program

The program instructions and global and static variables are stored in a region known as *permanent storage area* and the local variables are stored in another area called *stack*. The memory space that is located between these two regions is available for dynamic allocation during execution of the program. This free memory region is called the *heap*. The size of the heap keeps changing when program is executed due to creation and death of variables that are local to functions and blocks. Therefore, it is possible to encounter memory "overflow" during dynamic allocation process. In such situations, the memory allocation functions mentioned above return a NULL pointer (when they fail to locate enough memory requested).

Allocating a Block of Memory: Malloc 13.3

A block of memory may be allocated using the function **malloc**. The **malloc** function reserves a block of memory of specified size and returns a pointer of type void. This means that we can assign it to any type of pointer. It takes the following form:

ptr is a pointer of type cast-type. The malloc returns a pointer (of cast-type) to an area of memory with size *byte-size*.


Example:

$$x = (int *) malloc (100 *sizeof(int));$$

On successful execution of this statement, a memory space equivalent to "100 times the size of an int" bytes is reserved and the address of the first byte of the memory allocated is assigned to the pointer **x** of type of **int**.

Similarly, the statement

allocates 10 bytes of space for the pointer **cptr** of type **char**. This is illustrated as:



Note that the storage space allocated dynamically has no name and therefore its contents can be accessed only through a pointer.

We may also use **malloc** to allocate space for complex data types such as structures. Example:

where, st var is a pointer of type struct store

Remember, the malloc allocates a block of contiguous bytes. The allocation can fail if the space in the heap is not sufficient to satisfy the request. If it fails, it returns a NULL. We should therefore check whether the allocation is successful before using the memory pointer. This is illustrated in the program in Fig. 13.2.

Example 13.1 The program in Fig. 13.2 uses a table of integers whose size will be specified interactively at run time.

It tests for availability of memory space of required size. If it is available, then the required space is allocated and the address of the first byte of the space allocated is displayed. The program also illustrates the use of pointer variable for storing and accessing the table values.

```
Program
     #include <stdio.h>
     #include <stdlib.h>
    #define NULL 0
    main()
       int *p, *table;
       int size;
       printf("\nWhat is the size of table?");
    scanf("%d", size);
    printf("\n")
          /*----*/
       if((table = (int*)malloc(size *sizeof(int))) == NULL)
             printf("No space available \n");
             exit(1);
       printf("\n Address of the first byte is %u\n", table);
       /*Reading table values*/
       printf("\nInput table values\n");
       for (p=table; p
             scanf("%d",p);
       /*Printing table values in reverse order*/
       for (p = table + size -1; p >= table; p --)
             printf("%d is stored at address %u \n", *p,p);
     }
Output
    What is the size of the table? 5
    Address of the first byte is 2262
    Input table values
    11 12 13 14 15
    15 is stored at address 2270
    14 is stored at address 2268
    13 is stored at address 2266
    12 is stored at address 2264
    11 is stored at address 2262
```

Example 13.2 Write a C program to find sum of n elements entered by user. To perform this program, allocate memory dynamically using malloc() function.

```
Program
     #include <stdio.h>
     #include <stdlib.h>
     int main()
         int n,i,*ptr,sum=0;
     clrscr();
         printf("Enter number of elements: ");
         scanf("%d", &n);
         ptr=(int*)malloc(n*sizeof(int));
         /*the malloc function is used to allocate memory on the heap*/
         if (ptr==NULL)
             printf("Error! memory not allocated.");
             exit(0);
         printf("Enter elements of array: ");
         for(i=0;i<n;++i)
             scanf("%d",ptr+i);
             sum+=*(ptr+i);
         printf("Sum=%d", sum);
         free (ptr);
     getch();
     return 0;
Output
     Enter number of elements: 4
     Enter elements of array: 1
     3
     4
     Sum=10
```

13.4 Allocating Multiple Blocks of Memory: Calloc

calloc is another memory allocation function that is normally used for requesting memory space at run time for storing derived data types such as arrays and structures. While **malloc** allocates a single block of storage space, **calloc** allocates multiple blocks of storage, each of the same size, and then sets all bytes to zero. The general form of **calloc** is:

```
ptr = (cast-type *) calloc (n, elem-size);
```

The above statement allocates contiguous space for *n* blocks, each of size *elem-size* bytes. All bytes are initialized to zero and a pointer to the first byte of the allocated region is returned. If there is not enough space, a NULL pointer is returned.

The following segment of a program allocates space for a structure variable:

```
struct student
{
   char name[25];
   float age;
   long int id_num;
};
typedef struct student record;
record *st_ptr;
int class_size = 30;
st_ptr=(record *)calloc(class_size, sizeof(record));
. . . .
```

record is of type **struct student** having three members: **name**, **age** and **id_num**. The **calloc** allocates memory to hold data for 30 such records. We must be sure that the requested memory has been allocated successfully before using the **st ptr**. This may be done as follows:

```
if(st_ptr == NULL)
{
    printf("Available memory not sufficient");
    exit(1);
}
```

Example 13.3 Write a program to find sum of n elements entered by user. To perform this program, allocate memory dynamically using calloc() function.

```
Program
  #include <stdio.h>
  #include <stdlib.h>
  int main()
```

```
int n,i,*ptr,sum=0;
     clrscr();
     printf("Enter number of elements: ");
         scanf("%d", &n);
         ptr=(int*)calloc(n,sizeof(int));
         /*it is same as malloc but calloc sets allocated memory to zero*/
         if (ptr==NULL)
             printf("Error! memory not allocated.");
             exit(0);
         printf("Enter elements of array: ");
         for(i=0;i< n;++i)
             scanf("%d",ptr+i);
             sum+=*(ptr+i);
         printf("Sum=%d", sum);
         free (ptr);
     getch();
     return 0;
Output
     Enter number of elements: 4
     Enter elements of array: 1
     3
     4
     Sum=10
```

Finding sum of n elements after allocating memory dynamically using calloc() function Fig. 13.4

Releasing the used Space: Free

Compile-time storage of a variable is allocated and released by the system in accordance with its storage class. With the dynamic run-time allocation, it is our responsibility to release the space when it is not required. The release of storage space becomes important when the storage is limited.

When we no longer need the data we stored in a block of memory, and we do not intend to use that block for storing any other information, we may release that block of memory for future use, using the free function:

free (ptr);

ptr is a pointer to a memory block, which has already been created by **malloc** or **calloc**. Use of an invalid pointer in the call may create problems and cause system crash. We should remember two things here:

- 1. It is not the pointer that is being released but rather what it points to.
- 2. To release an array of memory that was allocated by **calloc** we need only to release the pointer once. It is an error to attempt to release elements individually.

The use of **free** function has been illustrated in Program 13.2.

13.6 Altering the Size of a Block: Realloc

It is likely that we discover later, the previously allocated memory is not sufficient and we need additional space for more elements. It is also possible that the memory allocated is much larger than necessary and we want to reduce it. In both the cases, we can change the memory size already allocated with the help of the function **realloc**. This process is called the *reallocation* of memory. For example, if the original allocation is done by the statement

```
ptr = malloc(size);
```

then reallocation of space may be done by the statement

```
ptr = realloc(ptr, newsize);
```

This function allocates a new memory space of size *newsize* to the pointer variable **ptr** and returns a pointer to the first byte of the new memory block. The *newsize* may be larger or smaller than the *size*. Remember, the new memory block may or may not begin at the same place as the old one. In case, it is not able to find additional space in the same region, it will create the same in an entirely new region and move the contents of the old block into the new block. The function guarantees that the old data will remain intact.

If the function is unsuccessful in locating additional space, it returns a NULL pointer and the original block is freed (lost). This implies that it is necessary to test the success of operation before proceeding further. This is illustrated in the program of Example 13.4.

Example 13.4 The program in Fig. 13.5 stores a character string in a block of memory space created by malloc and then modify the same to store a larger string.

The output illustrates that the original buffer size obtained is modified to contain a larger string. Note that the original contents of the buffer remains same even after modification of the original size.

```
Program
    #include <stdio.h>
    #include<stdlib.h>
    #define NULL 0
    main()
    {
        char *buffer;
        /*Allocating memory*/
        if((buffer = (char *)malloc(10)) == NULL)
```


```
printf("malloc failed.\n");
               exit(1);
            printf("Buffer of size %d created \n", msize(buffer));
            strcpy(buffer, "HYDERABAD");
            printf("\nBuffer contains: %s \n ", buffer);
            /*Reallocation*/
            if((buffer = (char *)realloc(buffer, 15)) == NULL)
               printf("Reallocation failed. \n");
               exit(1);
            printf("\nBuffer size modified. \n");
            printf("\nBuffer still contains: %s \n", buffer);
            strcpy(buffer, "SECUNDERABAD");
            printf("\nBuffer now contains: %s \n", buffer);
     /*Freeing memory*/
     free (buffer);
Output
     Buffer of size 10 created
     Buffer contains: HYDERABAD
     Buffer size modified
     Buffer still contains: HYDERABAD
     Buffer now contains: SECUNDERABAD
```

Reallocation and release of memory space Fig. 13.5

Concepts of Linked Lists 13.7

We know that a list refers to a set of items organized sequentially. An array is an example of list. In an array, the sequential organization is provided implicitly by its index. We use the index for accessing and manipulation of array elements. One major problem with the arrays is that the size of an array must be specified precisely at the beginning. As pointed out earlier, this may be a difficult task in many real-life applications.


A completely different way to represent a list is to make each item in the list part of a structure that also contains a "link" to the structure containing the next item, as shown in Fig. 13.6. This type of list is called a *linked list* because it is a list whose order is given by links from one item to the next.



Each structure of the list is called a *node* and consists of two fields, one containing the item, and the other containing the address of the next item (a pointer to the next item) in the list. A linked list is therefore a collection of structures ordered not by their physical placement in memory (like an array) but by logical links that are stored as part of the data in the structure itself. The link is in the form of a pointer to another structure of the same type. Such a structure is represented as follows:

```
struct node
{
    int item;
    struct node *next;
};
```

The first member is an integer item and the second a pointer to the next node in the list as shown below. Remember, the **item** is an integer here only for simplicity, and could be any complex data type.



Such structures, which contain a member field that points to the same structure type are called *self-refrential* structure.

A node may be represented in general form as follows:

```
struct tag-name
{
    type member1;
    type member2;
    . . .
    struct tag-name *next;
};
```

The structure may contain more than one item with different data types. However, one of the items must be a pointer of the type **tag-name**.




Let use consider a simple example to illustrate the concept of linking. Suppose we define a structure as follows:

```
struct link list
      float age:
      struct link list *next;
};
```

For simplicity, let as assume that the list contains two nodes node1 and node2. They are of type struct link list and are defined as follows:

```
struct link list node1, node2;
```


This statement creates space for two nodes each containing two empty fields as shown:



The **next** pointer of **node1** can be made to point to **node2** by the statement


```
node1.next = &node2;
```

This statement stores the address of node2 into the field node1.next and thus establishes a "link" between node1 and node2 as shown:



"xxxx" is the address of **node2** where the value of the variable **node2.age** will be stored. Now let us assign values to the field age.

The result is as follows:




We may continue this process to create a liked list of any number of values. For example:

would add another link provided **node3** has been declared as a variable of type **struct link list.**

No list goes on forever. Every list must have an end. We must therefore indicate the end of a linked list. This is necessary for processing the list. C has a special pointer value called **null** that can be stored in the **next** field of the last node. In our two-node list, the end of the list is marked as follows:

$$node2.next = 0;$$

The final linked list containing two nodes is as shown:



The value of the age member of **node2** can be accessed using the **next** member of **node1** as follows:

13.8 Advantages of Linked Lists

A linked list is *dynamic data structure*. Therefore, the primary advantage of linked lists over arrays is that linked lists can grow or shrink in size during the execution of a program. A linked list can be made just as long as required.

Another advantage is that a linked list does not waste memory space. It uses the memory that is just needed for the list at any point of time. This is because it is not necessary to specify the number of nodes to be used in the list.

The third, and the most important advantage is that the linked lists provide flexibility is allowing the items to be rearranged efficiently. It is easier to insert or delete items by rearranging the links. This is shown in Fig. 13.7.

The major limitation of linked lists is that the access to any arbitrary item is little cumbersome and time consuming. Whenever we deal with a fixed length list, it would be better to use an array rather than a linked list. We must also note that a linked list will use more storage than an array with the same number of items. This is because each item has an additional link field.

13.9 Types of Linked Lists

There are different types of lined lists. The one we discussed so far is known as *linear singly* linked list. The other *linked* lists are:

- · Circular linked lists.
- Two-way or doubly linked lists.
- · Circular doubly linked lists.




Fig. 13.7 Insertion into and deletion from a linked list

The circular linked lists have no beginning and no end. The last item points back to the first item. The doubly linked list uses double set of pointers, one pointing to the next item and other pointing to the preceding item. This allows us to traverse the list in either direction. Circular doubly linked lists employs both the forward pointer and backward pointer in circular form. Figure 13.8 illustrates various kinds of linked lists.

13.10 Pointers Revisited

The concept of pointers was discussed in Chapter 11. Since pointers are used extensively in processing of the linked lists, we shall briefly review some of their properties that are directly relevant to the processing of lists.





Fig. 13.8 Different types of linked lists

We know that variables can be declared as pointers, specifying the type of data item they can point to. In effect, the pointer will hold the address of the data item and can be used to access its value. In processing linked lists, we mostly use pointers of type structures.

It is most important to remember the distinction between the pointer variable ptr, which contain the address of a variable, and the referenced variable *ptr, which denotes the value of variable to which ptr's value points. The following examples illustrate this distinction. In these illustrations, we assume that the pointers p and q and the variables x and y are declared to be of same type.

(a) Initialization




The pointer **p** contains the address of **x** and **q** contains the address of y.

$$p = 100 \text{ and } q = 200 \text{ and } q = 200$$

(b) Assignment p = q

The assignment $\mathbf{p} = \mathbf{q}$ assigns the address of the variable \mathbf{y} to the pointer variable \mathbf{p} and therefore \mathbf{p} now points to the variable y.




Both the pointer variables point to the same variable.

$$p = q = 200 \text{ but } x <> y$$

(c) Assignment *p = *q

This assignment statement puts the value of the variable pointed to by \mathbf{q} in the location of the variable pointed to by **p**.



The pointer p still points to the same variable x but the old value of x is replaced by 200 (which is pointed to by q).

$$x = y = 200 \text{ but } p <> q$$

(d) NULL pointers

A special constant known as NULL pointer (0) is available in C to initialize pointers that point to nothing. That is the statements

$$\begin{aligned} & p = 0; \ (or \ p = NULL;) & p \rightarrow \boxed{0} \\ & q = 0; \ (\ q = NULL;) & q \rightarrow \boxed{0} \end{aligned}$$

make the pointers \mathbf{p} and \mathbf{q} point to nothing. They can be later used to point any values.

We know that a pointer must be initialized by assigning a memory address before using it. There are two ways of assigning memory address to a pointer.

1. Assigning an existing variable address (static assignment)

2. Using a memory allocation function (dynamic assignment)

```
ptr = (int*) malloc(sizeof(int));
```

13.11 Creating a Linked List

We can treat a linked list as an abstract data type and perform the following basic operations:

- 1. Creating a list.
- 2. Traversing the list.
- 3. Counting the items in the list.
- 4. Printing the list (or sub list).
- 5. Looking up an item for editing or printing.
- 6. Inserting an item.
- 7. Deleting an item.
- 8. Concatenating two lists.

In Section 13.7 we created a two-element linked list using the structure variable names **node1** and **node2**. We also used the address operator & and member operators . and —> for creating and accessing individual items. The very idea of using a linked list is to avoid any reference to specific number of items in the list so that we can insert or delete items as and when necessary. This can be achieved by using "anonymous" locations to store nodes. Such locations are accessed not by name, but by means of pointers, which refer to them. (For example, we must avoid using references like **node1.age** and **node1.next** —> **age**.)


Anonymous locations are created using pointers and dynamic memory allocation functions such as **malloc**. We use a pointer **head** to create and access anonymous nodes. Consider the following:

```
struct linked_list
{
    int number;
    struct linked_list *next;
};
typedef struct linked_list node;
node *head;
```

```
head = (node *) malloc(sizeof(node));
```

The **struct** declaration merely describes the format of the nodes and does not allocate storage. Storage space for a node is created only when the function malloc is called in the statement

This statement obtains a piece of memory that is sufficient to store a node and assigns its address to the pointer variable **head**. This pointer indicates the beginning of the linked list.



The following statements store values in the member fields:

The second node can be added as follows:

```
head -> next = (node *) malloc(sizeof(node));
head \rightarrow next \rightarrownumber = 20;
head->next->next = NULL;
```

Although this process can be continued to create any number of nodes, it becomes cumbersome and clumsy if nodes are more than two. The above process may be easily implemented using both recursion and iteration techniques. The pointer can be moved from the current node to the next node by a selfreplacement statement such as:

Example 13.5 shows creation of a complete linked list and printing of its contents using recursion.

Example 13.5 The program in Fig. 13.9 creates a linear linked list interactively and prints out the list and the total number of items in the list.

The program first allocates a block of memory dynamically for the first node using the statement

```
head = (node *)malloc(sizeof(node));
```

which returns a pointer to a structure of type **node** that has been type defined earlier. The linked list is then created by the function create. The function requests for the number to be placed in the current node that has been created. If the value assigned to the current node is -999, then null is assigned to the pointer variable **next** and the list ends. Otherwise, memory space is allocated to the next node using again the malloc function and the next value is placed into it. Not that the function create calls itself recursively and the process will continue until we enter the number –999.

13.18 Computer Programming and Utilization

The items stored in the linked list are printed using the function **print**, which accept a pointer to the current node as an argument. It is a recursive function and stops when it receives a NULL pointer. Printing algorithm is as follows;

- 1. Start with the first node.
- 2. While there are valid nodes left to print
 - (a) print the current item; and
 - (b) advance to next node.

Similarly, the function **count** counts the number of items in the list recursively and return the total number of items to the **main** function. Note that the counting does not include the item –999 (contained in the dummy node).

```
Program
     #include <stdio.h>
     #include <stdlib.h>
     #define NULL 0
     struct linked list
               int number;
               struct linked list *next;
     typedef struct linked list node; /*node type defined*/
        main()
     {
              node *head;
               void create(node *p);
               int count(node *p);
               void print(node *p);
               head = (node *) malloc(sizeof(node));
               create (head);
               printf("\n");
              printf(head);
               printf("\n");
               printf("\nNumber of items = %d \n", count(head));
     void create (node *list)
     {
               printf("Input a number\n");
               printf("(type -999 at end): ");
               scanf("%d", &list -> number); /*create current node*/
           if(list->number == -999)
                  list->next = NULL;
               else /*create next node*/
```

```
list->next = (node *)malloc(sizeof(node));
                 create(list->next); */ Recursion occurs*/
           return;
 void print(node *list)
           if(list->next != NULL)
                 printf("%d-->",list ->number); /*print current item*/
              if(list->next->next == NULL)
                     printf("%d", list->next->number);
                    print(list->next); /*move to next item*/
           return;
           int count(node *list)
              if(list->next == NULL)
                          return (0);
              else
                          return(1+ count(list->next));
Output
     Input a number
     (type -999 to end); 60
     Input a number
     (type -999 to end); 20
     Input a number
     (type -999 to end); 10
     Input a number
     (type -999 to end); 40
     Input a number
     (type -999 to end); 30
     Input a number
     (type -999 to end); 50
     Input a number
     (type -999 to end); -999
     60 -->20 -->10 -->40 -->30 -->50 --> -999
     Number of items = 6
```

Example 13.6 Write a C program to display the nodes of a linked list in reverse without using recursion.

```
Program
     #include <stdio.h>
     #include <stdlib.h>
     struct node
         int visited;
         int a:
         struct node *next;
         /*method to declare a node function of a list*/
     };
     void generate(struct node **);
     void display(struct node *);
     void linear(struct node *);
     void delete(struct node **);
     int main()
         struct node *head = NULL;
      clrscr();
         generate (&head);
         printf("\nPrinting the list in linear order\n");
         linear (head);
         printf("\nPrinting the list in reverse order\n");
         display (head);
         delete(&head);
      getch();
         return 0;
     /*this function is used to display the element of a list*/
     void display(struct node *head)
         struct node *temp = head;
         while (temp->visited == 0)
             while (temp->next != NULL && temp->next->visited == 0)
                 temp = temp->next;
             printf("%d ", temp->a);
             temp->visited = 1;
             temp = head;
     /*this function is used to move to next node of a list*/
```

```
void linear(struct node *head)
         while (head != NULL)
             printf("%d ", head->a);
             head = head->next;
         printf("\n");
     /*this function is used to generate nodes of a list*/
     void generate(struct node **head)
         int num, i;
         struct node *temp;
         printf("Enter length of list: ");
         scanf("%d", &num);
         for (i = num; i > 0; i--)
             temp = (struct node *)malloc(sizeof(struct node));
             temp->a = i;
             temp->visited = 0;
             if (*head == NULL)
                 *head = temp;
                 (*head) ->next = NULL;
             else
                 temp->next = *head;
                 *head = temp;
      /*this function is used to delete an element from a list*/
     void delete(struct node **head)
         struct node *temp;
         while (*head != NULL)
             temp = *head;
             *head = (*head) ->next;
             free (temp);
Output
     Enter length of list: 4
     Printing the list in linear order
     1 2 3 4
     Printing the list in reverse order
     4 3 2 1
```

13.12 Inserting an Item

One of the advantages of linked lists is the comparative case with which new nodes can be inserted. It requires merely resetting of two pointers (rather than having to move around a list of data as would be the case with arrays).

Inserting a new item, say X, into the list has three situations:

- 1. Insertion at the front of the list.
- 2. Insertion in the middle of the list.
- 3. Insertion at the end of the list.

The process of insertion precedes a search for the place of insertion. The search involves in locating a node after which the new item is to be inserted.

A general algorithm for insertion is as follows:

Begin

if the list is empty or

the new node comes before the head node *then*,

insert the new node as the head node.

else

if the new node comes after the last node, then,

insert the new node as the end node,

else

insert the new node in the body of the list.

End

Algorithm for placing the new item at the beginning of a linked list:

- 1. Obtain space for new node.
- 2. Assign data to the item field of new node.
- 3. Set the *next* field of the new node to point to the start of the list.
- 4. Change the head pointer to point to the new node.

Algorithm for inserting the new node X between two existing nodes, say, N1 and N2;

- 1. Set space for new node X.
- 2. Assign value to the item field of X.
- 3. Set the *next* field of X to point to node N2.
- 4. Set the *next* field of N1 to point to X.

Algorithm for inserting an item at the end of the list is similar to the one for inserting in the middle, except the *next* field of the new node is set to NULL (or set to point to a dummy or sentinel node, if it exists).

Example 13.7 The function in Fig. 13.11 inserts a given item before a specified node known as key node.


The function **insert** requests for the item to be inserted as well as the "key node". If the insertion happens to be at the beginning, then memory space is created for the new node, the value of new item is assigned to it and the pointer **head** is assigned to the next member. The pointer **new**, which indicates the beginning of the new node is assigned to **head**. Note the following statements:

```
new->number = x;
new->next = head;
head = new;
```


```
node *insert(node *head)
  node *find(node *p, int a);
  node *new;
                    /*pointer to new node*/
  node *n1;
                 /*pointer to node preceding key node*/
  int key;
                 /*new item (number) to be inserted*/
  int x;
  printf("Value of new item?");
  scanf("%d", &x);
   printf("Value of key item ? (type -999 if last) ");
   scanf("%d", &key);
   if (head->number == key) /*new node is first*/
            new = (node *)malloc(size of(node));
            new->number = x;
            new->next = head;
            head = new;
   }
         /*find key node and insert new node*/
   else
            /*before the key node*/
     n1 = find(head, key); /*find key node*/
      if(n1 == NULL)
       printf("\n key is not found \n");
      else /*insert new node*/
                  new = (node *) malloc(sizeof(node));
                  new->number = x;
                  new->next = n1->next;
                  n1->next = new;
  return (head);
node *find(node *lists, int key)
   if(list->next->number == key) /*key found*/
     return(list);
   else
   if(list->next->next == NULL) /*end*/
    return(NULL);
  else
     find(list->next, key);
```

However, if the new item is to be inserted after an existing node, then we use the function **find** recursively to locate the 'key node'. The new item is inserted before the key node using the algorithm discussed above. This is illustrated as:

Before insertion



After insertion



13.13 Deleting an Item

Deleting a node from the list is even easier than insertion, as only one pointer value needs to be changed. Here again we have three situations.

- 1. Deleting the first item.
- 2. Deleting the last item.
- 3. Deleting between two nodes in the middle of the list.

In the first case, the head pointer is altered to point to the second item in the list. In the other two cases, the pointer of the item immediately preceding the one to be deleted is altered to point to the item following the deleted item. The general algorithm for deletion is as follows:

```
Begin
```

```
if the list is empty, then,
node cannot be deleted
else
if node to be deleted is the first node, then,
make the head to point to the second node,
delete the node from the body of the list.
```


End

The memory space of deleted node may be released for re-use. As in the case of insertion, the process of deletion also involves search for the item to be deleted.


Example 13.8 The function in Fig. 13.12 deletes a specified node.

A function to delete a specified node is given in Fig. 13.11. The function first checks whether the specified item belongs to the first node. If yes, then the pointer to the second node is temporarily assigned the pointer variable p, the memory space occupied by the first node is freed and the location of the second node is assigned to head. Thus, the previous second node becomes the first node of the new list.

If the item to be deleted is not the first one, then we use the **find** function to locate the position of 'key node' containing the item to be deleted. The pointers are interchanged with the help of a temporary pointer variable making the pointer in the preceding node to point to the node following the key node. The memory space of key node that has been deleted if freed. The figure below shows the relative position of the key node.



The execution of the following code deletes the key node.



```
node *delete(node *head)
  node *find(node *p, int a);
  int key;
             /*item to be deleted*/
  node *n1;
             /*pointer to node preceding key node*/
             /*temporary pointer*/
  node *p;
  printf("\n What is the item (number) to be deleted?");
  scanf("%d", &key);
  if(head->number == key) /*first node to be deleted)*/
     p = head->next;  /*pointer to 2nd node in list*/
     free (head);
                         /*release space of key node*/
     head = p;
                         /*make head to point to 1st node*/
  else
     n1 = find(head, key);
     if(n1 == NULL)
        printf("\n key not found \n");
  else
                                  /*delete key node*/
        p = n1->next->next;
                                  /* pointer to the node
                                   following the keynode*/
        n1->next = p;
                                  /*establish link*/
  }
  return (head);
           /*USE FUNCTION find() HERE*/
```

Fig. 13.12 A function for deleting an item from linked list


13.14 Application of Linked Lists

Linked list concepts are useful to model many different abstract data types such as queues, stacks and trees.

If we restrict the process of insertion to one end of the list and deletions to the other end, then we have a model of a *queue*. That is, we can insert an item at the rear and remove an item at the front (see Fig. 13.13a). This obeys the discipline of "first in, first out" (FIFO). There are many examples of queues in real-life applications.

If we restrict insertions and deletions to occur only at the beginning of list, then we model another data structure known as *stack*. Stacks are also referred to as *push-down* lists. An example of a stack is the "in" tray of a busy executive. The files pile up in the tray, and whenever the executive has time to clear the files, he takes it off from the top. That is, files are added at the top and removed from the top (see Fig. 13.13b). Stacks are sometimes referred to as "last in, first out" (LIFO) structure.

Lists, queues and stacks are all inherently one-dimensional. A *tree* represents a two-dimensional linked list. Trees are frequently encountered in everyday life. One example is the organizational chart of a large company. Another example is the chart of sports tournaments.



- Use the **sizeof** operator to determine the size of a linked list.
- When using memory allocation functions **malloc** and **calloc**, test for a NULL pointer return value. Print appropriate message if the memory allocation fails.
- Never call memory allocation functions with a zero size.
- Release the dynamically allocated memory when it is no longer required to avoid any possible "memory leak".
- Using **free** function to release the memory not allocated dynamically with **malloc** or **calloc** is an error.
- Use of a invalid pointer with **free** may cause problems and, sometimes, system crash.

- Using a pointer after its memory has been released is an error.
- It is an error to assign the return value from **malloc** or **calloc** to anything other than a pointer.
- It is a logic error to set a pointer to NULL before the node has been released. The node is irretrievably lost.
- It is an error to declare a self-referential structure without a structure tag.
- It is an error to release individually the elements of an array created with calloc.
- It is a logic error to fail to set the link filed in the last node to null.

Case Studies

1. Insertion in a Sorted List

The task of inserting a value into the current location in a sorted linked list involves two operations:

- 1. Finding the node before which the new node has to be inserted. We call this node as 'Key node'.
- 2. Creating a new node with the value to be inserted and inserting the new node by manipulating pointers appropriately.

In order to illustrate the process of insertion, we use a sorted linked list created by the create function discussed in Example 13.5. Figure 13.14 shows a complete program that creates a list (using sorted input data) and then inserts a given value into the correct place using function insert.

```
Program
     #include <stdio.h>
     #include <stdio.h>
     #define NULL 0
     struct linked list
        {
               int number:
               struct linked-list *next;
        };
        typedef struct linked lit node;
           main()
               int n;
               node *head;
               void create(node *p);
               node *insert(node *p, int n);
               void print(node *p);
               head = (node *) malloc(sizeof(node));
               create (head);
               printf("\n");
               printf("Original list: ");
               print (head);
               printf("\n\n");
```

```
printf("Input number to be inserted: ");
      scanf("%d", &n);
      head = inert(head, n);
      printf("\n");
      printf("New list: ");
      print (head);
void create(node *list)
      printf("Input a number \n");
      printf("(type -999 at end): ");
      scanf("%d", &list->number);
         if(list->number == -999)
         list->next = NULL;
      else /*create next node*/
         list->next = (node *)malloc(sizeof(node));
            create(list->next);
      return:
void print(node *list)
         if(list->next != NULL)
            printf("%d -->", list->number);
            if(list ->next->next = = NULL)
            printf("%d", list->next->number);
            print(list->next);
         return:
node *insert(node *head, int x)
         node *p1, *p2, *p;
         p1 = NULL;
         p2 = head; /*p2 points to first node*/
            for( ; p2->number < x; p2 = p2->next)
```

```
p1 = p2;
                        if(p2->next->next == NULL)
                           p2 = p2->next; /*insertion at end*/
                           break;
              }
              /*key node found and insert new node*/
              p = (node )malloc(sizeof(node)); / space for new node*/
              p->number = x; /*place value in the new node*/
              p->next = p2; /*link new node to key node*/
              if (p1 == NULL)
              head = p; /*new node becomes the first node*/
           else
              p1->next = p; /*new node inserted in middle*/
                 return (head);
Output
     Input a number
     (type -999 at end ); 10
     Input a number
     (type -999 at end ); 20
     Input a number
     (type -999 at end ); 30
     Input a number
     (type -999 at end ); 40
     Input a number
     (type -999 at end ); -999
     Original list: 10 -->20-->30-->40-->-999
     Input number to be inserted: 25
     New list: 10-->20-->25-->30-->40-->-999
```

Fig. 13.14 Inserting a number in a sorted linked list


The function takes two arguments, one the value to be inserted and the other a pointer to the linked list. The function uses two pointers, **p1** and **p2** to search the list. Both the pointers are moved down the list with **p1** trailing **p2** by one node while the value **p2** points to is compared with the value to be inserted. The 'key node' is found when the number **p2** points to is greater (or equal) to the number to be inserted.

Once the key node is found, a new node containing the number is created and inserted between the nodes pointed to by **p1** and **p2**. The figures below illustrate the entire process.


2. Building a Sorted List

The program in Fig. 13.14 can be used to create a sorted list. This is possible by creating 'one item' list using the create function and then inserting the remaining items one after another using insert function.


A new program that would build a sorted list from a given list of numbers is shown in Fig. 13.14. The **main** function creates a 'base node' using the first number in the list and then calls the function **insert_sort** repeatedly to build the entire sorted list. It uses the same sorting algorithm discussed above but does not use any dummy node. Note that the last item points to NULL.




At the start of the search



When key node is found



When new node is created



When new node is inserted

```
Program
     #include <stdio.h>
     #include <stdlib.h>
           #define NULL 0
           struct linked list
           {
                    int number;
                     struct linked list *next;
           };
           typedef struct linked_list node;
           main ()
                    int n;
                    node *head = NULL;
                    void print(node *p);
                     node *insert Sort(node *p, int n);
                     printf("Input the list of numbers.\n");
                    printf("At end, type -999.\n");
                     scanf("%d",&n);
                     while (n != -999)
                           if(head == NULL) /*create 'base' node*/
                                 head = (node *)malloc(sizeof(node));
                                 head ->number = n;
                                 head->next = NULL;
                     }
                                  /*insert next item*/
                     else
                           head = insert sort(head, n);
```

```
scanf("%d", &n);
      printf("\n");
      print (head);
      print("\n");
}
node *insert sort(node *list, int x)
{
     node *p1, *p2, *p;
      p1 = NULL;
      p2 = list; /*p2 points to first node*/
      for( ; p2->number < x ; p2 = p2->next)
      {
        p1 = p2;
         if(p2->next == NULL)
           p2 = p2 - \text{next}; /*p2 set to NULL*/
           break; /*insert new node at end*/
        }
      }
      /*key node found*/
      p = (node *)malloc(sizeof(node)); /*space for new node*/
      p->number = x;  /*place value in the new node*/
      p->next = p2; /*link new node to key node*/
      if (p1 == NULL)
            list = p;  /*new node becomes the first node*/
      else
            p1->next = p; /*new node inserted after 1st node*/
      return (list);
}
void print(node *list)
```

Fig. 13.15 Creation of sorted list from a given list of numbers

Review Questions

- 13.1 State whether the following statements are true or false
 - (a) Dynamically allocated memory can only be accessed using pointers.
 - (b) **calloc** is used to change the memory allocation previously allocated with **malloc**.
 - (c) Only one call to free is necessary to release an entire array allocated with calloc.
 - (d) Memory should be freed when it is no longer required.
 - (e) To ensure that it is released, allocated memory should be freed before the program ends.
 - (f) The link field in a linked list always points to successor.
 - (g) The first step in a adding a node to a linked list is to allocate memory for the next node.
- 13.2 Fill in the blanks in the following statements
 - (a) Function is used to dynamically allocate memory to arrays.
 - (b) A _____ is an ordered collection of data in which each element contains the location of the next element.
 - (c) Data structures which contain a member field that points to the same structure type are called structures.

- (d) A identifies the last logical node in a linked list.
- (e) Stacks are referred to as
- 13.3 What is a linked list? How is it represented?
- 13.4 What is dynamic memory allocation? How does it help in building complex programs?
- 13.5 What is the principal difference between the functions malloc and calloc
- 13.6 Find errors, if any, in the following memory management statements:

```
a. *ptr = (int *)malloc(m, sizeof(int));
b. table = (float *) calloc(100);
c. node = free(ptr);
```

- 13.7 Why a linked list is called a dynamic data structure? What are the advantages of using linked lists over arrays?
- 13.8 Describe different types of linked lists.
- 13.9 Identify errors, if any, in the following structure definition statements:

```
struct
{
            char name[30]
            struct *next;
};
typedef struct node;
```

13.10 The following code is defined in a header file *list.h*

```
typedef struct
            char name[15];
            int age;
            float weight;
} DATA;
struct linked list
            DATA person;
            Struct linked list *next;
};
            typedef struct linked list NODE;
            typedef NODE *NDPTR;
```

Explain how could we use this header file for writing programs.

13.11 What does the following code achieve?

```
int *p;
p = malloc (sizeof (int) ) ;
```

13.12 What does the following code do?

```
float *p;
p = calloc (10, sizeof(float));
```

13.13 What is the output of the following code?

```
int i, *ip;
```

13.14 What is printed by the following code?

```
int *p;
  p = malloc (sizeof (int) );
*p = 100;
  p = malloc (sizeof (int) );
*p = 111;
  printf("%d", *p);
```

13.15 What is the output of the following segment?

```
struct node
{
    int m;
    struct node *next;
}    x, y, z, *p;
    x.m = 10;
    y.m = 20;
    z.m = 30;
    x.next = &y;
    y.next = &z;
    z.next = NULL;
    p = x.next;
    while (p != NULL)
{
    printf("%d\n", p -> m);
    p = p -> next;
}
```

Programming Exercises

- 13.1 In Example 13.5, we have used print() in recursive mode. Rewrite this function using iterative technique in for loop.
- 13.2 Write a menu driven program to create a linked list of a class of students and perform the following operations:
 - a. Write out the contents of the list.
 - b. Edit the details of a specified student.
 - c. Count the number of students above a specified age and weight.

Make use of the header file defined in Review Question 13.10.

13.3 Write recursive and non-recursive functions for reversing the elements in a linear list. Compare the relative efficiencies of them.

- 13.4 Write an interactive program to create linear linked lists of customer names and their telephone numbers. The program should be menu driven and include features for add ing a new customer and deleting an existing customer.
- 13.5 Modify the above program so that the list is always maintained in the alphabetical order of customer names.
- 13.6 Develop a program to combine two sorted lists to produce a third sorted lists which contains one occurrence of each of the elements in the original lists.
- 13.7 Write a program to create a circular linked list so that the input order of data item is maintained. Add function to carry out the following operations on circular linked list.
 - a. Count the number of nodes
 - b. Write out contents
 - c. Locate and write the contents of a given node
- 13.8 Write a program to construct an ordered doubly linked list and write out the contents of a specified node.
- 13.9 Write a function that would traverse a linear singly linked list in reverse and write out the contents in reverse order.
- 13.10 Given two ordered singly linked lists, write a function that will merge them into a third ordered
- 13.11 Write a function that takes a pointer to the first node in a linked list as a parameter and returns a pointer to the last node. NULL should be returned if the list is empty.
- 13.12 Write a function that counts and returns the total number of nodes in a linked list.
- 13.13 Write a function that takes a specified node of a linked list and makes it as its last node.
- 13.14 Write a function that computers and returns the length of a circular list.
- 13.15 Write functions to implement the following tasks for a doubly linked list.
 - (a) To insert a node.
 - (b) To delete a node.
 - (c) To find a specified node.

Multiple Choice Ques	tions
----------------------	-------

1.	required?	d to	release allocated memory which is no longer
	(a) dropmem()	(b)	free()
	<pre>(c) release()</pre>	(d)	dealloc()
2.	Which of the following functions alloca	tes	request size of bytes and returns a pointer to the first
	byte of allocated space?		
	(a) malloc	(b)	calloc
	(c) free	(d)	realloc
3.	The machine instructions and data are p	hysi	ically placed onto the main memory by:
	(a) Linker	(b)	Loader
	(c) Code generator	(d)	Interpreter

13.38 Computer Programming and Utilization

10.00	Comp	ater i regramming a	tria Otilization							
4.		Which of the following data structures is used by malloc() for random memory a allocation?								
	(a)	Tree		(b)	Stack					
	(c)	Неар		(d)	Queue					
5.	Wh		lowing header files s	should	-	order to us	se functions like Malloc()			
	(a)	stdio.h		(b)	stdlib.h					
	(c)	string.h		(d)	memory.h					
6.	Wh	ich of the follo	owing statements ho	ld tru	e for a circular li	inked list?				
			onents are linked tog							
		-	are arranged hierarc	-	•					
	` /		beginning and no e		<i>y</i> •					
		•			verithin the list of	allarrad				
_	` /		d and backward trave							
7.		ond field is the		h nod	e of a linked list	t. One field	I stores the data while the			
	(a)	pointer to the	node	(b)	pointer to integ	er				
	(c)	pointer to cha	aracter	(d)	Node					
Answe	ers									
1.	(b)	2.	(a)	3. (1	b)	4. (c)	5. (b)			
6.	(c)	7.	(a)							



14.1 Introduction

Until now we have been using the functions such as **scanf** and **printf** to read and write data. These are console oriented I/O functions, which always use the terminal (keyboard and screen) as the target place. This works fine as long as the data is small. However, many real-life problems involve large volumes of data and in such situations, the console oriented I/O operations pose two major problems.

- 1. It becomes cumbersome and time consuming to handle large volumes of data through terminals.
- 2. The entire data is lost when either the program is terminated or the computer is turned off.

It is therefore necessary to have a more flexible approach where data can be stored on the disks and read whenever necessary, without destroying the data. This method employs the concept of *files* to store data. A file is a place on the disk where a group of related data is stored. Like most other languages, C supports a number of functions that have the ability to perform basic file operations, which include:

- naming a file,
- · opening a file,
- · reading data from a file,
- writing data to a file, and
- closing a file.

There are two distinct ways to perform file operations in C. The first one is known as the *low-level* I/O and uses UNIX system calls. The second method is referred to as the *high-level* I/O operation and uses functions in C's standard I/O library. We shall discuss in this chapter, the important file handling functions that are available in the C library. They are listed in Table 14.1.

There are many other functions. Not all of them are supported by all compilers. You should check your C library before using a particular I/O function.

Table 14.1 High Level I/O Functions

Function name	Operation
fopen()	* Creates a new file for use.
	* Opens an existing file for use.
fclose()	* Closes a file which has been opened for use.
getc()	* Reads a character from a file.
putc()	* Writes a character to a file.
fprintf()	* Writes a set of data values to a file.
fscanf()	* Reads a set of data values from a file.
getw()	* Reads an integer from a file.
putw()	* Writes an integer to a file.
fseek()	* Sets the position to a desired point in the file.
ftell()	* Gives the current position in the file (in terms of bytes from the start).
rewind()	* Sets the position to the beginning of the file.

14.2 Defining and Opening a File

If we want to store data in a file in the secondary memory, we must specify certain things about the file, to the operating system. They include:

- 1. Filename.
- 2. Data structure.
- 3. Purpose.

Filename is a string of characters that make up a valid filename for the operating system. It may contain two parts, a *primary name* and an *optional period* with the extension. Examples:

Input.data

store

PROG.C

Student.c

Text.out

Data structure of a file is defined as **FILE** in the library of standard I/O function definitions. Therefore, all files should be declared as type FILE before they are used. **FILE** is a defined data type.

When we open a file, we must specify what we want to do with the file. For example, we may write data to the file or read the already existing data.

Following is the general format for declaring and opening a file:

```
FILE *fp;
fp = fopen("filename", "mode");
```

The first statement declares the variable **fp** as a "pointer to the data type **FILE**". As stated earlier, **FILE** is a structure that is defined in the I/O library. The second statement opens the file named filename

and assigns an identifier to the FILE type pointer fp. This pointer, which contains all the information about the file is subsequently used as a communication link between the system and the program.

The second statement also specifies the purpose of opening this file. The mode does this job. Mode can be one of the following:

- open the file for reading only.
- open the file for writing only. w
- open the file for appending (or adding) data to it.

Note that both the filename and mode are specified as strings. They should be enclosed in double quotation marks.

When trying to open a file, one of the following things may happen:

- 1. When the mode is 'writing', a file with the specified name is created if the file does not exist. The contents are deleted, if the file already exists.
- 2. When the purpose is 'appending', the file is opened with the current contents safe. A file with the specified name is created if the file does not exist.
- 3. If the purpose is 'reading', and if it exists, then the file is opened with the current contents safe otherwise an error occurs.

Consider the following statements:

```
FILE *p1, *p2;
p1 = fopen("data", "r");
p2 = fopen("results", "w");
```

The file data is opened for reading and results is opened for writing. In case, the results file already exists, its contents are deleted and the file is opened as a new file. If data file does not exist, an error will occur.

Many recent compilers include additional modes of operation. They include:

- r+The existing file is opened to the beginning for both reading and writing.
- \mathbf{w} + Same as w except both for reading and writing.
- a+Same as a except both for reading and writing.

We can open and use a number of files at a time. This number however depends on the system we use.

Closing a File 14.3

A file must be closed as soon as all operations on it have been completed. This ensures that all outstanding information associated with the file is flushed out from the buffers and all links to the file are broken. It also prevents any accidental misuse of the file. In case, there is a limit to the number of files that can be kept open simultaneously, closing of unwanted files might help open the required files. Another instance where we have to close a file is when we want to reopen the same file in a different mode. The I/O library supports a function to do this for us. It takes the following form:

```
fclose(file pointer);
```

This would close the file associated with the **FILE** pointer **file_pointer**. Look at the following segment of a program.

```
....
FILE *p1, *p2;
p1 = fopen("INPUT", "w");
p2 = fopen("OUTPUT", "r");
....
fclose(p1);
fclose(p2);
....
```

This program opens two files and closes them after all operations on them are completed. Once a file is closed, its file pointer can be reused for another file.

As a matter of fact all files are closed automatically whenever a program terminates. However, closing a file as soon as you are done with it is a good programming habit.

14.4 Input/Output Operations on Files

Once a file is opened, reading out of or writing to it is accomplished using the standard I/O routines that are listed in Table 14.1.

14.4.1 The getc and putc Functions

The simplest file I/O functions are **getc** and **putc**. These are analogous to **getchar** and **putchar** functions and handle one character at a time. Assume that a file is opened with mode **w** and file pointer **fp1**. Then, the statement

```
putc(c, fp1);
```

writes the character contained in the character variable **c** to the file associated with **FILE** pointer **fp1**. Similarly, **getc** is used to read a character from a file that has been opened in read mode. For example, the statement

```
c = getc(fp2);
```

would read a character from the file whose file pointer is fp2.

The file pointer moves by one character position for every operation of **getc** or **putc**. The **getc** will return an end-of-file marker EOF, when end of the file has been reached. Therefore, the reading should be terminated when EOF is encountered.

Example 14.1 The program in Fig. 14.1 reads data from the keyboard, writes it to a file called **INPUT**, again reads the same data from the **INPUT** file, and displays it on the screen.

A program and the related input and output data are shown in Fig.14.1. We enter the input data via the keyboard and the program writes it, character by character, to the file INPUT. The end of the data is indicated by entering an EOF character, which is control-Z in the reference system. (This may be control-D in other systems.) The file INPUT is closed at this signal.

```
Program
     #include <stdio.h>
     main()
     {
           FILE *f1;
           char c;
           printf("Data Input\n\n");
           /*Open the file INPUT*/
           f1 = fopen("INPUT", "w");
           /*Get a character from keyboard*/
           while((c=getchar()) != EOF)
                  /*Write a character to INPUT*/
                  putc(c,f1);
           /*Close the file INPUT*/
           fclose(f1);
           printf("\nData Output\n\n");
           /*Reopen the file INPUT*/
           f1 = fopen("INPUT", "r");
           /*Read a character from INPUT*/
           while((c=getc(f1)) != EOF)
                     /*Display a character on screen*/
                     printf("%c",c);
           /*Close the file INPUT*/
           fclose(f1);
Output
     Data Input
     This is a program to test the file handling
     features on this system^Z
     Data Output
     This is a program to test the file handling
     features on this system
```

14.6 Computer Programming and Utilization

The file INPUT is again reopened for reading. The program then reads its content character by character, and displays it on the screen. Reading is terminated when **getc** encounters the end-of-file mark EOF.

Testing for the end-of-file condition is important. Any attempt to read past the end of file might either cause the program to terminate with an error or result in an infinite loop situation.

Example 14.2 Program in Fig. 14.2 takes an input from the user and write it in a file. If file doesn't exists then also create a file with same name.

```
Program
     #include <stdio.h>
     int main()
        int n;
        FILE *fptr;
        /*FILE is used to declare a variable of file type*/
     clrscr();
      fptr=fopen("input.txt", "w");
      /*fopen() function is used to open a file*/
        if (fptr==NULL)
           printf("Error!");
        printf("Enter n: ");
        scanf("%d",&n);
        fprintf(fptr, "%d", n);
        printf("Data has been successfully written...");
        fclose(fptr);
        /*fclose() function is used to close a file*/
     getch();
     return 0;
Output
     Enter n: 45
     Data has been successfully written...
```

Fig. 14.2 Illustration of create/write input in a file

Example 14.3 Write a C program to delete a specific line from a text file.

```
Program
  #include <stdio.h>
  int main()
{
    FILE *fileptr1, *fileptr2;
    char filename[40];
    char ch;
    int delete_line, temp = 1;
    clrscr();
    printf("Enter file name: ");
```

```
scanf("%s", filename);
         fileptr1 = fopen(filename, "r");
         ch = getc(fileptr1);
        while (ch != EOF)
        /*condition to use the end of a file*/
             printf("%c", ch);
             ch = getc(fileptr1);
         rewind(fileptr1);
         printf(" \n Enter line number of the line to be deleted:");
         scanf("%d", &delete line);
         fileptr2 = fopen("replica.c", "w");
         ch = getc(fileptr1);
         while (ch != EOF)
             ch = getc(fileptr1);
              /*getc() function is used to read a character from a file*/
             if (ch == '\n')
                  temp++;
                  if (temp != delete line)
                      putc(ch, fileptr2);
         fclose(fileptr1);
         fclose(fileptr2);
         remove (filename);
         /*remove()function is used to remove an element from a file*/
         rename("replica.c", filename);
         printf("\n The contents of file after being modified are as
     follows: \n");
         fileptr1 = fopen(filename, "r");
         ch = getc(fileptr1);
         while (ch != EOF)
             printf("%c", ch);
             ch = getc(fileptr1);
         fclose(fileptr1);
     getch();
     return 0;
Output
     Enter file name: input.txt
     this
     is
     file
     handling
```

```
example
Enter line number of the line to be deleted:2

The contents of file after being modified are as follows:
i
is
file
handling
example
```

Fig. 14.3 Deletion of a specific line from a text file

14.4.2 The *getw* and *putw* Functions

The **getw** and **putw** are integer-oriented functions. They are similar to the **getc** and **putc** functions and are used to read and write integer values. These functions would be useful when we deal with only integer data. The general forms of **getw** and **putw** are:

```
putw(integer, fp);
getw(fp);
```

Example 14.4 Figure 14.4 illustrates the use of **putw** and **getw** functions. A file named **DATA** contains a series of integer numbers. A program to read these numbers and then write all 'odd' numbers to a file to be called **ODD** and all 'even' numbers to a file to be called **EVEN**.

The program is shown in Fig. 14.4. It uses three files simultaneously and therefore, we need to define three-file pointers **f1**, **f2** and **f3**.

First, the file DATA containing integer values is created. The integer values are read from the terminal and are written to the file **DATA** with the help of the statement

```
putw(number, f1);
```

Notice that when we type -1, the reading is terminated and the file is closed. The next step is to open all the three files, **DATA** for reading, **ODD** and **EVEN** for writing. The contents of **DATA** file are read, integer by integer, by the function **getw(f1)** and written to **ODD** or **EVEN** file after an appropriate test. Note that the statement

```
(number = getw(f1)) != EOF
```

reads a value, assigns the same to **number**, and then tests for the end-of-file mark.

Finally, the program displays the contents of ODD and EVEN files. It is important to note that the files **ODD** and **EVEN** opened for writing are closed before they are reopened for reading.

```
Program
    #include <stdio.h>
    main()
    {
        FILE *f1, *f2, *f3;
```

```
int
               number, i;
         printf("Contents of DATA file\n\n");
         f1 = fopen("DATA", "w"); /*Create DATA file*/
         for(i = 1; i \le 30; i++)
                scanf("%d", &number);
                if (number == -1) break;
                putw(number, f1);
         fclose(f1);
         f1 = fopen("DATA", "r");
         f2 = fopen("ODD", "w");
         f3 = fopen("EVEN", "w");
         /*Read from DATA file*/
         while((number = getw(f1)) != EOF)
         {
                if(number %2 == 0)
                   putw(number, f3); /*Write to EVEN file*/
                      else
                   putw(number, f2); /*Write to ODD file*/
         fclose(f1);
         fclose(f2);
         fclose(f3);
         f2 = fopen("ODD","r");
         f3 = fopen("EVEN", "r");
         printf("\n\nContents of ODD file\n\n");
         while ((number = getw(f2)) != EOF)
            printf("%4d", number);
         printf("\n\nContents of EVEN file\n\n");
         while((number = getw(f3)) != EOF)
            printf("%4d", number);
         fclose(f2);
         fclose(f3);
   }
Output
   Contents of DATA file
   111 222 333 444 555 666 777 888 999 000 121 232 343 454 565 -1
```

```
Contents of ODD file
111 333 555 777 999 121 343 565

Contents of EVEN file
222 444 666 888 0 232 454
```

Fig. 14.4

Operations on integer data

14.4.3 The fprintf and fscanf Functions

So far, we have seen functions, that can handle only one character or integer at a time. Most compilers support two other functions, namely **fprintf** and **fscanf**, that can handle a group of mixed data simultaneously.

The functions **fprintf** and **fscanf** perform I/O operations that are identical to the familiar **printf** and **scanf** functions, except of course that they work on files. The first argument of these functions is a file pointer which specifies the file to be used. The general form of **fprintf** is

```
fprintf(fp, "control string", list);
```

where fp is a file pointer associated with a file that has been opened for writing. The control string contains output specifications for the items in the list. The list may include variables, constants and strings. Example:

```
fprintf(f1, "%s %d %f", name, age, 7.5);
```

Here, name is an array variable of type char and age is an int variable.

The general format of **fscanf** is

```
fprintf(fp, "control string", list);
```

This statement would cause the reading of the items in the list from the file specified by fp, according to the specifications contained in the *control string*. Example:

```
fscanf(f2, "%s %d", item, &quantity);
```

Like **scanf**, **fscanf** also returns the number of items that are successfully read. When the end of file is reached, it returns the value **EOF**.

Example 14.5 Example 14.5 shows a program to open a file named INVENTORY and store in it the following data:

Item name	Number	Price	Quantity
AAA-1	111	17.50	115
BBB-2	125	36.00	75
C-3	247	31.75	104

Extend the program to read this data from the file INVENTORY and display the inventory table with the value of each item.

The program is given in Fig.14.5. The filename INVENTORY is supplied through the keyboard. Data is read using the function **fscanf** from the file **stdin**, which refers to the terminal and it is then written to the file that is being pointed to by the file pointer fp. Remember that the file pointer fp points to the file INVENTORY.

After closing the file INVENTORY, it is again reopened for reading. The data from the file, along with the item values are written to the file **stdout**, which refers to the screen. While reading from a file, care should be taken to use the same format specifications with which the contents have been written to the file....é

```
Program
     #include <stdio.h>
     main()
           FILE *fp;
           int number, quantity, i;
           float price, value;
           char item[10], filename[10];
           printf("Input file name\n");
           scanf("%s", filename);
           fp = fopen(filename, "w");
           printf("Input inventory data\n\n");
           printf("Item name Number
                                        Price Ouantity\n");
           for(i = 1; i \le 3; i++)
                  fscanf(stdin, "%s %d %f %d",
                                 item, &number, &price, &quantity);
                  fprintf(fp, "%s %d %.2f %d",
                                 item, number, price, quantity);
           fclose(fp);
           fprintf(stdout, "\n\n");
           fp = fopen(filename, "r");
           printf("Item name Number Price Quantity Value\n");
           for(i = 1; i <= 3; i++)
                  fscanf(fp, "%s %d %f d", item, &number, &price, &quantity);
                  value = price * quantity;
                  fprintf(stdout, "%-8s %7d %8.2f %8d %11.2f\n",
                               item, number, price, quantity, value);
           fclose(fp);
```

Output Input file nam INVENTORY Input inventor					
Item name	Number	Price	Quantity		
AAA-1	111	17.50	115		
BBB-2	125	36.00	75		
C-3	247	31.75	104		
Item name	Number	Price	Quantity	Value	
AAA-1	111	17.50	115	2012.50	
BBB-2	125	36.00	75	2700.00	
C-3	247	31.75	104	3302.00	

Fig. 14.5 Operations on mixed data types

14.5 Error Handling During I/O Operations

It is possible that an error may occur during I/O operations on a file. Typical error situations include:

- 1. Trying to read beyond the end-of-file mark.
- 2. Device overflow.
- 3. Trying to use a file that has not been opened.
- 4. Trying to perform an operation on a file, when the file is opened for another type of operation.
- 5. Opening a file with an invalid filename.
- 6. Attempting to write to a write-protected file.

If we fail to check such read and write errors, a program may behave abnormally when an error occurs. An unchecked error may result in a premature termination of the program or incorrect output. Fortunately, we have two status-inquiry library functions; **feof** and **ferror** that can help us detect I/O errors in the files.

The **feof** function can be used to test for an end of file condition. It takes a **FILE** pointer as its only argument and returns a nonzero integer value if all of the data from the specified file has been read, and returns zero otherwise. If **fp** is a pointer to file that has just been opened for reading, then the statement

```
if(feof(fp))
printf("End of data.\n");
```

would display the message "End of data." on reaching the end of file condition.

The **ferror** function reports the status of the file indicated. It also takes a **FILE** pointer as its argument and returns a nonzero integer if an error has been detected up to that point, during processing. It returns zero otherwise. The statement

```
if(ferror(fp) != 0)
printf("An error has occurred.\n");
```

would print the error message, if the reading is not successful.

We know that whenever a file is opened using **fopen** function, a file pointer is returned. If the file cannot be opened for some reason, then the function returns a NULL pointer. This facility can be used to test whether a file has been opened or not. Example:

```
if(fp == NULL)
printf("File could not be opened.\n");
```

Example 14.6 Example 14.6 shows a program to illustrate error handling in file operations.

The program shown in Fig. 14.6 illustrates the use of the **NULL** pointer test and **feof** function. When we input filename as TETS, the function call

```
fopen("TETS", "r");
```

returns a NULL pointer because the file TETS does not exist and therefore the message "Cannot open the file" is printed out.

Similarly, the call feof(fp2) returns a non-zero integer when the entire data has been read, and hence the program prints the message "Ran out of data" and terminates further reading.

```
Program
     #include <stdio.h>
     main()
            char *filename;
            FILE *fp1, *fp2;
            int i, number;
            fp1 = fopen("TEST", "w");
            for (i = 10; i \le 100; i += 10)
                  putw(i, fp1);
            fclose(fp1);
            printf("\nInput filename\n");
     open file:
     scanf("%s", filename);
     if((fp2 = fopen(filename,"r")) == NULL)
            printf("Cannot open the file.\n");
            printf("Type filename again.\n\n");
            goto open file;
     }
        else
     for(i = 1; i \le 20; i++)
     { number = getw(fp2);
```

```
if(feof(fp2))
            printf("\nRan out of data.\n");
            break;
        else
            printf("%d\n", number);
     fclose(fp2);
Output
     Input filename
     Cannot open the file.
     Type filename again.
     TEST
     10
     20
     30
     40
     50
     60
     70
     80
     90
     100
     Ran out of data.
```

Fig. 14.6 Illustration of error handling in file operations

14.6 Random Access to Files

So far we have discussed file functions that are useful for reading and writing data sequentially. There are occasions, however, when we are interested in accessing only a particular part of a file and not in reading the other parts. This can be achieved with the help of the functions **fseek**, **ftell**, and **rewind** available in the I/O library.

ftell takes a file pointer and return a number of type **long**, that corresponds to the current position. This function is useful in saving the current position of a file, which can be used later in the program. It takes the following form:

```
n = ftell(fp);
```

n would give the relative offset (in bytes) of the current position. This means that **n** bytes have already been read (or written).

rewind takes a file pointer and resets the position to the start of the file. For example, the statement

```
rewind(fp);
n = ftell(fp);
```

would assign 0 to n because the file position has been set to the start of the file by rewind. Remember, the first byte in the file is numbered as 0, second as 1, and so on. This function helps us in reading a file more than once, without having to close and open the file. Remember that whenever a file is opened for reading or writing, a **rewind** is done implicitly.

fseek function is used to move the file position to a desired location within the file. It takes the following form:

file ptr is a pointer to the file concerned, offset is a number or variable of type long, and position is an integer number. The offset specifies the number of positions (bytes) to be moved from the location specified by *position*. The *position* can take one of the following three values:

Value	Meaning
0	Beginning of file
1	Current position
2	End of file

The offset may be positive, meaning move forwards, or negative, meaning move backwards. Examples in Table 14.2 illustrate the operations of the **fseek** function:

Statement	Meaning
fseek(fp,0L,0);	Go to the beginning.
	(Similar to rewind)
fseek(fp,0L,1);	Stay at the current position.
	(Rarely used)
fseek(fp,0L,2);	Go to the end of the file, past the last character of the file.
fseek(fp,m,0);	Move to (m+1)th byte in the file.
fseek(fp,m,1);	Go forward by m bytes.
fseek(fp,-m,1);	Go backward by m bytes from the current position.
fseek(fp,-m,2);	Go backward by m bytes from the end. (Positions the file to the mth character from the end.)

When the operation is successful, **fseek** returns a zero. If we attempt to move the file pointer beyond the file boundaries, an error occurs and **fseek** returns -1 (minus one). It is good practice to check whether an error has occurred or not, before proceeding further.

Example 14.7 The program in Fig. 14.7 uses the functions **ftell** and **fseek**.

A program employing **ftell** and **fseek** functions is shown in Fig. 14.5. We have created a file **RANDOM** with the following contents:

We are reading the file twice. First, we are reading the content of every fifth position and printing its value along with its position on the screen. The second time, we are reading the contents of the file from the end and printing the same on the screen.

During the first reading, the file pointer crosses the end-of-file mark when the parameter \mathbf{n} of $\mathbf{fseek}(\mathbf{fp,n,0})$ becomes 30. Therefore, after printing the content of position 30, the loop is terminated.

For reading the file from the end, we use the statement

$$fseek(fp,-1L,2);$$

to position the file pointer to the last character. Since every read causes the position to move forward by one position, we have to move it back by two positions to read the next character. This is achieved by the function

$$fseek(fp, -2L, 1);$$

in the while statement. This statement also tests whether the file pointer has crossed the file boundary or not. The loop is terminated as soon as it crosses it.

```
Program
     #include <stdio.h>
     main()
         FILE *fp;
         long n;
         char c;
         fp = fopen("RANDOM", "w");
         while ((c = getchar()) != EOF)
             putc(c,fp);
         printf("No. of characters entered = %ld\n", ftell(fp));
         fclose(fp);
         fp = fopen("RANDOM","r");
         n = 0L;
         while (feof(fp) == 0)
             fseek(fp, n, 0); /*Position to (n+1)th character*/
             printf("Position of %c is %ld\n", getc(fp),ftell(fp));
```

```
N = N+5L;
         }
         PUTCHAR ('\N');
         FSEEK(FP,-1L,2); /*POSITION TO THE LAST CHARACTER*/
           {
               PUTCHAR (GETC (FP));
           WHILE (!FSEEK(FP, -2L, 1));
           FCLOSE (FP);
OUTPUT
     ABCDEFGHIJKLMNOPQRSTUVWXYZ^Z
     NO. OF CHARACTERS ENTERED = 26
     POSITION OF A IS 0
     POSITION OF F IS 5
     POSITION OF K IS 10
     POSITION OF P IS 15
     POSITION OF U IS 20
     POSITION OF Z IS 25
     POSITION OF IS 30
     ZYXWVUTSRQPONMLKJIHGFEDCBA
```

Fig. 14.7 Illustration of **fseek** and **ftell** functions

Example 14.8 The program in Fig. 14.8 appends additional items to the file INVENTORY created in Example 14.5 and prints the total contents of the file.

The program is shown in Fig. 14.8. It uses a structure definition to describe each item and a function append() to add an item to the file.

On execution, the program requests for the filename to which data is to be appended. After appending the items, the position of the last character in the file is assigned to n and then the file is closed.

The file is reopened for reading and its contents are displayed. Note that reading and displaying are done under the control of a while loop. The loop tests the current file position against n and is terminated when they become equal.

```
Program
     #include <stdio.h>
     struct invent record
           char name[10];
           int
                  number:
```

```
float price;
      int quantity;
};
main()
      struct invent record item;
      char filename[10];
      int response;
      FILE *fp;
      long n;
      void append (struct invent record *x, file *y);
      printf("Type filename:");
      scanf("%s", filename);
      fp = fopen(filename, "a+");
      do
   {
         append(&item, fp);
         printf("\nItem %s appended.\n",item.name);
         printf("\nDo you want to add another item\
             (1 for YES /0 for NO)?");
         scanf("%d", &response);
         while (response == 1);
                      /*Position of last character*/
   n = ftell(fp);
   fclose(fp);
   fp = fopen(filename, "r");
   while (ftell(fp) < n)
             fscanf(fp, "%s %d %f %d",
             item.name, &item.number, &item.price, &item.quantity);
             fprintf(stdout,"%-8s %7d %8.2f %8d\n",
             item.name, item.number, item.price, item.quantity);
   fclose(fp);
void append(struct invent record *product, File *ptr)
             printf("Item name:");
             scanf("%s", product->name);
             printf("Item number:");
             scanf("%d", &product->number);
             printf("Item price:");
             scanf("%f", &product->price);
             printf("Quantity:");
```

```
scanf("%d", &product->quantity);
                  fprintf(ptr, "%s %d %.2f %d",
                                         product->name,
                                         product->number,
                                         product->price,
                                         product->quantity);
     }
Output
     Type filename: INVENTORY
     Item name: XXX
     Item number:444
     Item price:40.50
     Quantity:34
     Item XXX appended.
     Do you want to add another item(1 for YES /0 for NO)?1
     Item name: YYY
     Item number:555
     Item price:50.50
     Quantity:45
     Item YYY appended.
     Do you want to add another item(1 for YES /0 for NO)?0
                  111
                           17.50
                                       115
     BBB-2
                  125
                            36.00
                                        75
     C-3
                  247
                            31.75
                                       104
     XXX
                  444
                            40.50
                                         34
                                     4.5
     YYY
                 555
                         50.50
```

Fig. 14.8 Adding items to an existing file

Example 14.9 The C program in Fig. 14.9 reverses the first n character in a file. The file name and the value of n are specified on the command line. Validation of arguments is incorporated, that is, the program checks that the number of arguments passed and the values of n that are meaningful.

```
Program
     #include <stdio.h>
     #include <conio.h>
     #include <stdlib.h>
     #include <string.h>
     void main(int argc, char *argv[])
        FILE *fs;
        Char str[100];
        int i,n,j;
```

```
if(argc!=3)/*Checking the number of arguments given at command line*/
     {
           puts ("Improper number of arguments.");
           exit(0);
        n=atoi(argv[2]);
        fs = fopen(argv[1], "r");/*Opening the souce file in read mode*/
        if(fs==NULL)
           printf("Source file cannot be opened.");
           exit(0);
        i = 0:
        while(1)
           if(str[i]=fgetc(fs)!=EOF)/*Reading contents of file character by
                  character*/
            j=i+1:
           else
            break;
        fclose(fs);
        fs=fopen(arqv[1],"w");/*Opening the file in write mode*/
        if(n<0||n>strlen(str))
           printf("Incorrect value of n. Program will terminate...\n\n");
           getch();
           exit(1);
        j=strlen(str);
        for (i=1; i \le n; i++)
           fputc(str[j],fs);
           j-;
        fclose(fs);
        printf("\n%d characters of the file successfully printed in reverse
    order",n);
        getch();
Output
     D:\TC\BIN\program source.txt 5
     {\bf 5} characters of the file successfully printed in reverse order
```

14.7 **Command Line Arguments**

What is a command line argument? It is a parameter supplied to a program when the program is invoked. This parameter may represent a filename the program should process. For example, if we want to execute a program to copy the contents of a file named X FILE to another one named Y FILE, then we may use a command line like

```
C > PROGRAM X FILE Y FILE
```

where **PROGRAM** is the filename where the executable code of the program is stored. This eliminates the need for the program to request the user to enter the filenames during execution. How do these parameters get into the program?

We know that every C program should have one **main** function and that it marks the beginning of the program. But what we have not mentioned so far is that it can also take arguments like other functions. In fact main can take two arguments called argc and argy and the information contained in the command line is passed on to the program through these arguments, when main is called up by the system.

The variable **argc** is an argument counter that counts the number of arguments on the command line. The argy is an argument vector and represents an array of character pointers that point to the command line arguments. The size of this array will be equal to the value of argc. For instance, for the command line given above, argc is three and argv is an array of three pointers to strings as shown below:

```
argv[0] -> PROGRAM
argv[1] \rightarrow X FILE
argv[2] \rightarrow Y FILE
```

In order to access the command line arguments, we must declare the main function and its parameters as follows:

```
main(int arge, char *argv[])
. . . . .
```

The first parameter in the command line is always the program name and therefore argv[0] always represents the program name.

Example 14.10 The program in Fig. 14.10 receives a filename and a line of text as command line arguments and writes the text to the file.

Figure 14.10 shows the use of command line arguments. The command line is F12 7 TEXT AAAAAA BBBBBB CCCCCC DDDDDD EEEEEE FFFFFF GGGGGG

Each word in the command line is an argument to the main and therefore the total number of arguments is 9.

The argument vector argv[1] points to the string TEXT and therefore the statement

```
fp = fopen(argv[1], "w");
```

opens a file with the name TEXT. The **for** loop that follows immediately writes the remaining 7 arguments to the file TEXT.

```
Program
     #include <stdio.h>
     main(int arge, char *argv[])
         FILE *fp;
         int i;
         char word[15];
         fp = fopen(argv[1], "w"); /*open file with name argv[1]*/
         printf("\nNo. of arguments in Command line = %d\n\n",argc);
         for(i = 2; i < argc; i++)
            fprintf(fp,"%s ", argv[i]); /*write to file argv[1]*/
         fclose(fp);
     /*Writing content of the file to screen*/
         printf("Contents of %s file\n\n", argv[1]);
         fp = fopen(argv[1], "r");
         for (i = 2; i < argc; i++)
            fscanf(fp, "%s", word);
            printf("%s ", word);
         fclose(fp);
         printf("\n\n");
     /*Writing the arguments from memory*/
         for(i = 0; i < argc; i++)
            printf("%*s \n", i*5,argv[i]);
     }
Output
     C>F12 7 TEXT AAAAAA BBBBBB CCCCCC DDDDDD EEEEEE FFFFFF GGGGG
     No. of arguments in Command line = 9
     Contents of TEXT file
     AAAAAA BBBBBB CCCCCC DDDDDD EEEEEE FFFFF GGGGGG
```

```
C:\C\F12 7.EXE
 TEXT
    AAAAA
         BBBBBB
                    DDDDDD
                         EEEEEE
                              FFFFFF
                                    GGGGGG
```

Fig. 14.10

Use of command line arguments

Just Remember

- Do not try to use a file before opening it.
- Remember, when an existing file is open using 'w' mode, the contents of file are deleted.
- When a file is used for both reading and writing, we must open it in 'w+' mode.
- EOF is integer type with a value -1. Therefore, we must use an integer variable to test EOF.
- It is an error to omit the file pointer when using a file function.
- It is an error to open a file for reading when it does not exist.
- It is an error to try to read from a file that is in write mode and vice versa.
- It is an error to attempt to place the file marker before the first byte of a file.
- It is an error to access a file with its name rather than its file pointer.
- It is a good practice to close all files before terminating a program.

Review Questions



- 14.1 State whether the following statements are true or false.
 - (a) A file must be opened before it can be used.
 - (b) All files must be explicitly closed.
 - (c) Files are always referred to by name in C programs.
 - (d) Using **fseek** to position a file beyond the end of the file is an error.
 - (e) Function **fseek** may be used to seek from the beginning of the file only.
- 14.2 Fill in the blanks in the following statements.
 - (a) The mode is used for opening a file for updating.
 - (b) The function _____ may be used to position a file at the beginning.
 - (c) The function gives the current position in the file.
 - (d) The function is used to write data to randomly accessed file.
- 14.3 Describe the use and limitations of the functions **getc** and **putc**.
- 14.4 What is the significance of EOF?
- 14.5 When a program is terminated, all the files used by it are automatically closed. Why is it then necessary to close a file during execution of the program?

- 14.6 Distinguish between the following functions:
 - (a) getc and getchar
 - (b) printf and fprintf
 - (c) feof and ferror
- 14.7 How does an append mode differ from a write mode?
- 14.8 What are the common uses of **rewind** and **ftell** functions?
- 14.9 Explain the general format of **fseek** function?
- 14.10 What is the difference between the statements **rewind(fp)**; and **fseek(fp,0L,0)**;?
- 14.11 Find error, if any, in the following statements:

```
FILE fptr;
fptr = fopen ("data", "a+");
```

14.12 What does the following statement mean?

```
FILE(*p) (void)
```

14.13 What does the following statement do?

```
While ( (c = getchar( ) != EOF )
         putc(c, fl);
```

14.14 What does the following statement do?

14.15 What does the following segment do?

```
for (i = 1; i \le 5; i++)
      fscanf(stdin, "%s", name);
      fprintf(fp, "%s", name);
}
```

- 14.16 What is the purpose of the following functions?
 - (a) feof()
 - (b) ferror ()
- 14.17 Give examples of using **feof** and **ferror** in a program.
- 14.18 Can we read from a file and write to the same file without resetting the file pointer? If not, why?
- 14.19 When do we use the following functions?
 - (a) free ()
 - (b) rewind ()
- 14.20 Describe an algorithm that will append the contents of one file to the end of another file.

Programming Exercises



- 14.1 Write a program to copy the contents of one file into another.
- 14.2 Two files DATA1 and DATA2 contain sorted lists of integers. Write a program to produce a third file DATA which holds a single sorted, merged list of these two lists. Use command line arguments to specify the file names.

- 14.3 Write a program that compares two files and returns 0 if they are equal and 1 is they are not.
- 14.4 Write a program that appends one file at the end of another.
- 14.5 Write a program that reads a file containing integers and appends at its end the sum of all the integers.
- 14.6 Write a program that prompts the user for two files, one containing a line of text known as source file and other, an empty file known as target file and then copies the contents of source file into target file.
 - Modify the program so that a specified character is deleted from the source file as it is copied to the target file.
- 14.7 Write a program that requests for a file name and an integer, known as offset value. The program then reads the file starting from the location specified by the offset value and prints the contents on the screen.
 - **Note:** If the offset value is a positive integer, then printing skips that many lines. If it is a negative number, it prints that many lines from the end of the file. An appropriate error message should be printed, if anything goes wrong.
- 14.8 Write a program to create a sequential file that could store details about five products. Details include product code, cost and number of items available and are provided through keyboard.
- 14.9 Write a program to read the file created in Exercise 14.8 and compute and print the total value of all the five products.
- 14.10 Rewrite the program developed in Exercise 14.8 to store the details in a random access file and print the details of alternate products from the file. Modify the program so that it can output the details of a product when its code is specified interactively.

Multiple Choice Questions

1.	Which of	the	following	functions	reads	an	int	eger	fr	om	a	file?
						e .						

(a) putw()

(b) fseek()

(c) getw()

- (d) fscanf()
- 2. What does the function ftell() do?
 - (a) Sets the position to the beginning of the file
 - (b) Writes an integer to the file
 - (c) Reads a character from a file
 - (d) Sets the position to a desired point in the file
- 3. What does the following function return?

fopen("name", "r")

(a) A pointer to FILE name

(b) Values 0 or 1

(c) Pointer to a new file

(d) Nothing

4. When a file is opened in r+ mode, which of the following is possible?

(a) Reading

(b) Writing

(c) Both reading and writing

(d) Nothing

14.26 C	omputer	Programming	and	Utilization
---------	---------	-------------	-----	-------------

5	Opening a	file in	which of	the fo	llowing	modes	results i	n the	loss of	contents	of a f	ile?
J.	Opcining a	1110 111	WIIICII OI	uic ic	MOW ME	moucs	i Courto i	m unc	1033 01	Comcinis	or a r	110:

(b) w

Openin
(a) a
(c) a+

(d) w+

Answers


1. (c)

2. (d)

3. (a)

4. (c)

5. (d)



15.1 Introduction

C is a unique language in many respects. We have already seen features such as structures and pointers. Yet another unique feature of the C language is the *preprocessor*. The C preprocessor provides several tools that are unavailable in other high-level languages. The programmer can use these tools to make his program easy to read, easy to modify, portable, and more efficient.

The preprocessor, as its name implies, is a program that processes the source code before it passes through the compiler. It operates under the control of what is known as *preprocessor command lines or directives*. Preprocessor directives are placed in the source program before the main line. Before the source code passes through the compiler, it is examined by the preprocessor for any preprocessor directives. If there are any, appropriate actions (as per the directives) are taken and then the source program is handed over to the compiler.

Preprocessor directives follow special syntax rules that are different from the normal C syntax. They all begin with the symbol # in column one and do not require a semicolon at the end. We have already used the directives #define and #include to a limited extent. A set of commonly used preprocessor directives and their functions is given in Table 15.1.

Table 15.1 Preprocessor Directive	S
---	---

Directive	Function
#define	Defines a macro substitution
#undef	Undefines a macro
#include	Specifies the files to be included
#ifdef	Test for a macro definition
#endif	Specifies the end of #if.
#ifndef	Tests whether a macro is not defined.
#if	Test a compile-time condition
#else	Specifies alternatives when #if test fails.

These directives can be divided into three categories:

- 1. Macro substitution directives.
- 2. File inclusion directives.
- 3. Compiler control directives.

15.2 Macro Substitution

Macro substitution is a process where an identifier in a program is replaced by a predefined string composed of one or more tokens. The preprocessor accomplishes this task under the direction of **#define** statement. This statement, usually known as a *macro definition* (or simply a macro) takes the following general form:

#define identifier string

If this statement is included in the program at the beginning, then the preprocessor replaces every occurrence of the **identifier** in the source code by the string. The keyword **#define** is written just as shown (starting from the first column) followed by the *identifier* and a *string*, with at least one blank space between them. Note that the definition is not terminated by a semicolon. The *string* may be any text, while the *identifier* must be a valid C name.

There are different forms of macro substitution. The most common forms are

- 1. Simple macro substitution
- 2. Argumented macro substitution
- 3. Nested macro substitution

15.2.1 Simple Macro Substitution

Simple string replacement is commonly used to define constants. Examples of definition of constants are:

#define	COUNT	100
#define	FALSE	0
#define	SUBJECTS	6
#define	PI	3.1415926
#define	CAPITAL	"DELHI"

Notice that we have written all macros (identifiers) in capitals. It is a convention to write all macros in capitals to identify them as symbolic constants. A definition, such as

```
#define M 5
```

will replace all occurrences of M with 5, starting from the line of definition to the end of the program. However, a macro inside a string does not get replaced. Consider the following two lines:

```
total = M * value;
printf("M = %d\n", M);
```

These two lines would be changed during preprocessing as follows:

```
total = 5 * value;
printf("M = %d\n", 5);
```

Notice that the string "M=%d\n" is left unchanged.

A macro definition can include more than a simple constant value. It can include expressions as well. Following are valid definitions:

#define	AREA	5 * 12.46
#define	SIZE	sizeof(int) * 4
#define	TWO-PI	2.0 * 3.1415926

Whenever we use expressions for replacement, care should be taken to prevent an unexpected order of evaluation. Consider the evaluation of the equation

where D and A are macros defined as follows:

#define	D	45 - 22
#define	A	78 + 32

The result of the preprocessor's substitution for D and A is:

ratio =
$$45-22/78+32$$
;

This is certainly different from the expected expression

$$(45-22)/(78+32)$$

Correct results can be obtained by using parentheses around the strings as:

#define	D	(45 - 22)
#define	A	(78 + 32)

It is a wise practice to use parentheses for expressions used in macro definitions.

As mentioned earlier, the preprocessor performs a literal text substitution, whenever the defined name occurs. This explains why we cannot use a semicolon to terminate the #define statement. This also suggests that we can use a macro to define almost anything. For example, we can use the definitions

#define	TEST	if $(x > y)$
#define	AND	
#define	PRINT	<pre>printf("Very Good. \n");</pre>

to build a statement as follows:

TEST AND PRINT

The preprocessor would translate this line to

Some tokens of C syntax are confusing or are error-prone. For example, a common programming mistake is to use the token = in place of the token == in logical expressions. Similar is the case with the token &&.

Following are a few definitions that might be useful in building error free and more readable programs:

```
#define
                      EOUALS
                                                  ___
#define
                      AND
                                                  &&
#define
                      OR
                                                  #define
                      NOT EQUAL
                                                  !=
#define
                      START
                                                  main() {
#define
                      END
#define
                      MOD
                                                  %
#define
                                                  printf("\n");
                      BLANK LINE
#define
                      INCREMENT
                                                  ++
```

An example of the use of syntactic replacement is:

```
START
... ....
if(total EQUALS 240 AND average EQUALS 60)
INCREMENT count;
... ....
END
```

15.2.2 Macros with Arguments

The preprocessor permits us to define more complex and more useful form of replacements. It takes the form:

```
#define identifier(f1, f2, . . . . . fn) string
```

Notice that there is no space between the macro *identifier* and the left parentheses. The identifiers f1, f2,,fn are the formal macro arguments that are analogous to the formal arguments in a function definition.

There is a basic difference between the simple replacement discussed above and the replacement of macros with arguments. Subsequent occurrence of a macro with arguments is known as a *macro call* (similar to a function call). When a macro is called, the preprocessor substitutes the string, replacing the formal parameters with the actual parameters. Hence, the string behaves like a template.

A simple example of a macro with arguments is

```
#define CUBE(x) (x*x*x)
```

If the following statement appears later in the program

```
volume = CUBE(side);
```

Then the preprocessor would expand this statement to:

```
volume = (side * side * side );
```

Consider the following statement:

```
volume = CUBE(a+b);
```

This would expand to:

$$volume = (a+b * a+b * a+b);$$

which would obviously not produce the correct results. This is because the preprocessor performs a blind test substitution of the argument a+b in place of x. This shortcoming can be corrected by using parentheses for each occurrence of a formal argument in the string. Example:

#define
$$CUBE(x)$$
 $((x) * (x) *(x))$

This would result in correct expansion of **CUBE(a+b)** as:

$$volume = ((a+b) * (a+b) * (a+b));$$

Remember to use parentheses for each occurrence of a formal argument, as well as the whole *string*. Some commonly used definitions are:

#define	MAX(a,b)	(((a) > (b)) ? (a) : (b))
#define	MIN(a,b)	(((a) < (b)) ? (a) : (b))
#define	ABS(x)	(((x) > 0) ? (x) : (-(x)))
#define	STREQ(s1,s2)	(strcmp((s1,) (s2)) == 0)
#define	STRGT(s1,s2)	(strcmp((s1,) (s2)) > 0)

The argument supplied to a macro can be any series of characters. For example, the definition **#define** PRINT(variable, format) printf("variable = %format \n", variable) can be called-in by

The preprocessor will expand this as

```
printf( "price x quantity = %f\n", price x quantity);
```

Note that the actual parameters are substituted for formal parameters in a macro call, although they are within a string. This definition can be used for printing integers and character strings as well.

15.2.3 Nesting of Macros

We can also use one macro in the definition of another macro. That is, macro definitions may be nested. For instance, consider the following macro definitions.

#define	M	5
#define	N	M+1
#define	SQUARE(x)	((x) * (x))
#define	CUBE(x)	(SQUARE(x) * (x))
#define	SIXTH(x)	(CUBE(x) * CUBE(x))

The preprocessor expands each #define macro, until no more macros appear in the text. For example, the last definition is first expanded into

$$((SQUARE(x) * (x)) * (SQUARE(x) * (x)))$$

Since **SQUARE** (x) is still a macro, it is further expanded into

$$((((x)^*(x))^*(x))^*(((x)^*(x))^*(x)))$$

which is finally evaluated as x^6 .

Macros can also be used as parameters of other macros. For example, given the definitions of M and N, we can define the following macro to give the maximum of these two:

#define
$$MAX(M,N)$$
 (($(M) > (N)$)? $(M) : (N)$)

Macro calls can be nested in much the same fashion as function calls. Example:

#define	HALF(x)	(x)/2.0
#define	Y	HALF(HALF(x))

Similarly, given the definition of MAX(a,b) we can use the following nested call to give the maximum of the three values x,y, and z:

15.2.4 Undefining a Macro

A defined macro can be undefined, using the statement

#undef identifier

This is useful when we want to restrict the definition only to a particular part of the program.

15.3 File Inclusion

An external file containing functions or macro definitions can be included as a part of a program so that we need not rewrite those functions or macro definitions. This is achieved by the preprocessor directive

#include "filename"

where *filename* is the name of the file containing the required definitions or functions. At this point, the preprocessor inserts the entire contents of *filename* into the source code of the program. When the *filename* is included within the double quotation marks, the search for the file is made first in the current directory and then in the standard directories.

Alternatively this directive can take the form

#include <filename>

without double quotation marks. In this case, the file is searched only in the standard directories.

Nesting of included files is allowed. That is, an included file can include other files. However, a file cannot include itself.

If an included file is not found, an error is reported and compilation is terminated.

Let use assume that we have created the following three files:

SYNTAX.C contains syntax definitions.
STAT.C contains statistical functions.
TEST.C contains test functions.

We can make use of a definition or function contained in any of these files by including them in the program as:

```
#include
              <stdio.h>
#include
              "SYNTAX.C"
              "STAT.C"
#include
#include
              "TEST.C"
#define
          Μ
                    100
main ()
```

Compiler Control Directives 15.4

While developing large programs, you may face one or more of the following situations:

- 1. You have included a file containing some macro definitions. It is not known whether a particular macro (say, TEST) has been defined in that header file. However, you want to be certain that Test is defined (or not defined).
- 2. Suppose a customer has two different types of computers and you are required to write a program that will run on both the systems. You want to use the same program, although certain lines of code must be different for each system.
- 3. You are developing a program (say, for sales analysis) for selling in the open market. Some customers may insist on having certain additional features. However, you would like to have a single program that would satisfy both types of customers.
- 4. Suppose you are in the process of testing your program, which is rather a large one. You would like to have print calls inserted in certain places to display intermediate results and messages in order to trace the flow of execution and errors, if any. Such statements are called 'debugging' statements. You want these statements to be a part of the program and to become 'active' only when you decide so.

One solution to these problems is to develop different programs to suit the needs of different situations. Another method is to develop a single, comprehensive program that includes all optional codes and then directs the compiler to skip over certain parts of source code when they are not required. Fortunately, the C preprocessor offers a feature known as conditional compilation, which can be used to 'switch' on or off a particular line or group of lines in a program.

15.4.1 Situation 1

This situation refers to the conditional definition of a macro. We want to ensure that the macro TEST is always defined, irrespective of whether it has been defined in the header file or not. This can be achieved as follows:

```
#include
                     "DEFINE.H"
#ifndef
                     TEST
#define
                     TEST 1
#endif
```

DEFINE.H is the header file that is supposed to contain the definition of **TEST** macro. The directive.

#ifndef TEST

searches for the definition of **TEST** in the header file and *if not defined*, then all the lines between the **#ifndef** and the corresponding **#endif** directive are left 'active' in the program. That is, the preprocessor directive

```
# define TEST is processed.
```

In case, the TEST has been defined in the header file, the **#ifndef** condition becomes false, therefore the directive **#define TEST** is ignored. Remember, you cannot simply write

```
# define TEST 1
```

because if TEST is already defined, an error will occur.

Similar is the case when we want the macro **TEST** never to be defined. Looking at the following code:

```
#ifdef TEST
#undef TEST
#endif
```

This ensures that even if **TEST** is defined in the header file, its definition is removed. Here again we cannot simply say

#undef TEST

because, if TEST is not defined, the directive is erroneous.

15.4.2 Situation 2

The main concern here is to make the program portable. This can be achieved as follows:

```
#else
{
        . . . . . .
                                    code for HP machine
#endif
        . . . . . .
```

If we want the program to run on IBM PC, we include the directive

#define IBM PC

in the program; otherwise we don't. Note that the compiler control directives are inside the function. Care must be taken to put the # character at column one.

The compiler complies the code for IBM PC if **IBM-PC** is defined, or the code for the HP machine if it is not.

15.4.3 Situation 3

This is similar to the above situation and therefore the control directives take the following form:

#ifdef	ABC	
	group-A	lines
#else		
	group-B	lines
#endif		

Group-A lines are included if the customer **ABC** is defined. Otherwise, group-B lines are included.

15.4.4 Situation 4

Debugging and testing are done to detect errors in the program. While the Compiler can detect syntactic and semantic errors, it cannot detect a faulty algorithm where the program executes, but produces wrong results.

The process of error detection and isolation begins with the testing of the program with a known set of test data. The program is divided down and **printf** statements are placed in different parts to see intermediate results. Such statements are called debugging statements and are not required once the errors are isolated and corrected. We can either delete all of them or, alternately, make them inactive using control directives as:

#ifdef TEST

The statements between the directives **#ifdef** and **#endif** are included only if the macro **TEST** is defined. Once everything is OK, delete or undefine the **TEST**. This makes the **#ifdef TEST** conditions false and therefore all the debugging statements are left out.

The C preprocessor also supports a more general form of test condition - **#if** directive. This takes the following form:

```
#if constant expression
{
         statement-1;
         statement-2;
         ... ...
         ... ...
}
#endif
```

The *constant-expression* may be any logical expression such as:

```
TEST <= 3
(LEVEL == 1 || LEVEL == 2)
MACHINE == 'A'
```

If the result of the constant-expression is nonzero (true), then all the statements between the **#if** and **#endif** are included for processing; otherwise they are skipped. The names **TEST**, **LEVEL**, etc. may be defined as macros.

The Preprocessor 15.11

ANSI Additions 15.5

ANSI committee has added some more preprocessor directives to the existing list given in Table 15.1. They are:

> #elif Provides alternative test facility Specifies certain instructions #pragma

#error Stops compilation when an error occurs

The ANSI standard also includes two new preprocessor operations:

expression 1

Stringizing operator ## Token-pasting operator

15.5.1 # elif Directive

#if

The #elif enables us to establish an "if..else..if.." sequence for testing multiple conditions. The general form of use of #elif is:

```
statement sequence 1
                   #elif
                           expression 2
                           statement sequence 2
                           . . . . .
                              #elif expression N
                                   statement sequence N
                   #endif
For example:
           #if
                   MACHINE == HCL
                   #define FILE "hcl.h"
                           MACHINE == WIPRO
                   #elif
                           #define FILE "wipro.h"
                                   MACHINE == DCM
                           #elif
                                   #define FILE "dcm.h"
```

15.5.2 **#pragma Directive**

#include FILE

#endif

The #pragma is an implementation oriented directive that allows us to specify various instructions to be given to the compiler. It takes the following form:

#pragma name

where, *name* is the name of the **pragma** we want. For example, under Microsoft C,

```
#pragma loop opt(on)
```

causes loop optimization to be performed. It is ignored, if the compiler does not recognize it.

15.5.3 #error Directive

The #error directive is used to produce diagnostic messages during debugging. The general form is

```
#error error message
```

When the **#error** directive is encountered, it displays the error message and terminates processing. Example.

```
#if !defined(FILE_G)
#error NO GRAPHICS FACILITY
#endif
```

Note that we have used a special processor operator **defined** along with **#if**. **defined** is a new addition and takes a *name* surrounded by parentheses. If a compiler does not support this, we can replace it as follows:

#if !defined	by	#ifndef
#if defined	by	#ifdef

15.5.4 Stringizing Operator

ANSI C provides an operator # called *stringizing operator* to be used in the definition of macro functions. This operator allows a formal argument within a macro definition to be converted to a string. Consider the example below:

The preprocessor will convert the line

```
sum (a+b); into printf(``a+b'' ``=\$f\n'', a+b); which is equivalent to printf(``a+b = \$f\n'', a+b);
```

Note that the ANSI standard also stipulates that adjacent strings will be concatenated.

15.5.5 Token Pasting Operator

The token pasting operator ## defined by ANSI standard enables us to combine two tokens within a macro definition to form a single token. For example:

```
#define combine(s1,s2) s1 ## s2
   main()
   {
           . . . . . .
           . . . . . .
           printf("%f", combine(total, sales));
```

The preprocessor transforms the statement

```
printf("%f", combine(total, sales));
into the statement
                printf("%f", totalsales);
```

Consider another macro definition:

```
#define print(i) printf("a" #i "=%f", a##i)
```

This macro will convert the statement

into the statement

```
print(5);
printf("a5 = %f", a5)
```

Just Remember

- Use macros to manage changes made to a program code in a systematic manner.
- Use #undef to undefine a macro so that it is restricted to only a specific part in a program.
- Remember that #include <filename> directive searches the file only in the standard directories as defined by the compiler. However, the #include "filename" directive searches the file in the program's source directory; and if the file is not located, it then search for the file in the standard directories.
- Use #ifndef to endif directives for conditional compilation of program code.

Review Questions

- 15.1 Explain the facilities provided by the C preprocessor with examples.
- 15.2 What is a macro and how is it different from a C variable name?

- 15.3 What precautions one should take when using macros with argument?
- 15.4 What are the advantages of using macro definitions in a program?
- 15.5 When does a programmer use **#include** directive?
- 15.6 The value of a macro name cannot be changed during the running of a program. Comment?
- 15.7 What is conditional compilation? How does it help a programmer?
- 15.8 Distinguish between **#ifdef** and **#if** directives.
- 15.9 Comment on the following code fragment:

```
#if 0
{
           line-1:
           line-2:
           ... ...
           line-n;
#endif
```

- 15.10 Identify errors, if any, in the following macro definitions:
 - (a) #define until(x) while(!x)
 - (b) #define ABS(x) (x > 0)? (x): (-x)
 - (c) #ifdef(FLAG)

#undef FLAG

#endif

(d) #if n == 1 update(item)

#else print-out(item)

#endif

- 15.11 State whether the following statements are true or false.
 - (a) The keyword #define must be written starting from the first column.
 - (b) Like other statements, a processor directive must end with a semicolon.
 - (c) All preprocessor directives begin with #.
 - (d) We cannot use a macro in the definition of another macro.
- 15.12 Fill in the blanks in the following statements.
 - (a) The directive discords a macro. (b) The operator ______ is used to concatenate two arguments. (c) The operator _____ converts its operand.

 - (d) The directive causes an implementation-oriented action.
- 15.13 Enumerate the differences between functions and parameterized macros.
- 15.14 In #include directives, some file names are enclosed in angle brackets while others are enclosed in double quotation marks. Why?
- 15.15 Why do we recommend the use of parentheses for formal arguments used in a macro definition? Give an example.

Programming Exercises

- 15.1 Define a macro PRINT VALUE that can be used to print two values of arbitrary type.
- 15.2 Write a nested macro that gives the minimum of three values.
- 15.3 Define a macro with one parameter to compute the volume of a sphere. Write a program using this macro to compute the volume for spheres of radius 5, 10 and 15 metres.
- 15.4 Define a macro that receives an array and the number of elements in the array as arguments. Write a program using this macro to print out the elements of an array.
- 15.5 Using the macro defined in the exercise 15.4, write a program to compute the sum of all elements in an array.
- 15.6 Write symbolic constants for the binary arithmetic operators +, -, * and /. Write a short program to illustrate the use of these symbolic constants.
- 15.7 Define symbolic constants for { and } and printing a blank line. Write a small program using these constants.
- 15.8 Write a program to illustrate the use of stringizing operator.

Multiple Choice Questions

1. Which of the following statements hold true for a preprocessor command?

- (a) It need not start on a new line.
 - (b) It's not mandatory for it to start on the first column.
 - (c) It should have # as its first character.
 - (d) It comes before the first executable statement.
- 2. What is "**#include**" known as?
 - (a) Preprocessor directive

(b) Inclusion directive

(c) Header file

- (d) File inclusion directive
- 3. What is the preprocessor feature that supplies line numbers and file names to compiler known as?
 - (a) Selective inclusion

(b) Macro substitution

(c) Line control

- (d) Concatenation
- 4. A preprocessor is a program which:
 - (a) Acts as a loader
 - (b) Links various source files
 - (c) Processes input data prior to file execution.
 - (d) Processes its input data to produce output that is used as an input to another program.
- 5. Which of the following options apply to the statement:
 - "C preprocessor is the first step to take place during compilation."
 - (a) True

(b) False

(c) Depends on the compiler

- (d) Depends on the standard
- 6. In which of the following stages does the code "#include<stdio.h>" get replaced by the contents of the file **<stdio.h>**?
 - (a) Execution

(b) Linking

(c) Preprocessing

(d) Loading

15.16 Computer Programming and Utilization

7.	Which	of the	following	directives	ston	compilation	when	error	occurs
/ .	VV 111C11	or mc	10110 W III g	unccuves	SIUD	Compilation	WIICH	CITOI	occui

(a) #pragma

(b) #error

(c) #elif

(d) #endif

8. What is **#pragma** exit primarily used for?

- (a) Checking for any memory leaks after exiting the program.
- (b) To inform the operating system that the program has terminated.
- (c) To run a function at exiting the program.
- (d) To exit a program when any error occurs.

Answers					
1. (c) 6. (c)	2. (a) 7. (b)	3. (c) 8. (c)	4. (d)	5. (a)	



1. Write a C program to swap two numbers by using temporary variable.

Solution:

```
#include <stdio.h>
int main()
      double num1, num2, temp;
      printf("Enter first number: ");
      scanf("%lf", &num1);
      printf("Enter second number: ");
      scanf("%lf",&num2);
      // Value of firstNumber is assigned to temporaryVariable
      temp = num1;
      // Value of secondNumber is assigned to firstNumber
      num1 = num2;
      // Value of temporaryVariable (which contains the initial value of
         firstNumber) is assigned to secondNumber
      num2 = temp;
      printf("\nAfter swapping, firstNumber = %.21f\n", num1);
      printf("After swapping, secondNumber = %.21f", num2);
      return 0;
```

2. Write a C program to check whether an entered number is odd or even.

Solution:

```
#include <stdio.h>
int main()
{
    int num;
    printf("Enter an integer: ");
    scanf("%d", &num);

    // True if the number is perfectly divisible by 2
    if(num % 2 == 0)
        printf("%d is even.", num);
    else
        printf("%d is odd.", num);
    return 0;
}
```

3. Write a C program to check whether an entered character is vowel or consonant.

Solution:

```
#include <stdio.h>
int main()
   char c;
   int lowerCase, upperCase;
   printf("Enter an alphabet: ");
   scanf("%c",&c);
   // evaluates to 1 (true) if c is a lowercase vowel
   lowerCase = (c == 'a' || c == 'e' || c == 'i' || c == 'o' || c == 'u');
   // evaluates to 1 (true) if c is an uppercase vowel
   upperCase = (c == 'A' || c == 'E' || c == 'I' || c == 'O' || c == 'U');
    // evaluates to 1 (true) if either lowerCase or upperCase is true
   if (lowerCase || upperCase)
       printf("%c is a vowel.", c);
   else
       printf("%c is a consonant.", c);
   return 0;
```

4. Write a C program to calculate the sum of natural numbers using for loop.

Solution:

```
#include <stdio.h>
int main()
{
    int n, i, sum = 0;
    printf("Enter a positive integer: ");
    scanf("%d",&n);
    for(i=1; i <= n; ++i)
    {
        sum += i; // sum = sum+i;
    }
    printf("Sum = %d",sum);
    return 0;
}</pre>
```

5. Write a C program to check whether an entered 3-digit number is Armstrong number.

Solution:

```
#include <stdio.h>
int main()
   int num, originalnum, rem, result = 0;
    printf("Enter a three digit integer: ");
   scanf("%d", &num);
    originalnum = num;
    while (originalnum != 0)
    {
        rem = originalnum%10;
       result += rem*rem*rem;
        originalnum /= 10;
    if(result == num)
        printf("%d is an Armstrong num.", num);
    else
        printf("%d is not an Armstrong num.", num);
    return 0;
```

Seat No.:	Enrolment No.

Gujarat Technological University

BE Semester-1st/2nd Examination (New Syllabus) – Summer 2016

Subject Code: 2110003	Date: 04-06-2016
Subject Name: Computer Programming and Utilization	
Time: 2.30 p.m. – 5.00 p.m.	Total Marks: 70
Instrumentians	

Cime: 2.30 p.m. – 5.00 p.m.	T	otal Marks: 70						
	Instructions							
 Question No. 1 is compulsory. Attempt any four out of remaining six questions. Make suitable assumptions wherever necessary. Figures to the right indicate maximum marks. 								
Q.1 Objective Questions (MCQs)								
(a)		07						
1. Which of the following is term	ary operator?							
(a) ??	(c) :?							
(b) ?:	(d) ::							
2. Which header file is essential to	for using scanf() function?							
(a) ctype.h	(c) string.h							
(b) conio.h	(d) stdio.h							
3. A declaration float sum, value;	occupies of memory?							
(a) 2 byte	(c) 4 byte							
(b) 6 byte	(d) 8 byte							
4. Array index starts at								
(a) 1	(c) User Defined							
(b) 0	(d) None of above							
5. When function calls itself, it is	s known as							
(a) Recursion	(c) Exit control loop							
(b) Nested loop	(d) User defined function							
6. Default value of global variable	le is:							
(a) 0	(c) 1							
(b) Garbage value	(d) Depend on data type							
7. When fopen() fails to open a	file it returns:							
(a) NULL	(c) 1							
(b) -1	(d) None of above							
Ans 1 (b) 2 (d) 3 (d) 4 (b) 5 (a) 6 (a) 7 (a)							

scanf("%d",&mode);

if(mode==1)

(b))								07
	1.	Def	fault value	e of local va	ariable is:				
		(b)	0			(c)	1		
		(a)	Garbage	value		(d)	Depend on	data type	
	2.	AS	CII value	of 'A' is	·				
		(a)	55			(c)	65		
		(b)	75			(d)	85		
	3.	MA	CRO is u	ised to					
		(a)	Save me	mory		(c)	fast execut	ion	
		(b)	Both a &	сс		(d)	none of abo	ove	
	4.	Eve	ery string	is terminate	ed by NUL	L charac	ter. How it i	s represented?	
		(a)	' \0'			(c)	both a and	b	
		(b)	NULL			(d)	None of ab	oove	
	5.	Wh	ich are no	ot looping s	tructures?				
		(a)	For loop			(c)	While loop)	
		(b)	Dowhi	le loop		(d)	ifelse		
	6.	If p	tr is a poi	nter to int,	having valu	ue ptr=10	00. After ptr	++, what is the value	e of ptr?
		(a)	100			(c)	101		
		(b)	102			(d)	103		
	7.	Hov	w many tir	nes the follo	wing code	prints the	string "hello	o" for(i=1;i<=50;i++)	; printf("Hello");
		(a)	1			(c)	50		
		(b)	Zero			(d)	None of the	em	
Ans.	1. (d)	2. (c)	3. (b)	4. (a)	5. (d)	6. (b)	7. (a)	
2.	(a)	Lis	t out type	es of softwa	are with E	xamples	•		03
			Section 1			-			
1 11150									
			•	chart with	ı suitable e	example.			04
Ans.	Re	fer to	Section 1	1.14.					
	(c)	Wr	rite a C p	rogram to	convert Co	elsius to	Fahrenheit	and vice versa.	07
Ans.	P	rogr	am						
	luc	de <	stdio.h> conio.h>						
{									
		ode			1				
		tem r()	_	us,temp_fa	ahrenheit	. ;			
CI	TOC	T ()	,						

printf("Enter 1 for Celsius to Fahrenheit, Enter 2 for Fahrenheit to Celsius:- ");

```
{
printf("Enter temperature in Celsius:-");
scanf("%f", &temp celsius);
temp fahrenheit = (temp celsius * 1.8) + 32;
printf("Temperature in Fahrenheit is = %.2f",temp fahrenheit);
   else
printf("Enter temperature in Fahrenheit:-");
scanf("%f",&temp fahrenheit);
temp celsius = (temp fahrenheit - 32) / 1.8;
printf("Temperature in Celsius is = %.2f", temp celsius);
   getch();
```

Output

```
Enter 1 for Celsius to Fahrenheit, Enter 2 for Fahrenheit to Celsius:- 1
Enter temperature in Celsius:-50
Temperature in Fahrenheit is = 122.00
```

Q.3 (a) Discuss the important of stdio.h header file.

03

Ans. The C programming language has many standard library functions for file and console input and output. These functions are part of header file stdio.h

This header file is used to read/write to/from console/file.

Following are the most widely used functions.

```
int printf ( const char * format text, ... );
```

Print formatted data to stdout (console)

write to the standard output (stdout). format text specifies text as well as locations where we want to insert values of variables.

```
int scanf ( const char * format text, ... );
```

Read formatted data from stdin

Reads data from stdin and stores them according to the sequence of variables specified in format text.

fprintf and fscanf are used to write and read data from files respectively.

(b) Explain entry control loop and exit control loop with example.

04

Ans. Refer to Section 7.2 and 7.4 for entry controlled loop.

Refer to Section 7.3 for exit controlled loop.

(c) Write a menu driven C program for simple calculator. Also draw flowchart.


Ans. Program

```
#include <stdio.h>
#include <stdio.h>
#include <conio.h>
void main()
     char op;
     float no1, no2, ans;
     int mode;
while (1)
 printf("\n\nEnter 1 to Continue, 0 to Exit:-");
  scanf("%d", &mode);
 if(mode==0)
     break;
     printf("Enter Number 1:- ");
     scanf("%f", &no1);
     printf("Enter Number 2:- ");
     scanf("%f", &no2);
     printf("Enter Operator:- ");
     scanf(" %c", &op);
     switch(op)
  case '+':
     ans = no1+no2;
     printf("%f + %f = %f", no1, no2, ans);
     break;
  case '-':
     ans = no1-no2;
     printf("%f - %f = %f", no1, no2, ans);
     break;
  case '*':
      ans = no1*no2;
      printf("%f * %f = %f", no1, no2, ans);
      break;
  case '/':
      ans = no1/no2;
      printf("%f / %f = %f", no1, no2, ans);
     break;
  default:
      printf("Invalid Operator");
     break;
getch();
```

Output

```
Enter 1 to Continue, 0 to Exit:-1
Enter Number 1:- 10
Enter Number 2:- 20
Enter Operator:- *
10.000000 * 20.000000 = 200.000000
Enter 1 to Continue, 0 to Exit:-1
Enter Number 1:- 20
Enter Number 2:- 2
Enter Operator:- /
20.000000 / 2.000000 = 10.000000
Enter 1 to Continue, 0 to Exit:-0
```

Flowchart



Q.4 (a) Explain basic data types of C.

03

Ans. Refer to Section 3.7.

(b) Explain break and continue statement with example.

04

Ans. Refer to Section 7.5.

(c) Write a program in C for multiplication of two matrix.

07

Ans. Program

Output

```
Prime Numbers between 1 to 100:-
2 3 5 7 11 13 17 19 23 29 31 37 41 43 47 53 59 61 67 71 73 79 83 89 97
```

Q.5 (a) Explain derive data types.

03

Ans. Arrays, Pointers, Structures and Unions are derived data types. Refer to Section 8.1, 9.1, 11.1 and 12.1 for introduction.

(b) Explain getch(), getchar(), gets(), puts().

04

Ans. Refer to Sections 5.2 and 5.3

(c) Write a C program to multiply two N X N Matrix.

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
 int N=3;
 int m1[3][3], m2[3][3], m3[3][3], i, j, k;
 int sum = 0;
 clrscr();
 printf("\nEnter Matrix 1:-");
 for (i = 0; i < N; i++)
    for (j = 0; j < N; j++)
    printf("\nEnter value of %d, %d:-", i+1, j+1);
     scanf("%d", &m1[i][j]);
 printf("\nEnter Matrix 2:-");
 for (i = 0; i < N; i++)
     for (j = 0; j < N; j++)
    printf("\nEnter value of %d, %d:-", i+1, j+1);
    scanf("%d", &m2[i][j]);
  for (i = 0; i < N; i++)
    for (j = 0; j < N; j++)
  sum = 0;
  for (k = 0; k < N; k++)
     sum = sum + m1[i][k] * m2[k][j];
  m3[i][j] = sum;
 printf("\nMultiplication-\n");
  for (i = 0; i < N; i++)
     for (j = 0; j < N; j++)
     printf(" %5d ", m3[i][j]);
    printf("\n");
  getch();
```

Output

```
Enter Matrix 1:-
Enter value of 1,1:-1
Enter value of 1,2:-2
Enter value of 1,3:-3
Enter value of 2,1:-4
Enter value of 2,2:-5
Enter value of 2,3:-6
Enter value of 3,1:-7
Enter value of 3,2:-8
Enter value of 3,3:-9
Enter Matrix 2:-
Enter value of 1,1:-1
Enter value of 1,2:-4
Enter value of 1,3:-7
Enter value of 2,1:-2
Enter value of 2,2:-5
Enter value of 2,3:-8
Enter value of 3,1:-3
Enter value of 3,2:-6
Enter value of 3,3:-9
Multiplication-
   14 32 50
32 77 122
        122 194
    50
```

Q.6 (a) Briefly discuss about scope of variable.

Ans. Refer to Section 10.19.

(b) Explain Call by value and Call by reference.

Ans. Refer to Section 10.7.

03

- -

04

(c) Which type of problem can be solved by structure? Explain it with C program.

Ans. Refer to Section 12.1.

Program

```
#include <stdio.h>
#include <comio.h>
struct book
   char name[10];
  char author[10];
  int price;
   int quantity;
   int total amount;
};
void main()
struct book bookdata[3];
int i,total=0;
clrscr();
for (i=0; i<3; i++)
printf("\n\nEnter Data for Book %d\n",i+1);
printf("Enter Book Name :- ");
scanf("%s", bookdata[i].name);
printf("Enter Author Name:- ");
scanf("%s",bookdata[i].author);
printf("Enter Price :- ");
scanf("%d", &bookdata[i].price);
printf("Enter Quantity :- ");
scanf("%d", &bookdata[i].quantity);
bookdata[i].total amount = bookdata[i].price * bookdata[i].quantity;
total+=bookdata[i].total amount;
}
for (i=0; i<3; i++)
printf("\n %s:- %d",bookdata[i].name,bookdata[i].total amount);
printf("\nTotal Cost:- %d",total);
getch();
```

Output

```
Enter Data for Book 1
Enter Book Name :- C
Enter Author Name: - ABC
Enter Price :- 120
Enter Quantity :- 5
Enter Data for Book 2
Enter Book Name :- C++
Enter Author Name: - DEF
Enter Price :- 220
Enter Quantity :- 10
Enter Data for Book 3
Enter Book Name :- Java
Enter Author Name: - XYZ
Enter Price :- 250
Enter Quantity :- 5
C:- 600
C++:- 2200
Java: - 1250
Total Cost: - 4050
```

Q.7 (a) Explain dynamic memory allocation.

Ans. Refer to Sections 13.1 and 13.2.

(b) Write syntax of fseek () function and explain fseek (fp,-10,1) and fseek (fp,10,0). 04

03

Ans.

fseek(FILE *stream, long int offset, int place) sets the file position of the stream to the given offset.

```
stream – Pointer to a file offset – Number of bytes to shift from the current position place – from where to shift
```

fseek(fp,-10,1) Move file pointer backward 10 bytes from current position. fseek(fp,10,0). Move file pointer to 1st byte and then move forward 10 bytes.

For further details Refer to Section 14.6.

(c) Write a program to read n different integer numbers from keyboard and calculate the sum using pointer. **07**

Program

```
#include <stdio.h>
#include <comio.h>
void main()
 int N=10;
 int data[10];
 int sum = 0,i;
 int *p;
 clrscr();
 p = \&data[0];
 printf("\nEnter Data:-");
 for (i = 0; i < N; i++)
     printf("\nEnter value of number %d:-",i+1);
     scanf("%d", &data[i]);
  for (i = 0; i < N; i++)
    sum += *p;
    p++;
 printf("Sum = %d", sum);
 getch();
```

Output

```
Enter Data:-
Enter value of number 1:-14
Enter value of number 2:-34
Enter value of number 3:-5
Enter value of number 4:-56
Enter value of number 5:-4
Enter value of number 6:-234
```

Q.12 Computer Programming and Utilization

```
Enter value of number 7:-43

Enter value of number 8:-4

Enter value of number 9:-6

Enter value of number 10:-3

Sum = 403
```

Seat No.:	Enrolment No

Gujarat Technological University

BE Semester-1st/2nd Examination (New Syllabus) – Winter 2016

Subject Code: 2110003 Date: 27-01-2017

Subject Name: Computer Programming and Utilization

Time: 10.30 a.m. - 1.00 p.m.Total Marks: 70

Instructions

07

- 1. Question No. 1 is compulsory. Attempt any four out of remaining six questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate maximum marks.

(c) Exits the program

(a) y = 22

(d) Starts from beginning of program

7. Which of following is not a valid assignment expression?

Q.1 Objective Questions (MCQs) (a) 1. Which one of the following is known as the 'language of the computer'? (a) Programming language (b) High-level language (c) Machine language (d) Assembly language 2. Any C program: (a) Must contain at least one function (b) Need not contain any function (c) Needs input data (d) None of the above 3. In flowchart for what purpose ◊ symbol is used? (a) Processing (b) Condition (c) Data flow (d) Input/output 4. Which is a correct 'C' expression? (a) z = (x+y); (b) z = [x+y];(c) $z = \{x+y\};$ (d) $z = \{(x+y)\};$ 5. If we want to increment the value of sum by 1. Which of following should be used? (a) sum++; (b) sum = sum + 1; (c) sum + = 1; (d) all of above. 6. Continue statement: (a) Breaks loop and goes to next statement after loop (b) Does not break loop but starts new iteration

(b) s = x

(c) y % = 6

Ans.	1. (a	a)	2. (a)	3. (b)	4. (a)	5. (d)	6. (b)	7. (d)	
(b)								07
`	1. What should be written in the program to get newline on the screen?								
			printf("\n'		1 0	_	echo "\\n";		
		(c) printf('\n');				` '	printf(" \\n '	");	
	2.	In v							
			while				do-while		
		(c)	for			(d)	if		
	3. How many times following loop will be executed.								
			in()						
		{			7.				
				i<= 3276 tf(' %d\n					
				i+ 1;	, , - , ,				
			}						
		}	2 .:			4.	4		
			2 times				1 times	. 1	
	4	` /	infinite tin				-	ot be executed	
	4. File manipulation functions in C are available in which header file?								
		\ /	streams.h				stdio.h		
	_		stdlib.h	C 4-		(a)	files.h		
	٥.	-	ointer valu			(1.)	A		
		` /	A float val				An integer	constant	
	6		Any valid		=	` ′	None		
	0.		icture can	contain ei	ements of t		False		
	7		True ich functio	n raallaaa	taa mamar	` ′	raise		
	7.		realloc	ii icanoca	ies ilicilioi	•	calloc		
		` /	malloc			` /	None of the	NG 0	
		` ′				` '			
Ans.	1. (a	a)	2. (b)	3. (a)	4. (b)	5. (c)	6. (b)	7. (a)	
2.	(a)	Re	call the de	finitions o	f (i) Assen	nbler (ii)	Compiler (iii) Interpreter.	03
Ans.	Ref	er to	Section 1.	8.					
	Assembler: It is a computer program that translates assembly language statements into mach								
	land	ກາລດ	e codes						

(ii) Compiler: It is a computer program that translates the source code written in high-level language

(iii) Interpreter: It is a translation program that converts each high-level program statement into the

into the corresponding object-code of the low-level language.

corresponding machine code.

(d) z = 5 = 3

(b) Write a program that reads two numbers from keyboard and gives their addition subtraction, multiplication, division and modulo. 04

Ans. **Program**

```
#include <stdio.h>
#include <conio.h>
void main()
  int no1, no2, ans add, ans sub, ans mul, ans div, ans mod;
  clrscr();
  printf("Enter Number 1:-");
  scanf("%d",&no1);
 printf("Enter Number 2:-");
  scanf("%d", &no2);
  ans add = no1+no2;
  ans sub = no1-no2;
  ans mul = no1*no2;
  ans div = no1/no2;
  ans mod = no1%no2;
  printf("\n^33d + ^33d = ^33d", no1, no2, ans add);
  printf("\n^33d - \n^33d = \n^33d", no1, no2, ans sub);
  printf("\n^33d * \n^33d = \n^33d", no1, no2, ans mul);
 printf("\n^33d / \n^33d = \n^33d", no1, no2, ans div);
  printf("\n%3d %% %3d = %3d", no1, no2, ans mod);
  getch();
```

Output

```
Enter Number 1:-50
Enter Number 2:-5
50 +
       5 = 55
50 -
      5 = 45
50 *
      5 = 250
50 /
     5 = 10
50 %
       5 =
             0
```

(c) Develop an application program to convert and print distance between two cities in meters, feet, inches & centimeters. The distance between two cities (In Km) is input through keyboard. **07**

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
 float distance, ans meters, ans feets, ans inches, ans cmeters;
 clrscr();
 printf("Enter distance between two cities in KM:- ");
  scanf ("%f", &distance);
  ans meters = distance * 1000;
  ans feets = distance * 3280.84;
  ans inches = distance * 39379.96;
  ans cmeters = distance * 100000;
 printf("\n%.2f KM = %.2f Meters", distance, ans meters);
 printf("\n%.2f KM = %.2f Feets", distance, ans feets);
  printf("\n%.2f KM = %.2f Inches", distance, ans inches);
 printf("\n%.2f KM = %.2f Centimeters", distance, ans cmeters);
 getch();
}
```

Output

```
Enter distance between two cities in KM:- 15
15.00 KM = 15000.00 Meters
15.00 KM = 49212.60 Feets
15.00 KM = 590699.38 Inches
15.00 KM = 1500000.00 Centimeters
```

Q.3 (a) Discuss general form of following decision-making statements.

```
(i) If (ii) Switch (iii) GoTo
```

03

Ans. Refer to Section 6.2, 6.7 and 6.9.

(b) Describe the four basic data types. How could we extend the range of values they represent?

Ans. Refer to Section 3.7.

(c) Write a program to find sum of first N odd numbers.

```
Ex. 1+3+5+7+.....+N.
```

Ans. Program

```
#include <stdio.h>
#include <stdio.h>
#include <conio.h>
void main()
```

04

```
int N, sum=0;
clrscr();
printf("Enter value of N:- ");
scanf("%d",&N);
for (int i=1; i \le N; i=i+2)
   sum = sum + i;
printf("Sum of odd numbers upto %d is %d", N, sum);
getch();
```

Output

```
Enter value of N:- 15
Sum of odd numbers upto 15 is 64
```

Q.4 (a) List down three constructs for performing loop operations in C language. Write general form of same. 03

Ans. Refer to Section 7.2, 7.3 and 7.4.

- (b) Distinguish between the following pairs:
 - (i) "getchar" and "scanf" functions.
 - (ii) "%s" and "%c" specifications for reading.
- Ans. getchar() is used to read a single character at a time, getchar can be used in a loop to read multiple characters. scanf is used to read character, integer, float value with the sequence of entry specified at the time of calling scanf. We can specify that user will enter integer value then float value.

"%s" is used while reading a string which is null-terminated string (char*).

Refer to Sections 5.2 to 5.5

(c) Develop a simple program to add, subtract and multiply two numbers using switch statement. 07

Program Ans.

```
#include <stdio.h>
#include <comio.h>
void main()
  char op;
```

[&]quot;%c" is used while a single character needs to be read

```
float no1, no2, ans;
 int mode;
while(1)
 printf("\n\nEnter 1 to Continue, 0 to Exit:-");
  scanf("%d", &mode);
 if(mode==0)
     break;
     printf("Enter Number 1:- ");
     scanf("%f", &no1);
     printf("Enter Number 2:- ");
     scanf("%f", &no2);
     printf("Enter Operator:- ");
     scanf(" %c", &op);
     switch(op)
  case '+':
     ans = no1+no2;
     printf("%f + %f = %f", no1, no2, ans);
break;
 case '-':
     ans = no1-no2;
     printf("%f - %f = %f", no1, no2, ans);
     break;
  case '*':
     ans = no1*no2;
     printf("%f * %f = %f", no1, no2, ans);
     break;
  case '/':
     ans = no1/no2;
     printf("%f / %f = %f", no1, no2, ans);
     break;
  default:
     printf("Invalid Operator");
     break;
getch();
```

Output

```
Enter 1 to Continue, 0 to Exit:-1
Enter Number 1:- 10
Enter Number 2:- 20
Enter Operator:- *
10.000000 * 20.000000 = 200.000000
Enter 1 to Continue, 0 to Exit:-1
Enter Number 1:- 20
Enter Number 2:- 2
Enter Operator:- /
20.000000 / 2.000000 = 10.000000
Enter 1 to Continue, 0 to Exit:-0
```

Q.5 (a) What is a pointer? How is a pointer initialized?

03

Ans. Refer to Section 11.1 and 11.5.

(b) Discuss initialization of one-dimensional arrays with example.

04

Ans. Refer to Section 8.4.

(c) Recall and describe different "categories of functions".

07

Ans. Refer to Section 10.9 to 10.13.

Q.6 (a) What do you understand by linked list? How is it represented?

03

Ans. Refer to Section 13.7.

(b) Distinguish between "structure" and "array". Discuss the meaning and purpose of following: (i) struct keyword (ii) typedef keyword (iii) sizeof operator. 04

Ans. Refer to Section 12.1 and 12.14.

(c) Write a program to count total words in text.

07

Ans. Program

```
#include <stdio.h>
#include <comio.h>
void main()
  char text[500];
 int total words = 0,i;
 clrscr();
 printf("Enter Text:-\n");
  scanf("%[^\n]s", text);
```

```
for (i = 0; text[i] != ' \setminus 0'; i++)
   if (text[i] == ' ')
      total words++;
   printf("Total Words are:- %d\n",total words+1);
getch();
```

Output

```
Enter Text:-
Gujarat Technological University
Total Words are: - 3
```

Q.7 (a) Distinguish between the following functions:

03

- (i) "getc" and "getchar" (ii) "printf" and "fprintf" (iii) "feof" and "ferror".
- Ans. Getc can read from any input stream, but getchar reads from standard input (console). So getchar is same as getc(stdin) which reads one character.

The difference between printf writes to standard output (console) but fprintf can write to any output stream (files). Printf is same as fprintf(stdout, ...)

feof can be used to determine end of file while ferror can be used to determine any error during file processing..

Refer to Section 5.2 to 5.5.

04 (b) Write a program to illustrate the use of fputc () and fputs ().

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
 FILE * fp;
 int val, i;
 clrscr();
     fp = fopen("data.txt", "w");
  for (i=1; i \le 10; i++)
     fputc(i,fp);
     fclose(fp);
     fp = fopen("data.txt", "r");
  while(1)
```

```
val = fgetc(fp);
if(val==EOF)
   break;
printf("%d ",val);
   getch();
```

1 2 3 4 5 6 7 8 9 10

(c) Define a structure called cricket that will describe the following information: (ii) Team name (i) Player name (iii) Batting average

Program Ans.

```
#include <stdio.h>
#include <comio.h>
struct cricket
   char player name[10];
   char team name[10];
   float bating avg;
};
void main()
struct cricket players[3];
int i;
float total=0;
clrscr();
for (i=0; i<3; i++)
printf("\n\nEnter Data for Player %d\n",i+1);
printf("Enter Player Name :- ");
scanf("%s",players[i].player name);
printf("Enter Team Name:- ");
scanf("%s",players[i].team_name);
printf("Enter Average Bating :- ");
scanf("%f", &players[i].bating avg);
```

Q.10 Computer Programming and Utilization

```
total += players[i].bating_avg;
}
printf("\nAverage Bating of All Players:- %f",total/3);
getch();
}
```

Output

```
Enter Data for Player 1
Enter Player Name :- ABC
Enter Team Name:- INDIA
Enter Average Bating :- 90

Enter Data for Player 2
Enter Player Name :- DEF
Enter Team Name:- INDIA
Enter Average Bating :- 120

Enter Data for Player 3
Enter Player Name :- XYZ
Enter Team Name:- INDIA
Enter Average Bating :- 70

Average Bating of All Players:- 93.333336
```

Seat No.:	Enrolment No

Gujarat Technological University

BE Semester- $1^{st}/2^{nd}$ Examination (New Syllabus) – Summer 2017

Subject Code: 2110003	Date: 03-06-2017
Subject Code: 2110003	Date: 03-00-201/

Subject Name: Computer Programming and Utilization

Time: 2.30 p.m. - 5.00 p.m.**Total Marks: 70**

Instructions

- 1. 2.
- 3.
- Q.1

2.	Ma	estion No. 1 is compulsory. Atte ke suitable assumptions wherev ures to the right indicate maxin	er necessa	•				
.1	Ob	jective Questions (MCQs)						
(a)				07			
	1.	In flowchart for what purpose ◊	symbol is u	sed?				
		(a) Processing	(b)	Condition				
		(c) Data flow	(d)	Input/output				
	2.	2. Continue statement:						
		(a) Breaks loop and goes to nex	t statement	after loop				
		(b) Does not break loop but star	ts new itera	ation				
		(c) Exits the program						
		(d) Starts from beginning of pro	_					
	3. Which of the following loop is executed at least once?							
		(a) for loop	` '	while loop				
		(c) do while loop	(d)	None of the above				
	4.	ASCII value of 'a' is:						
		(a) 97	(b)					
		(c) 47		None of the above				
	5.	A float requiresb						
		(a) 2 bytes	` '	1 byte				
		(c) 8 bytes	` '	4 bytes				
	6.	-	The format string to accept a string is:					
		(a) %c	\ /	%d				
	7	(c) %f	(d)					
	/.	Which header file is necessary for						
		(a) conio.h	(b)	strings.h				

(d) stdio.h (c) string.h 2. (b) 6. (d) 7. (c) **Ans.** 1. (b) 3. (c) 4. (a) 5. (d) **(b)** 1. When a key is pressed on keyboard, which standard is used for converting the keystroke into the corresponding bits? (b) ASCII (a) ANSI (c) EBCDIC (d) ISO 2. Which of the following is used as a string termination character? (a) 0 (b) \0 (c) /0(d) None of these 3. Which of the following operator is used to select a member of a structure variable? (a) .(dot) (b) ,(comma) (c) : (colon) (d) ;(semicolon) 4. C is a language. (a) Machine Level (b) Low Level (d) High Level (c) Middle Level 5. What is the output of the following code: void main() int i; for (i=1; i <= 10; i++);printf("%d\n",i); } (a) 10 (b) 1 to 10 (c) 11 (d) None of the above 6. What is the output of the following code: void main() int i; for (i=65; i<70; i++)printf("%c,",i); (a) 65,66,67,68,69,70 (b) a,b,c,d,e, (c) A,B,C,D,E, (d) A,B,C,D,E7. What is the output of following code: void main() int i=5;switch(i) case 3: printf("three"); case 4: printf("four");

> case 5: printf("five"); case 6: printf("six");break;

07

```
case 7: printf("seven"); default: printf("default");
          }
                                            (b) fivesixsevendefault
         (a) five
         (c) fivesix
                                            (d) None of the above
Ans. 1. (b)
              2. (b)
                       3. (a) 4. (c)
                                          5. (c)
                                                   6. (c)
                                                            7. (c)
```

2. (a) List the data types provided by C programming language.

03

Ans. Refer to Section 3.7.

(b) What is bottom tested loop? Give example.

04

Ans. Refer to Section 7.3.

(c) Write a program to accept start number and end number from the user and print all the numbers in the range. **07**

Ans. **Program**

```
#include <stdio.h>
#include <comio.h>
void main()
    int start, end, i;
    clrscr();
    printf("Enter Start Number:-");
    scanf("%d", &start);
    printf("Enter End Number:-");
    scanf("%d", &end);
    for(i=start;i<=end;i++)</pre>
        printf("%d ",i);
    getch();
}
```

Output

```
Enter Start Number: -5
Enter End Number: -10
5 6 7 8 9 10
```

Q.3 (a) Explain switch case in 'C' with the help of an example.

03

Ans. Refer to Section 6.7.

04

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
{
    int no1,no2,max;
    clrscr();
    printf("Enter Number1:-");
    scanf("%d",&no1);
    printf("Enter Number2:-");
    scanf("%d",&no2);
    max = no1 > no2 ? no1 : no2;
    printf("Largest Number is %d",max);
    getch();
}
```

Output

```
Enter Number1:-5
Enter Number2:-10
Largest Number is 10
```

(c) Write a program in 'C' to print the following pattern.

07

1 23

456

78910

Ans. Program

```
#include <stdio.h>
#include <conio.h>
#include <conio.h>
void main()
{
    int i,j,value=1;
    clrscr();
    for(i=0;i<4;i++)
    {
    for(j=0;j<=i;j++)
    {
        printf("%d",value);
        value++;
    }
    printf("\n");
    }
    getch();
}</pre>
```

```
1
23
456
78910
```

Q.4 (a) Explain strcat(), strlen() and strcpy() functions with examples.

Ans. Refer to Section 9.8.

(b) Explain function declaration, function definition and function call. 04

Ans. Refer to Sections 10.7 and 10.8.

(c) Write a program in C for multiplication of two matrix.

07

03

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
    int no1, no2, ans;
    clrscr();
    printf("Enter Number1:-");
    scanf("%d", &no1);
    printf("Enter Number2:-");
    scanf("%d", &no2);
    ans = gcd(no1, no2);
    printf("GCD of %d and %d is %d", no1, no2, ans);
    getch();
}
int gcd(int n1, int n2)
int i, ans;
for(i=1; i <= n1 && i <= n2; i++)
  if(n1%i==0 && n2%i==0)
      ans = i;
    return ans;
```

Output

```
Enter Number1:-90
Enter Number2:-100
GCD of 90 and 100 is 10
```

Q.5 (a) What is array? Give example of array.

03

Ans. Refer to Section 8.1.

(b) What is string? In how many ways can you accept data in a string?

04

Ans. Refer to Sections 9.1 and 9.3.

(c) Write a program to accept a string and count the number of vowels present in a string.

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void main()
{
   char *str;
   int vowels=0,i=0;
   clrscr();
   printf("Enter String:-");
   scanf("%[^\t]s",str);
   while (str[i]!='\0')
   {
      if (str[i]=='a' || str[i]=='e' || str[i]=='i' || str[i]=='o' || str[i]=='u'
      || str[i]=='A' || str[i]=='E' || str[i]=='I' || str[i]=='O' || str[i]=='U')
      vowels++;
   i++;
   }
   printf("Total vowels = %d",vowels);
   getch();
}
```

Output

```
Enter String:-C Programming
Total vowels = 3
```

Note: Press Control+z to complete string input from console.

Q.6 (a) What is a pointer? How and when is it used?

03

Ans. Refer to Section 11.1.

(b) Write a function to swap 2 numbers.

04

Ans. Program

```
#include <stdio.h>
#include <conio.h>
void swap(int *,int *);
void main()
```

07

```
{
    int no1, no2;
    clrscr();
    printf("Enter Number1:-");
    scanf("%d",&no1);
    printf("Enter Number2:-");
    scanf("%d", &no2);
    swap(&no1,&no2);
    printf("\nNumber 1= %d", no1);
    printf("\nNumber 2= %d", no2);
    getch();
}
void swap(int *n1,int *n2)
     int temp;
     temp = *n1;
     *n1 = *n2;
     *n2 = temp;
}
```

Output

```
Enter Number1:-90
Enter Number2:-100
Number 1= 100
Number 2 = 90
```

(c) Write a program to find out the largest of an array.

Ans. Program

```
#include <stdio.h>
#include <comio.h>
void main()
 int data[10];
 int i=0, max=0;
 clrscr();
 for(i=0;i<10;i++)
    printf("\nEnter Number %d:-",i+1);
     scanf("%d", &data[i]);
     if(data[i] > max)
```

```
max = data[i];
}
printf("\nLargest value is %d",max);
getch();
}
```

```
Enter Number 1:-45
Enter Number 2:-55
Enter Number 3:-34
Enter Number 4:-645
Enter Number 5:-66
Enter Number 6:-43
Enter Number 7:-2
Enter Number 8:-75
Enter Number 9:-32
Enter Number 10:-22
Largest value is 645
```

Q.7 (a) What is a structure? Give example.

03

Ans. Refer to Sections 12.1 and 12.2.

(b) Explain malloc(), calloc() with examples.

04

Ans. Refer to Sections 13.3 and 13.4.

(c) Write a 'C' program which copies the contents of one file to other.

07

Program

```
#include <stdio.h>
#include <conio.h>
void main()
{
    FILE *fp1, *fp2;
    char c;
    clrscr();

// Create file1. Write in it
```

```
fp1 = fopen("data1.txt", "w");
 fprintf(fp1,"C Programming");
 fclose(fp1);
 //Open file1 for reading
 fp1 = fopen("data1.txt", "r");
 //Create file2 for writing.
 fp2 = fopen("data2.txt", "w");
 //Copy file1 into file2
 c = fgetc(fp1);
  while (c != EOF)
  {
fputc(c, fp2);
c = fgetc(fp1);
  fclose(fp1);
  fclose(fp2);
  //Print file2.
  fp2 = fopen("data2.txt", "r");
  c=fgetc(fp2);
  while(c != EOF)
printf("%c",c);
c=fgetc(fp2);
  fclose(fp2);
getch();
```

C Programming